KANSAS CORPORATION COMMISSION RIGHT Sorm ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5144	API No. 15 - 077-00899 -0002
Name: Mull Drilling Company, Inc.	Spot Description:
Address 1: 1700 N. Waterfront Pkwy, Bldg. 1200	NE_NE_Sec. 26 Twp. 31 S. R. 9 East
Address 2:	330 4950 Feet from 🖾 North / 🗹 South Line of Section
City: Wichita State: KS Zip: 67206 + 6637	990 Feet from 🕡 East / 🗌 West Line of Section
Contact Person: Steve C. Anderson	Footages Calculated from Nearest Outside Section Corner:
Phone: (316) 264-6366 RECEIVED	Ne Inw Vse Isw
CONTRACTOR: License #	County: Harper
Name: NOV 1 3 2009	Lease Name: Jacobs B Well #: _5
Wellsite Geologist: KCC WICHITA	Field Name: Spivey Grabs Basil
Purchaser:	Producing Formation: Mississippian
Designate Type of Completion:	Elevation: Ground: 1594 Kelly Bushing: 1599
New Well Re-Entry Workover	Total Depth: 4410 Plug Back Total Depth: 4600'
✓ Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 200 Fee
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other	If Alternate II completion, cement circulated from:
(Core, WSW, Expl., Cathodic, etc.)	feet depth to:w/sx cmt
If Workover/Re-entry: Old Well Info as follows: Operator: Mull Drilling Company, Inc.	
Well Name: Jacobs B #5	Drilling Fluid Management Plan W 4-220
Original Comp. Date: 7/25/61 Original Total Depth: 4410	Chloride content:ppm Fluid volume: bbls
Deepening Re-perf. Conv. to Enhr. Conv. to SWD	Dewatering method used:
Plug Back: Plug Back Total Depth	
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
10/01/09 10/01/09 10/07/09	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Docket No.:
Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if r	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information equested in writing and submitted with the form (see rule 82-3-107 for confidenwell report shall be attached with this form. ALL CEMENTING TICKETS MUST form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate are complete and prrect to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements herein
Signature: 1 Quey J. Jemm	KCC Office Use ONLY
Title: Sr. Eng. & Prod. Techinican Date: 11/12/09	Letter of Confidentiality Received
Subscribed and sworn to before me this 124 day of Love who	If Denied, Yes Date:
20 09 TANK	WIS L. TRITT Wireline Log Received
MY COMM	IISSION EXPIRES Geologist Report Received
	ch 26, 2011 UIC Distribution
Date Commission Expires: 3.26.301	

Side Two

Catach Additional Sheets Samples Sent to Geological Survey Yes No	Operator Name: Mull Drilling Company, Inc.		Lease Name: Jacobs B			Well #:		
time tool open and closed, flowing and shul-in pressures, whether shul-in pressure reached static level, hydrostatic pressures, bottom hole temperatur recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline surveyed. Attach final geological well site report. Drill Stem Tests Taken	Sec26Twp3	1 S. R. 9	East West	County: Harp	er			
Name Top Datum	time tool open and cle recovery, and flow rat	osed, flowing and shut- tes if gas to surface test	in pressures, whether s t, along with final chart(s	hut-in pressure rea	ched static level,	hydrostatic pres	sures, bottom h	iole temperature, fluid
Samples Sent to Geological Survey			☐ Yes ☐ No		og Formation	n (Top), Depth ar	nd Datum	Sample
Electric Log Run (Submit Copy) List All E. Logs Run: CASING RECORD Nov 1 3 2009 KCC WICHITA CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Size Casing Weight Depth Cement Used Additive ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs SetType Specify Footage of Each Interval Perforated Cut 3 - 500' laterals phasing @ 4388' Backwashed each cut w/83 gal 7.5% NE Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE	Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	ne		Тор	Datum
CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Drilled Size Casing Weight Lbs. / Ft. Setting Depth Cerment Used Additive ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Perforate Protect Casing Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Cut 3 - 500' laterals phasing @ 4388' Backwashed cut w/83 gal 7.5% NE Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE	Electric Log Run				RECEIVED			
CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Orrilled Size Casing Weight Lbs. / Ft. Setting Depth Cerment Used Additive ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Perforate Protect Casing Pulga Back TD Plug Back TD Plug Gff Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Cut 3 - 500' laterals phasing @ 4388' Backwashed cut w/83 gal 7.5% NE Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE	List All E. Logs Run:			N KC	0V 1 3 2009) A		
Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Drilled Size Casing Weight Setting Type of Cement String Set (In O.D.) Set (In O.			CASING			4		
ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additives Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Cut 3 - 500' laterals phasing @ 4388' Backwashed cut w/83 gal 7.5% NE Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE						on, etc.		· · · · · · · · · · · · · · · · · · ·
Purpose: — Perforate — Protect Casing — Plug Back TD — Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Cut 3 - 500' laterals phasing @ 4388' Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE	Purpose of String							Type and Percent Additives
Purpose: — Perforate — Protect Casing — Plug Back TD — Plug Off Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Cut 3 - 500' laterals phasing @ 4388' Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE								
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Cut 3 - 500' laterals phasing @ 4388' Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE			ADDITIONAL	. CEMENTING / SQI	JEEZE RECORD			y j When
Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Cut 3 - 500' laterals phasing @ 4388' Backwashed each cut w/83gal 7.5% NE Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE	Perforate Protect Casing Plug Back TD		Type of Cement	#Sacks Used		Type and	Percent Additives	
Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Cut 3 - 500' laterals phasing @ 4388' Backwashed each cut w/83gal 7.5% NE Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE								
Cut 1 - 500' lateral @ 4382' Backwashed cut w/83 gal 7.5% NE								
	Cut 3 - 500' laterals phasing @ 4		88' Backwashed		ed each cut v	each cut w/83gal 7.5% NE		
Cut 2 - 500' laterals 4382'					Backwash	Backwashed cut w/83 gal 7.5% NE		
		Cut 2 - 500' late	rals 4382'					
TUBING RECORD: Size: Set At: Packer At: Liner Run: 2 3/8 4327				Packer At:		Yes V No)	
Date of First, Resumed Production, SWD or Enhr. 10/15/09 Producing Method: Flowing ✓ Pumping ☐ Gas Lift ☐ Other (Explain)	· ·	Production, SWD or Enhr.	. Producing Meth		ng 🔽 Pumpir	ng Gas L	ift Oth	er (Explain)
		Į.		Mcf Wa		bls.	Gas-Oil Ratio	Gravity 27.2°
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL: PRODUCTION INTERVAL: PRODUCTION INTERVAL: PRODUCTION INTERVAL: Open Hole	☐ Vented ☑ Solo	d Used on Lease	Open Hole	Perf. Duall		nmingled	PRODUCTIO	ON INTERVAL: