KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL Form ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5144	API No. 15 - 101-22001-00-0				
Name: Mull Drilling Company, Inc.	Spot Description:				
Address 1: 1700 N. Waterfront Pkwy., Bldg. 1200	NE _NW _SE _NW _Sec. 15 _Twp. 17 _S. R. 28 _ ☐ East ✓ West				
Address 2:	1476 Feet from 🕡 North / 🗌 South Line of Section				
City: Wichita State: KS Zip: 67206 + 6 6 3 7	1722 Feet from East / West Line of Section				
Contact Person: Steve C. Anderson	Footages Calculated from Nearest Outside Section Corner:				
Phone: (316) 264-6366	□NE ☑NW □SE □SW				
CONTRACTOR: License #	County: Lane				
Name:	Lease Name: Borell Well #: 1-15				
Wellsite Geologist:	Field Name: Lane Lake SE				
Purchaser:	Producing Formation: Marmaton, Pleasanton & LKC "J" & "L"				
Designate Type of Completion:	Elevation: Ground: 2747' Kelly Bushing: 2756'				
New Well Re-Entry Workover	Total Depth: 4610' Plug Back Total Depth: 4586'				
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet				
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?				
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set:Feet				
Dry Other	If Alternate II completion, cement circulated from:				
(Core, WSW, Expl., Cathodic, etc.)	feet depth to:w/sx cmt.				
If Workover/Re-entry: Old Well Info as follows: Operator:Mull Drilling Company, Inc					
Well Name: Borell #1-15	Drilling Fluid Management Plan Oww 0 - Alt II NW (Data must be collected from the Reserve Pit)				
Original Comp. Date: 3/23/07 Original Total Depth: 4610'	4-20-10				
Original Comp. Date: 3/23/07 Original Total Depth: 4010 ——— Deepening —— Re-perf. —— Conv. to SWD	Chloride content: ppm Fluid volume: bbls				
Plug Back:Plug Back Total Depth	Dewatering method used:				
Flug Back Flug Back Total Depth	Location of fluid disposal if hauled offsite:				
Dual Completion Docket No.:	Operator Name:				
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:				
3/2/10 3/7/10	Quarter Sec TwpS. R				
Spud Date or Date Reached TD Completion Date or	County: Docket No.:				
Recompletion Date Recompletion Date					
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copies of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden-II report shall be attached with this form. ALL CEMENTING TICKETS MUST				
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and correct to the best of my knowledge.	he oil and gas industry have been fully complied with and the statements herein				
Signature: flully Imm	KCC Office Use ONLY				
Title: Sr. Eng. & Prod. Technician Date: 4/9/10	Letter of Confidentiality Received				
Subscribed and sworn to before me this 9th day of April	If Denied, Yes Date:				
20 10	Wireline Log Received RECEIVED				
1	Geologist Report Received APR 1 2 2010				
A-U-II OFFICIAL MY COMMISS					

Side Two

Operator Name: Mul	il Drilling Company	, Inc.		e Name: 上		···	Well #:	<u> </u>	
Sec. 15 Twp. 1	7 S. R. 28	☐ East 🗹 W	est Cour	_{nty:} Lane					
time tool open and clerecovery, and flow rate	now important tops an osed, flowing and shu tes if gas to surface te al geological well site r	t-in pressures, w st, along with fina	hether shut-in pre	essure read	ched static level,	hydrostatic į	oressures, bottom h	ole temperature, fluid	
Drill Stem Tests Taken Yes No (Attach Additional Sheets)		No	☐Log Form		n (Top), Dep	Sample			
Samples Sent to Geological Survey		□No	Nam	e		Тор	Datum		
Cores Taken Electric Log Run (Submit Copy)			No No						
List All E. Logs Run:									
		(CASING RECORE)	w Used				
			ings set-conductor,	-	····			1	
Purpose of String	Size Hole Drilled	Size Casin Set (In O.D		eight s. / Ft.	Setting Depth	Type of Cemen		Type and Percent Additives	
		ADD	ITIONAL CEMEN	TING / SQU	EEZE RECORD				
Purpose: —— Perforate	Depth Top Bottom					Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone						1			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4	4200-4204			500gal 15% MCA					
				250g		250gal 15% M RECEIVED 4266-7			
						ΔPR	1 2 2010		
						KCC V	VICHITA		
TUBING RECORD: 2	Size: 3/8"	Set At: 4532'	Packer	At:	Liner Run:	Yes✓	No No		
Date of First, Resumed 3/5/10	Production, SWD or Enh	r. Produ	cing Method:	Flowing	g 🗸 Pumpii	ng 🔲 G	as Lift	er (Explain)	
Estimated Production Per 24 Hours	Oil E	Bbls. G	as Mcf	Wate	er B	bls.	Gas-Oil Ratio	Gravity 38.5°	
DISPOSITI	ON OF GAS:		METHOD	OF COMPLE	TION		PRODUCTIO	ON INTERVAL:	
Vented Solo		Open Ho	_	_		nmingled		4', 4266-70', 4200-04	
(If vented, Su	bmit ACO-18.)	Other (S)	pecify)						