

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

020043

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EOG Resources, Inc.			License Number: 5278		
Operator Address: 3817 NW EXPRESSWAY STE 500			OKLAHOMA CITY OK 73112		
Contact Person: Dawn Rockel			Phone Number: 405-246-3226		
Lease Name & Well No.: Central Plains 27 #3		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Orilling Pit Drilling Pit	Pit is:		Sw - SW - NW - SW Sec. 27 Twp. 33 R. 39 East West 1,600		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from North / South Line of Section 200 Feet from East / West Line of Section Stevens County		
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l			
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Soil compaction		
Pit dimensions (all but working pits): 125 Length (feet) Depth from ground level to deepest		•	Width (feet) N/A: Steel Pits 5 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit 2203feet		Depth to shallowest fresh water131feet. Source of information: electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Gel			
Number of producing wells on lease:		Number of working pits to be utilized:0			
Barrels of fluid produced daily:		Abandonment procedure: EVAPORATION/DEWATER AND BACKFILLING OF RESERVE PIT			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY			NLY Steel Pit RFAC RFAS		
Date Received: 06/27/2008 Permit Num	15-189-2265 ber:	7-00-00 Perm	it Date:		



to haul-off pit application.

located, to the haul-off pit application.

Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.		DISPOSAL OF DIKE AND PIT CONTENTS.
(a)		Each operator shall perform one of the following when disposing of dike or pit contents:
	(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
	(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
	(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements mainclude any of the following:
		(A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f)
		(B) removal and placement of the contents in an on-site disposal area approved by the commission;
		(C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
		(D) removal of the contents to a permitted off-site disposal area approved by the department.
(b)		Each violation of this regulation shall be punishable by the following:
	(1) (2) (3)	A \$1,000 penalty for the first violation; a \$2,500 penalty for the second violation; and a \$5,000 penalty and an operator license review for the third violation.
<u>Comple</u>	te a	nd return with Haul-Off Pit Application, Form CDP1(2004)
Haul-off	pit v	ill be located in an on-site disposal area: ☐Yes ☑No

Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:

Yes No If yes, written permission from the landowner must be obtained. Attach written permission

Haul-off pit is located in an off-site disposal area on another **producing** lease or unit operated by the same operator: Yes No If yes, written permission from the landowner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be

Offsite Pit Permission

To Whom it may con		
Cantral P	Plains Farming, LLC	
I Figures	C. Beachuse	do hereby give EOG Resources
	Surface owner	
<u> </u>	our face owner	
Permission to take d	rilling fluids from the _C	Central Plains 27 #3, to Well name
a reserve pit in the	SW, SW, NW, NW Sec 2	7- 33S-39W
1600 F5L	Legal o	description
200 FWL	_	•
Stevens	, Kansas	•
	State	 ,
County	State	•
Lat:	Long	3;
Contral Plains	fanning us	a.
Billy	2 del-	6-2608
Su	hace owner way no	y Neuls on Date
	·	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

June 30, 2008

Dawn Rockel EOG Resources, Inc. 3817 NW EXPRESSWAY STE 500 OKLAHOMA CITY, OK73112-1483

Re: Haul-Off Pit Application Central Plains Lease Well No. 27 #3 Sec.27-33S-39W Stevens County, Kansas

Dear Dawn Rockel:

District staff has inspected the above referenced location and has determined that the Haul-Off pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the Haul-Off pit within 96 hours of completion of drilling operations.

NO completion fluids or non-exempt wastes shall be placed in the Haul-Off pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.



For KCC				
Effective D)ate:	7/05/200	8	
District # _	1			
0040 F		ſ ▽ 1		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007

District #	Form must be Typed Form must be Signed
	OF INTENT TO DRILL All blanks must be Filled
Must be approved by I	(CC five (5) days prior to commencing well
Expected Spud Date:7/2/2008	Spot Description:
month day year	E2 - NW - NW - SW Sec. 27 Twp. 33 S. R. 39 TE WW
5278	(Q/Q/Q/Q/Q) 2,310 sec. wp. sec. N. Sec
OPERATOR: License#	360 feet from E / X W Line of Section
Address 1: 3817 NW EXPRESSWAY STE 500	Is SECTION: Regular Irregular?
Address 2:	
City: OKLAHOMA CITY State: OK Zip: 73112 + 1483	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dawn Rockel	County:
Phone: 405-246-3226	Lease (Name,
CONTRACTOR: License# 34000	Field Name: Wildcat
Name: Kenai Mid-Continent, Inc.	is this at Totaled 7 opased 1 sid:
	Target Formation(s): Morrow
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 360
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 3258 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 400
Other:	Depth to bottom of usable water: 560
If OWWO: old well information as follows:	Surface Pipe by Alternate: XII 1700
a state of work information as follows.	Length of Surface Pipe Planned to be set: 1700
Operator:	
Well Name:	Projected Total Depth: 6600
Original Completion Date: Original Total Depth:	•
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	No Swell Farm Pond Other:
	DWR Permit #:
Bottom Hole Location:	(Note : Apply for Permit with DWR)
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No
Bottom Hole Location:	(Note : Apply for Permit with DWR)
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Bottom Hole Location: KCC DKT #: Prorated & Spaced: Hugoton-Panoma	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location: KCC DKT #: Prorated & Spaced: Hugoton-Panoma The undersigned hereby affirms that the drilling, completion and every state of the completion	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	Will Cores be taken? Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to into the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	Will Cores be taken? Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to into the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to into the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set at into the underlying formation. Ithe district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to into the underlying formation. Ithe district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; Intual plugging coment to the top; in all cases surface pipe shall be set to into the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; err plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate It cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Notify the trick reserve to CRI to the text plustice is completed (within 60 doub).
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; Intual plugging of this well will comply with K.S.A. 55 et. seq. Intual plugging of this well will comply with K.S.A. 55 et. seq. Intual plugging rig; Intual
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to into the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; **be set** by circulating cement to the top; in all cases surface pipe **shall** be set** tinto the underlying formation. The district office on plug length and placement is necessary **prior** to **plugging;* er** plugged or production casing is cemented in;* ermented from below any usable water to surface within **120 DAYS** of spud date. Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. **In all cases, NOTIFY district office** prior to any cementing. **Remember to:** - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; **be set** by circulating cement to the top; in all cases surface pipe **shall** be set** tinto the underlying formation. The district office on plug length and placement is necessary **prior** to **plugging;* er** plugged or production casing is cemented in;* ermented from below any usable water to surface within **120 DAYS** of spud date. Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. **In all cases, NOTIFY district office** prior to any cementing. **Remember to:** - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set to into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.