

Operator Name: Ritchie Exploration, Inc. Lease Name: McClellan Trust Well #: 1
 Sec. 13 Twp. 17 S. R. 31 East West County: Scott

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 (See Attached Document)

List All E. Logs Run:
R A Guard Log

KCC
APR 22 2008
CONFIDENTIAL

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8.625	28#	231	common	200	3% cc, 2% gel
Production	7.875	4.5	10.5 #	4624	60/40 pozmix	250	10% salt, 2% gel,
							3/4% CD-31

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4532' - 4536' (Johnson) 03/05	1000 gals 15% NE + 18 sealer	
4	4306' - 4310' (Pleasanton) 03/05		
	***Pulled packer that had been		
	shutting Pleasanton off (02/26/2008)***		

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 3/8"	4280.1		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
02/26/2008			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	10.02		148.98		

Disposition of Gas: Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled Other (Specify) _____
 Production Interval: _____

RECEIVED
 KANSAS CORPORATION COMMISSION
APR 23 2008
 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., INC. 19077

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
OKLEY

DATE <u>2-24-05</u>	SEC. <u>13</u>	TWP. <u>17S</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>4:00 AM</u>	JOB START <u>7:15 AM</u>	JOB FINISH <u>7:45 AM</u>
LEASE <u>McClellan TRUST</u>		WELL # <u>1</u>	LOCATION <u>HEAVY SW-1/45-E7N</u>			COUNTY <u>SCOTT</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR <u>L.D. DRILL.</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>SURFACE</u>	CEMENT
HOLE SIZE <u>12 1/4" T.D. 234'</u>	AMOUNT ORDERED <u>200 SKS COM 3% CC 2866L</u>
CASING SIZE <u>8 3/8" DEPTH 231'</u>	
TUBING SIZE DEPTH	
DRILL PIPE DEPTH	
TOOL DEPTH	
PRES. MAX MINIMUM	COMMON <u>200 SKS @ 9.55 1910⁰⁰</u>
MEAS. LINE SHOE JOINT	POZMIX @
CEMENT LEFT IN CSG. <u>15'</u>	GEL <u>4 SKS @ 13.00 52⁰⁰</u>
PERFS.	CHLORIDE <u>7 SKS @ 36.00 252⁰⁰</u>
DISPLACEMENT <u>13 3/4 BBL</u>	ASC @

KCC
 APR 22 2008
 CONFIDENTIAL

EQUIPMENT	
PUMP TRUCK CEMENTER # <u>191</u> HELPER <u>WAYNE</u>	
BULK TRUCK # <u>218</u> DRIVER <u>LONNIE</u>	
BULK TRUCK # DRIVER	
HANDLING <u>211 SKS @ 1.50 316.50</u>	
MILEAGE <u>5 1/2 @ PER SK/MILE 280.50</u>	
	TOTAL <u>3111.00</u>

REMARKS:
CEMENT DID CIRC.

	SERVICE
	DEPTH OF JOB <u>231'</u>
	PUMP TRUCK CHARGE <u>625.00</u>
	EXTRA FOOTAGE @
	MILEAGE <u>50 @ 4.50 225.00</u>
	MANIFOLD @
	@
	@
	TOTAL <u>850.00</u>

THANK YOU

CHARGE TO: RTCHIE EXPLORATION,

STREET _____

CITY _____ STATE _____ ZIP _____

RECEIVED
 KANSAS CORPORATION COMMISSION

	PLUG & FLOAT EQUIPMENT
	<u>878 SURFACE #146 @ 55.00</u>
	@
	@
	@
	@
	TOTAL <u>55.00</u>

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Michael Pedigo PRINTED NAME Michael Pedigo

ALLIED CEMENTING CO., INC. 19079

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
OAKLEY

DATE <u>3-5-05</u>	SEC. <u>13</u>	TWP. <u>17S</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>8:45 PM</u>	JOB START <u>12:00 AM</u>	JOB FINISH <u>12:30 AM</u>
LEASE <u>McJellen</u>	WELL # <u>1</u>	LOCATION <u>HEALY SW-1/2S-E 2N</u>			COUNTY <u>Scott</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR <u>L.O. ORLG.</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>Production string</u>	
HOLE SIZE <u>7 7/8"</u>	T.D. <u>4624'</u>
CASING SIZE <u>4 1/2"</u>	DEPTH <u>4624'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL <u>PORT COLLAR</u>	DEPTH <u>2258'</u>
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>18.22'</u>
CEMENT LEFT IN CSG. <u>18.22'</u>	
PERFS.	
DISPLACEMENT <u>73 1/4 BBL</u>	

CEMENT			
AMOUNT ORDERED	<u>250 SKS 60/40 P02 1065M</u>		
	<u>286 gal 3/4 of 18 CD-31</u>		
	<u>500 GAL WFR-2</u>		
COMMON	<u>150 SKS</u>	@	<u>9.55</u> <u>1432.50</u>
POZMIX	<u>100 SKS</u>	@	<u>4.50</u> <u>450.00</u>
GEL	<u>4 SKS</u>	@	<u>13.00</u> <u>52.00</u>
CHLORIDE		@	
ASC		@	
SALT	<u>27 SKS</u>	@	<u>15.00</u> <u>405.00</u>
		@	
CD-31	<u>161 #</u>	@	<u>6.00</u> <u>966.00</u>
		@	
WFR-2	<u>500 GAL</u>	@	<u>1.00</u> <u>500.00</u>
		@	
		@	
HANDLING	<u>284 SKS</u>	@	<u>1.50</u> <u>426.00</u>
MILEAGE	<u>5 1/2 # PER SK / MILE</u>		<u>781.00</u>
			TOTAL <u>5012.50</u>

EQUIPMENT

PUMP TRUCK	CEMENTER	<u>TERRY</u>
# <u>191</u>	HELPER	<u>WAYNE</u>
BULK TRUCK		
# <u>218</u>	DRIVER	<u>MIKE</u>
BULK TRUCK		
#	DRIVER	

KCC
APR 22 2008
CONFIDENTIAL

REMARKS:

MIX 500 GAL WFR-2 MIX 15 SKS
RAT HOLE, MIX 235 SKS 60/40 P02
102 SALT 286 GAL 3/4 OF 18 CD-31
WASH PUMP & LINES DISPLACE 73 1/4
BBL WATER, Plug Landed AT 1200 PSE.
FLOAT HELD

THANK YOU

CHARGE TO: ROTCHER EXPLORATION

STREET _____

CITY _____ STATE _____

ZIP 67665

RECEIVED
KANSAS CORPORATION COMMISSION
APR 23 2008
CONSERVATION DIVISION
WICHITA, KS

SERVICE

DEPTH OF JOB	<u>4624'</u>	
PUMP TRUCK CHARGE		<u>1260.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>50 MI</u> @ <u>4.50</u>	<u>225.00</u>
MANIFOLD	@	
	@	
	@	
		TOTAL <u>1485.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

	<u>4 1/2"</u>	
1-6 INCH SHOES	@	<u>125.00</u>
1-AF4 INSERT	@	<u>210.00</u>
6-TURBO CENTRALIZERS	<u>55</u>	<u>330.00</u>
2-BASKETS	@ <u>116.00</u>	<u>232.00</u>
1-PORT COLLAR	@	<u>1600.00</u>
1-RUBBER PLUG		<u>48.00</u>
		TOTAL <u>2545.00</u>

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Gay Rowe

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 19177

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: agkley

DATE <u>3-8-05</u>	SEC <u>13</u>	TWP <u>17s</u>	RANGE <u>31w</u>	CALLED OUT	ON LOCATION	JOB START <u>11:15 AM</u>	JOB FINISH <u>12:45 PM</u>
LEASE <u>McClellan</u>	WELL # <u>1</u>	LOCATION <u>Healy SW 1/4 S E5</u>				COUNTY <u>Scott</u>	STATE <u>KS</u>
OLD OR <input checked="" type="checkbox"/> NEW (Circle one)							

CONTRACTOR <u>Plains Well Service</u>	OWNER <u>Sgme</u>
TYPE OF JOB <u>Port Collar</u>	
HOLE SIZE _____ T.D. _____	CEMENT AMOUNT ORDERED
CASING SIZE <u>4 1/2"</u> DEPTH _____	<u>475 sks 50/50 port 620 Gel 48 Plose</u>
TUBING SIZE <u>2 3/8"</u> DEPTH <u>2256'</u>	<u>Used 380 sks</u>
DRILL PIPE _____ DEPTH _____	COMMON <u>190 sks @ 9.55 = 1874.50</u>
TOOL _____ DEPTH _____	POZMIX <u>190 sks @ 4.50 = 855.00</u>
PRES. MAX <u>1200#</u> MINIMUM _____	GEL <u>195 sks @ 13.00 = 2537.00</u>
MEAS. LINE _____ SHOE JOINT _____	CHLORIDE @ _____
CEMENT LEFT IN CSG. _____	ASC @ _____
PERFS. _____	_____ @ _____
DISPLACEMENT <u>8 1/4 Bbls</u>	<u>Flo Seal 95# @ 1.60 = 152.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER <u>Dean</u>
<u>373-281</u> HELPER <u>Andrew</u>
BULK TRUCK
<u>386</u> DRIVER <u>Mike</u>
BULK TRUCK
_____ DRIVER _____

HANDLING <u>499.55</u>	@ <u>1.50</u>	<u>749.50</u>
MILEAGE <u>.055 @ 1/3k/mile</u>		<u>1372.50</u>
TOTAL		<u>5189.50</u>

REMARKS:
Pressure Tool To 1200# OK
Open Tool Pump had Blow.
Mix 380 sks cement did circulate.
Disp 8 1/4 Bbls. Shut Tool Pressure
To 1200# OK. Ran 5 Joints
Reverse Tool clean. Re pressure
Tool To 1200# OK.
Thank you

CHARGE TO: Ritchie Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	<u>750.00</u>
EXTRA FOOTAGE @ _____	
MILEAGE <u>50 Miles</u> @ <u>4.50</u>	<u>225.00</u>
MANIFOLD @ _____	
_____ @ _____	
_____ @ _____	
TOTAL <u>975.00</u>	

PLUG & FLOAT EQUIPMENT

_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
TOTAL _____	

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE 

APR 23 2008
 RECEIVED
 KANSAS CORPORATION COMMISSION
 CORPORATION DIVISION
 TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
 PRINTED NAME _____

KCC
 APR 22 2008
 CONFIDENTIAL