

15-065-20596-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION


Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas 67202

WELL PLUGGING RECORD

GRAHAM County, Sec. 18 Twp. 10S Rge. (E) 25(W)

Location as "NE/CNWxSWx" or footage from lines NW NW SW
Lease Owner OKMAR OIL COMPANY
Lease Name WALDT Well No. 1
Office Address 1130 Vickers KSB&T Building, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) DRY HOLE
Date well completed 3/27 19 73
Application for plugging filed 3/27 19 73
Application for plugging approved 3/27 19 73
Plugging commenced 3/27 19 73
Plugging completed 3/27 19 73
Reason for abandonment of well or producing formation DRY HOLE



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? YES

Name of Conservation Agent who supervised plugging of this well BILL NICHOLS
Producing formation Depth to top Bottom Total Depth of Well 4025 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED OUT |
|------------------------------------|---------|------|-----|-------|--------|------------|
| Surface sand, clay, sand and shale | | 0 | 262 | 8 5/8 | 262 | 0 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

1st plug @ 1240' w/ 10 cu. ft.
2nd plug @ 275' w/ 30 cu. ft.
3rd plug @ 40' w/ 10 cu. ft.
Bridge rat hole w/2 sax
by Halliburton

RECEIVED
STATE CORPORATION COMMISSION
JUN 27 1973
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor GABBERT-JONES, INC.
Address 830 Sutton Place, Wichita, Kansas 67202

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.
GABBERT-JONES, INC. (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Jack W. Gabbert, 830 Sutton Place, Wichita, Ks 67202
(Address)

Subscribed and Sworn before me this 26 day of June, 19 73



Marjorie Hall
Notary Public.

KANSAS DRILLERS LOG

15-065-20596-0000

S. 18 T. 10 R. 25 ~~XX~~ W

API No. 15 — 065 — 20,596
County Number

Loc. NW NW SW


Operator
Okmar Oil Company

County Graham

Address 1130 Vickers KSB&T Building
Wichita, Kansas 67202

640 Acres
N

Well No. #1 Lease Name Waldt



Locate well correctly

Footage Location
2310 feet from ~~(N)~~ (S) line 330 feet from ~~(E)~~ (W) line

Elev.: Gr. 2546

Principal Contractor Gabbert-Jones, Inc. Geologist Max S. Houston

Spud Date March 18, 1973 Total Depth 4025 P.B.T.D. -----

Date Completed March 27, 1973 Oil Purchaser NONE

DF KB 2551

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

| Purpose of string | Size hole drilled | Size casing set (in O.D.) | Weight lbs/ft. | Setting depth | Type cement | Sacks | Type and percent additives |
|-------------------|-------------------|---------------------------|----------------|---------------|--------------|---------|----------------------------|
| Surface | 12 1/2" | 8 5/8 | 28# | 262 | 60/40 Posmix | 175 sx. | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LINER RECORD

PERFORATION RECORD

| Top, ft. | Bottom, ft. | Sacks cement | Shots per ft. | Size & type | Depth interval |
|----------|-------------|--------------|---------------|-------------|----------------|
| | | | | | |

TUBING RECORD

| Size | Setting depth | Packer set at |
|------|---------------|---------------|
| | | |

RECEIVED
STATE CORPORATION COMMISSION
JUN 28 1973

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used

CONSERVATION DIVISION
Wichita, Kansas

INITIAL PRODUCTION

Date of first production Producing method (flowing, pumping, gas lift, etc.)

| RATE OF PRODUCTION PER 24 HOURS | Oil | Gas | Water | Gas-oil ratio |
|---------------------------------|-------|-----|-------|---------------|
| | bbls. | MCF | bbls. | CFPB |

Disposition of gas (vented, used on lease or sold) Producing interval (s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 65217. Phone AC 316-522-2205. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

GABBERT-JONES, INC.
 WICHITA, KANSAS
 DRILLERS' WELL LOG

WALDT #1
 NW NW SW, Section 18-10S-25W
 Graham County, Kansas


Commenced: March 18, 1973
 Completed: March 27, 1973

OPERATOR: OKMAR OIL CO.

RECEIVED
 STATE CORPORATION COMMISSION
 JUN 28 1973
 CONSERVATION DIVISION
 Wichita, Kansas

| Depth From | To | Formation | Remarks |
|---------------|------|-----------------------|-----------------------------|
| 0 | 10 | Surface sand and clay | Ran 6 double joints of used |
| 60 | 266 | Sand-shale | 28# 8 5/8" csg set @ 262' |
| 266 | 1594 | Shale-sand | cemented w/175 sks of 60/40 |
| 1594 | 2085 | Shale-sand-redbed | Posmix |
| 2085 | 2171 | Shale-redbed | P.D. @ 8:30 PM 3/18/1973 |
| 2172 | 2202 | Anhydrite | Cement in cellar |
| 2202 | 2640 | Shale-shells | |
| 2640 | 3130 | Shale-lime | |
| 3130 | 3260 | Lime-shale | |
| 3260 | 3465 | Shale-lime | |
| 3465 | 3845 | Lime-shale | |
| 3845 | 4025 | Lime | |
| 4025 | TD | | Dry and Abandoned |

I, James S. Sutton II, certify this is a correct copy of the Drillers' Log for the well drilled in the NW NW SW, Section 18-10S-25W, Graham County, Kansas, to the best of my knowledge and belief.


 James S. Sutton II

STATE OF KANSAS)
) SS
 COUNTY OF SEDGWICK)

Before me, the undersigned, a Notary Public within and for said County and State, on this 29th day of March, 1973, personally appeared James S. Sutton II to me personally known to be the identical person who executed the within and foregoing instrument and acknowledged to me that he executed the same as his free and voluntary act and deed for the uses and purposes therein set forth.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal the day and year last above written.


 Marjorie Hall

My Commission expires November 29, 1975

