

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210
Name: Edward E. Birk
Address 1: 302 So. 16th St.
Address 2: _____
City: Burlington State: Ks Zip: 66839 + _____
Contact Person: Edward E. Birk
Phone: (620) 364-1311 - office
CONTRACTOR: License # 8210
Name: Edward E. Birk
Wellsite Geologist: None
Purchaser: Coffeyville Resources

Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover _____
 Oil _____ SWD _____ SIOW _____
_____ Gas _____ ENHR _____ SIGW _____
_____ CM (Coal Bed Methane) _____ Temp. Abd. _____
_____ Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD _____
_____ Plug Back: _____ Plug Back Total Depth _____
_____ Commingled _____ Docket No.: _____
_____ Dual Completion _____ Docket No.: _____
_____ Other (SWD or Enhr.?) _____ Docket No.: _____
03/26/2010 03/29/2010 03/30/2010
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 031-22542-0005
Spot Description: _____
SE NW NE NE Sec. 22 Twp. 22 S. R. 16 East West
4785 Feet from North / South Line of Section
825 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Coffey
Lease Name: Whiteley Well #: 7
Field Name: Neosho Falls-LeRoy
Producing Formation: Squirrel
Elevation: Ground: 1037 est. Kelly Bushing: _____
Total Depth: 1033 Plug Back Total Depth: 1033
Amount of Surface Pipe Set and Cemented at: 44.25 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 1015'
feet depth to: surface w/ 120 sx cmt.

Drilling Fluid Management Plan AH II NR 4-12-10
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Agent Date: 4/2/10
Subscribed and sworn to before me this 2nd day of April,
20 10.
Notary Public: [Signature]
Date Commission Expires: January 22, 2012

KCC Office Use ONLY
N Letter of Confidentiality Received
If Denied, Yes Date: _____
_____ Wireline Log Received
_____ Geologist Report Received
_____ UIC Distribution
RECEIVED
APR 09 2010

LAURA C. BIRK
Notary Public - State of Kansas
My Appt. Expires 01/22/2012

KCC WICHITA

Operator Name: Edward E. Birk Lease Name: Whiteley Well #: 7
 Sec. 22 Twp. 22 S. R. 16 East West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample Name Top Datum See attached drill log
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8"	7"		44.25'	Portland	21	Calcium
Long String	6"	2 7/8"		1015'	Portland	120	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
None	Open hole completion 1015-1033'		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	KCC WICHITA
Date of First, Resumed Production, SWD or Enhr. <u>pending</u>		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------

**EDWARD E BIRK
900 SOUTH 4TH ST
BURLINGTON, KS 66839
OP: #8210**

DATE: 03/30/2010	LEASE: Whiteley
Edward E Birk	WELL: 7
302 South 16 th	Description: 4785' FSL; 825' FEL; 22-22-16E
Burlington, Ks 66839	County: Coffey
Spud: 03/26/10 T.D.: 03/29/10 Complete: 03/30/10	API: 15-031-22542

FORMATIONS	FROM	TO	FORMATIONS	FROM	TO
Top Soil	0	4	Shale	949	972
Clay	4	33	Stark Black Shale	972	978
River Gravel & Sand	33	42	Swope Lime	978	981
Grey Shale	42	224	Black Shale	981	985
Lime	224	278	Upper Lagonda Shale	985	1019
Shale	278	381	Oil Sand	1019 ½	1025
Lime	381	394	Shale	1025	1033
Shale	394	417	T.D. 1033		
Lime	417	447			
Shale	447	448			
White Lime	448	486			
Shale	486	496			
Lime	496	499			
Blue-Green Shale	499	507			
Red Mud	507	509			
Shale	509	544			
Lime	544	597			
Excello Black Shale	597	612			
Little Osage Lime	612	628			
Black Jack Creek Shale	628	633			
K.C. Base Lime	633	652			
Pleasington Shale	652	782			
Sand	782	785			
Shale	785	810			
Lime	810	815			
Shale	815	833			
Lime	833	895			
Shale	895	899			
Hard Lime	899	911			
Shale	911	928			
Lime	928	930			
Shale	930	934			
Lime & Shale Mix	934	946			
Lime	946	949			

RECEIVED
APR 09 2010
KOC WICHITA

Surface bit: 9 7/8"	Surface Casing Length: 44.25'	Size: 7"	Cement: 21 sx Portland
Drill bit: 6"	T.D.: 1033'	Long String: 1015'	Size: 2 7/8"



Meier's Ready Mix, Inc.

Plant
(785) 233-9900

P.O. Box 8477 • 1105 N.W. Lower Silver Lk. Rd. • Topeka, Kansas 66608
FAX # 233-9947

Office
(785) 233-2423

PLANT	TIME	DATE 3/30/10	ACCOUNT	TRUCK 6601	DRIVER L. W. H.	TICKET
CUSTOMER NAME Birk Oil Whiteley #17				DELIVERY ADDRESS Pick up at Plant		
PURCHASE ORDER		ORDER #	TAX			SLUMP

LOAD QTY	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
	120 Bag Cement					11280
	346 Water	+ 100 End				940

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
-------------	-----------------	-----------------	------------------	--------------

DRIVER Note here if water has been added and how much.

NOTE

We are not responsible for concrete freezing after placement.

287759

IMPORTANT

We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.

Caution:
FRESH CONCRETE
Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

SUBTOTAL

TAX

TOTAL

PREVIOUS TOTAL

GRAND TOTAL

1128.00
59.78
1187.78

Received By _____

North and South... 1187.78

RECEIVED
APR 09 2010
KCC WICHITA