Kansas Corporation Commission Oil & Gas Conservation Division



WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33858	API No. 15 - 045-21584-00-00			
Name: J & J Operating, LLC.				
Address 1: 10380 W. 179th Street	SW _SE _SW _NE Sec. 31 Twp. 13 S. R. 21			
Address 2:				
City: Bucyrus State: KS Zip: 66013 +				
Contact Person: Patrick Everett				
Phone: (913) 549-8442	·			
CONTRACTOR: License # 32834				
Name: JTC Oil, Inc.				
Wellsite Geologist: NA	AACI I			
Purchaser: Pacer Energy Marketing				
Designate Type of Completion:	Elevation: Ground: 906 Kelly Bushing: NA			
New Well Re-Entry Workover	Total Depth: 740 Plug Back Total Depth: NA			
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet			
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No			
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set:Feet			
Dry Other	If Alternate II completion, cement circulated from:40			
(Core, WSW, Expl., Cathodic, etc.)	feet depth to: Surface w/ 5 sx cmt.			
If Workover/Re-entry: Old Well Info as follows:				
Operator:	(Detailed the Break of the Brea			
Well Name:	- '			
Original Comp. Date: Original Total Depth:				
Deepening Re-perf Conv. to Enhr Conv. to SW Plug Back: Plug Back Total Depth	Dewatering method used: <u>Used on Lease</u>			
Commingled Docket No.:	Location of fluid disposal if hauled offsite:			
Dual Completion	Operator Name			
Other (SWD or Enhr.?) Docket No.:	Lance Manne			
1/15/2010 1/17/2010 3/8/2010				
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:			
Kansas 67202, within 120 days of the spud date, recompletion, workover of side two of this form will be held confidential for a period of 12 months	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information if requested in writing and submitted with the form (see rule 82-3-107 for confidenst well report shall be attached with this form. ALL CEMENTING TICKETS MUST 11 form with all temporarily abandoned wells.			
are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements herein			
Signature:	KCC Office Use ONLY			
Title: Authorized Agent Date: 1910	Letter of Confidentiality Received			
Subscribed and sworn to before me this 19 day of 1//ri	, If Denied, Yes Date:			
20 10 NOTADY DI DI LA	Wireline Log Received			
NOTARY PUBLIC STATE PATRICK EVER	ETT Sociogist Hoper Hope			
TOTAL TOTAL MY COMMISSION EXPIR	UIC Distribution			
Date Commission Expires: 9/2/12	Z			

Jperator Name:	J Operating, LLC	•	Lease N	lame: West Kel	CO	Well #: _9	3000 mm	
Sec. 31 Twp. 13			County:	Douglas				
me tool open and clo	sed, flowing and shes if gas to surface t	nd base of formations pe ut-in pressures, whether est, along with final char report.	shut-in press	ure reached station	level, hydrostatic pre	essures, bottom	hole temperature, fluid	
Orill Stem Tests Taken (Attach Additional S		☐ Yes 📝 No		Log Fo	rmation (Top), Depth	and Datum	☐ Sample	
Samples Sent to Geol	ogical Survey	☐ Yes 🔽 No		Name No Geologist a	t well site	Top Da		
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ✓ No ✓ Yes ☐ No						
ist All E. Logs Run: Gamma Ray /	Neutron							
·	- ,	The second secon		-				
		CASING Report all strings set	G RECORD t-conductor, sur	New Use				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigl Lbs./	nt Settir	ng Type of	# Sacks Used	Type and Percent Additives	
Surface	8 5/8	6 1/4	8	40	Portland	5		
Longstring	5 5/8	2 7/8	6.5	724	Portland	127	50/50 POZ	
		ADDITIONA	L CEMENTIN	G / SQUEEZE REG	CORD			
Purpose: Depth Type of Cement — Perforate Top Bottom Type of Cement — Protect Casing — Plug Back TD			#Sacks Used Type and Percent Additives			5		
Plug Off Zone								
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe		Ac	id, Fracture, Shot, Ceme (Amount and Kind of I		rd Depth	
21 Shots	1 Shots Perforated at 677.0 to 687.0				2" DML RTG 180 Phase			
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run	:	o		
Date of First, Resumed P	Production, SWD or En	hr. Producing Met	,	Flowing 6	Pumping Gas I	_ift	er <i>(Explain)</i>	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbis.	Gas-Oil Ratio	Gravity	
DISPOSITIO	N OF GAS: Used on Lease	Open Hole	METHOD OF C	COMPLETION:	Commingled	PRODUCTION	ON INTERVAL:	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KNIESE CORPORE APR 22 2010
APR 22 2010
APR 27 2010



TICKET NUN	MBER
LOCATION_	OHawa KS
FOREMAN	Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

020-431-9210	01 000-407-007	0		CEMEN	i				
DATE	CUSTOMER #	WELL	NAME & NUM	BER	SECT	ION	TOWNSHIP	RANGE	COUNTY
1/29/10	4028	W.Kelco	, # 9		NE	3\$	43	28	DG
ICUSTOMER								eth ee hillinger.	
T *	J Oper	axing L	L C	1	TRUC	CK#	DRIVER	TRUCK#	DRIVER
MAILING ADDR	ESS	d			500	ó	Fred		
10 3	380 W	179 14		ब क	49	5	Casey		
1 _		STATE	ZIP CODE		36	9	Chuck		
Bucy	rus	KS			50		Arlen		
JOB TYPE	ongstring	HOLE SIZE	6 *	HOLE DEPTH	17	40	CASING SIZE & V	/EIGHT 2 %	EUE
CASING DEPTH	1_724	DRILL PIPE		_TUBING	 			OTHER	
SLURRY WEIGH	нт	SLURRY VOL_		WATER gal/s	k		CEMENT LEFT in	CASING 2'2	"Plug
DISPLACEMEN	T <u>4,2</u>	DISPLACEMENT	T PSI	MIX PSI			RATE 58P	n	
	stablish								Flush.
	x x Pump	127 5	KS 50/	50 Poz 1	nix	Como	nd 270 C	ael 2 P	heno
Sea	l per co	ick. Con	nent to	Surfo	ce.	Elus	houma	+ lines c	clean
Dis	place 2	5 Rubb	er Pluc	toca	5 Noc -	TO	W 4.2 BI	Rc Fresh	Wake
	SSUVE Y	0 700 T	<u> PS1. R</u>	elease	press	ure	to set	Float Va	lue.
Sh.	of in co	· sws	·-						
				g.					
	747						Ful W	lade	
J 7	C Drill	~ ·							
	-	Ø							
ACCOUNT CODE	QUANITY	or UNITS	DE	SCRIPTION of	SERVICES	or PRO	DUCT	UNIT PRICE	TOTAL

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401		PUMP CHARGE Coment Pump		87000
5406	30m:	MILEAGE Pump Truck		10350
5402	724	Casing footage		·N/C
5407A	160.02	Ton Miles		185,62
55020	2/2	80 BBL Vac Truck		23500
1124	12426	50/50 80 100 6	9.6	06
111813	1245KS 414#	50/50 Por Mix Cement	9.25	1/4700
1107 A	64#	Premium Gel	1.08	6622
4405		Pheno Seal 22 Rubber Dlug		225
		RECEIVED WANSAS CORPORATION C	OMMISSION	
		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	□ 0 ·	
		NO 23295 4	N DIVISION	
		NO 2329521 APR CONSERVATION WICHT	KS	
avin 3737		6.3%	SALES TAX	82 17
			ESTIMATED TOTAL	2780 65
UTHORIZTION	Iom Can wast	uc TITLE	DATE	