

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33858
Name: J & J Operating, LLC.
Address 1: 10380 W. 179th Street
Address 2: _____
City: Bucyrus State: KS Zip: 66013 + _____
Contact Person: Patrick Everett
Phone: (913) 549-8442
CONTRACTOR: License # 32834
Name: JTC Oil, Inc.
Wellsite Geologist: NA
Purchaser: Pacer Energy Marketing
Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover
 Oil _____ SWD _____ SLOW
_____ Gas _____ ENHR _____ SIGW
_____ CM (Coal Bed Methane) _____ Temp. Abd.
_____ Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
_____ Plug Back: _____ Plug Back Total Depth
_____ Commingled _____ Docket No.: _____
_____ Dual Completion _____ Docket No.: _____
_____ Other (SWD or Enhr.?) _____ Docket No.: _____
3/8/10 3/10/10 4/1/2010
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 045-21588-00-00
Spot Description: NE NE SW NE
NE NE SW NE Sec. 31 Twp. 13 S. R. 21 East West
1485 Feet from North / South Line of Section
1485 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Douglas
Lease Name: West Kelco Well #: 13
Field Name: Wildcat
Producing Formation: Squirrel
Elevation: Ground: 906 Kelly Bushing: NA
Total Depth: 720 Plug Back Total Depth: NA
Amount of Surface Pipe Set and Cemented at: 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 40
feet depth to: Surface w/ 5 sx cmt.

Drilling Fluid Management Plan AII NR 4-27-10
(Data must be collected from the Reserve Pit)
Chloride content: 1500-3000 ppm Fluid volume: 101 bbls
Dewatering method used: Used on Lease
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Authorized Agent Date: 4/19/10
Subscribed and sworn to before me this 21st day of April
20 10
Notary Public: [Signature]
Date Commission Expires: 9/2/12

NOTARY PUBLIC-STATE OF KANSAS
PATRICK EVERETT
MY COMMISSION EXPIRES 9/2/12

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
APR 22 2010
CONSERVATION DIVISION
WICHITA, KS

Operator Name: J & J Operating, LLC. Lease Name: West Kelco Well #: 13
 Sec. 31 Twp. 13 S. R. 21 East West County: Douglas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Gamma Ray / Neutron	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name _____ Top _____ Datum _____ No Geologist at well site
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	8 5/8	6 1/4	8	40	Portland	5	
Longstring	5 5/8	2 7/8	6.5	704	Portland	120	50/50 POZ

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
21 Shots	Perforated at 657.0 to 667.0	2" DML RTG 180 Phase	

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
KANSAS CORPORATION COMMISSION
APR 22 2010
CONSERVATION DIVISION
WICHITA, KS



CONSOLIDATED
Oil Well Services, LLC

TICKET NUMBER _____

LOCATION Ottawa KS

FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4/1/10	4028	W Kelco # 13	NE 31	13	21	DG
CUSTOMER J+J Operating LLC			TRUCK #			
MAILING ADDRESS 10380 W 179th St			DRIVER		TRUCK #	
CITY Bucyrus			DRIVER		TRUCK #	
STATE KS			DRIVER		TRUCK #	
ZIP CODE			DRIVER		TRUCK #	

JOB TYPE Long string HOLE SIZE 5 7/8 HOLE DEPTH 1060' CASING SIZE & WEIGHT 2 7/8" EVE
 CASING DEPTH 704' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 2 1/2" Plug
 DISPLACEMENT 4.1 BBL DISPLACEMENT PSI _____ MIX PSI _____ RATE 4.3 PM

REMARKS: Hold Safety Meeting w/crew. Check casing depth w/wireline
Mix + Pump 200# Premium Gel. Circulate from pit to condition
Make. Mix + Pump 100# Gel Flush. Mix + Pump 120 sks
50/50 Por Mix Cement 2% Gel 1/2" Pheno seal per sack. Cement to
surface Flush pump + lines clean. Displace 2 1/2" Rubber plug to
casing TD w/ 4.1 BBL Fresh water Pressure to 750# PSI
Release pressure to set Float Valve. Shut in casing.

J+J Drilling

Fred Mader

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE <u>Cement Pump</u>		900 ⁰⁰
5406	3 mi	MILEAGE <u>Pump Truck</u>		10 ⁶⁵
5402	704'	Casing footage		N/C
5407	Minimum	Ton Mileage		305 ⁰⁰
5502C	2 hrs	80 BBL Vac Truck		192 ⁰⁰
1124	117 SKS	50/50 Por Mix Cement		1117 ³⁵
1118B	502#	Premium Gel		85 ³⁴
1107A	60#	Pheno Seal		67 ²⁰
4402	1	2 1/2" Rubber Plug		23 ⁰⁰
		NO # 233564		
			6.3%	SALES TAX
				ESTIMATED
				TOTAL

RECEIVED
KANSAS CORPORATION COMMISSION

APR 22 2010

CONSERVATION DIVISION
WICHITA, KS

Ravin 3737

AUTHORIZATION

Jahlin

TITLE

DATE

81.45
2781⁹⁹