

CONFIDENTIAL

ORIGINAL

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

***AMENDED **A**

Handwritten: 4/24/10
7/13/08
70' E of

Handwritten: 4/24/10
AMENDED

Operator: License # 5214
Name: Lario Oil & Gas Company
Address: 301 S. Market
City/State/Zip: Wichita, KS 67202
Purchaser: _____
Operator Contact Person: Jay G. Schweikert
Phone: (316) 265-5611
Contractor: Name: Val Energy
License: 5822
Wellsite Geologist: Steve Vanbuskirk

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

2-7-08 2-17-08 3-24-08
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 063-21699-0008
County: Gove
** N2 N2 NE Sec. 6 Twp. 13 S. R. 31 East West
330 feet from S / **(N)** (circle one) Line of Section
1250 feet from **(E)** / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) **(NE)** SE NW SW
Lease Name: Hullet Well #: 2-6
Field Name: Logo
Producing Formation: Basal Penn Sand
Elevation: Ground: 2952' Kelly Bushing: 2957'
Total Depth: 4715' Plug Back Total Depth: 4678'
Amount of Surface Pipe Set and Cemented at 292 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2236 Feet
If Alternate II completion, cement circulated from *** 2236
feet depth to surface w/ 1070 **A** sx cmt.

Drilling Fluid Management Plan *AKH NS 7-1509*
(Data must be collected from the Reserve Pit)
Chloride content 14,600 ppm Fluid volume 1,285 bbls
Dewatering method used evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jay Schweikert
Title: Jay G. Schweikert, Operations Engineer Date: 6-19-08

Subscribed and sworn to before me this 19th day of June, 2008.

Notary Public: Kathy L. Ford
Notary Public - State of Kansas
My Appt. Expires 10-22-10

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
JUN 20 2008

Operator Name: Lario Oil & Gas Company Lease Name: Hullet Well #: 2-6
 Sec. 6 Twp. 13 S. R. 31 East West County: Gove

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Heebner	3941	-984
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Lansing	3977	-1020
List All E. Logs Run:		Stark Shale	4216	-1259
		Hushpuckney	4255	-1298
		Base KC	4289	-1332
		Marmaton	4336	-1379
		Pawnee	4425	-1468
		Mississippian	4606	-1649

DIL/MEL/CDL/CNL/PE

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#	292'	60/40 Poz	180	2% gel, 3% CC
Production	7 7/8"	4 1/2"	10.5#	4692'	AA2 Common	185	10# salt, 8% FLA115,
Port Collar				2236'	60/40 Poz	220	6% gel, 2% CC, 1/4# CF

ADDITIONAL CEMENTING / SQUEEZE RECORD cont. additives (stg 1) 1/4# DF, 1/4# CF, 5# gel

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input checked="" type="checkbox"/> Protect Casing	2100-2101	60/40 Poz & Common	450 & 50	6% gel, 2% CC, 1/4# CF & 3% CC
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone	1400-1401	60/40 Poz & Common	300 & 50	6% gel, 2% CC, 1/4# CF & 3% CC

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
6	4598'-4606'	1000 gal 7.5% NEFE MCA	4598'-4606'
		20076 gal Pro Frac 2000 + 10500# 20/40 and	4598'-4606'
		600# 30/70	

TUBING RECORD	Size <u>2 3/8"</u>	Set At <u>4597'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	--------------------	---------------------	-----------	---

Date of First, Resumerd Production, SWD or Enhr. <u>4-3-08</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i>
---	---

Estimated Production Per 24 Hours	Oil Bbls. <u>18</u>	Gas Mcf <u>0</u>	Water Bbls. <u>202</u>	Gas-Oil Ratio	Gravity
-----------------------------------	---------------------	------------------	------------------------	---------------	---------

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other *(Specify)*



24 S. Lincoln Street
 P.O. Box 31
 Russell, KS 67665-2906
 Voice: (785) 483-3887
 Fax: (785) 483-5566

INVOICE

Invoice Number: 114299
 Invoice Date: Jun 6, 2008
 Page: 1

Bill To:
Lario Oil & Gas Co. P. O. Box 307 Kingman, KS 67068


Federal Tax #

Customer ID 6113108

Customer ID	Well Name# or Customer P.O	Payment Terms	
Lario	<i>AF607-270</i> <i>Hullet #2-6</i> <i>(Completion)</i>	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	Jun 6, 2008	7/6/08

Quantity	Item	Description	Unit Price	Amount
320.00	MAT	Class A Common	14.20	4,544.00
180.00	MAT	Pozmix	7.20	1,296.00
23.00	MAT	Gel	18.75	431.25
12.00	MAT	Chloride	52.45	629.40
113.00	MAT	Flo Seal	2.25	254.25
539.00	SER	Handling	2.15	1,158.85
14.00	SER	Mileage 539 sx @.09 per sk per mi	48.51	679.14
1.00	SER	Circulate Cement & Squeeze	1,075.00	1,075.00
14.00	SER	Mileage Pump Truck	7.00	98.00

CONFIDENTIAL



ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 10,165.59

ONLY IF PAID ON OR BEFORE

Jul 6, 2008

Subtotal	10,165.89
Sales Tax	640.45
Total Invoice Amount	10,806.34
Payment/Credit Applied	
TOTAL	10,806.34

RECEIVED
 KANSAS CORPORATION COMMISSION

JUN 20 2008

CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., LLC. 31881

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
OAKLEY

DATE <u>6-5-08</u>	SEC <u>6</u>	TWP <u>13s</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>8:00 AM</u>	JOB START <u>11:30 AM</u>	JOB FINISH <u>12:30 PM</u>
LEASE <u>Hullett</u>	WELL # <u>2</u>	LOCATION <u>OAKLEY 11S-2 1/2 E-S INTO</u>			COUNTY <u>LOGAN</u>	STATE <u>KS</u>	
<u>OLD</u> OR NEW (Circle one)			<u>AFE 07-270</u>				

CONTRACTOR PLAINS LLC

OWNER SAME

TYPE OF JOB CIRCULATE CEMENT + SQUEEZE

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2" DEPTH _____

TUBING SIZE 2 3/8" DEPTH 2082'

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. 2100'

DISPLACEMENT _____

CEMENT

AMOUNT ORDERED 50 SKS COM 3% CC
450 SKS 60/40 POZ 6% GEL 2% CC 1/4" FLO-SEAL

COMMON	<u>320 SKS</u>	@ <u>14 20</u>	<u>4544 00</u>
POZMIX	<u>180 SKS</u>	@ <u>7 20</u>	<u>1296 00</u>
GEL	<u>23 SKS</u>	@ <u>18 75</u>	<u>431 25</u>
CHLORIDE	<u>12 SKS</u>	@ <u>52 45</u>	<u>629 40</u>
ASC	_____	@ _____	_____
Flo-SEAL	<u>113"</u>	@ <u>2 25</u>	<u>254 25</u>
HANDLING	<u>539 SKS</u>	@ <u>2 15</u>	<u>1158 85</u>
MILEAGE	<u>94 PER SK 1 MILE</u>		<u>679 14</u>
TOTAL			<u>8992 89</u>

EQUIPMENT

PUMP TRUCK CEMENTER TERRY
431 HELPER KELLY

BULK TRUCK DRIVER JERRY
394

BULK TRUCK DRIVER TERRY
347

CONFIDENTIAL

REMARKS:

MIX 100 SKS 60/40 POZ 6% GEL 2% CC 1/4"
Flo-SEAL. NO BLOW. SHUT DOWN FOR
45 MIN. MIX 350 SKS 60/40 POZ 6% GEL 2% CC
1/4" FLO-SEAL 50 SKS COM 3% CC + SQUEEZE
TO 2000 P.S.I. NO PACKER PUMPED TUBING
OUT OF HOLE. BENT ONE JOINT TUBING.
COULDN'T REVERSE OUT ON SO LONG WAY
CEMENTED UP 6 JOINT TUBING.

THANK YOU

CHARGE TO: LARIO OIL & GAS

STREET P O BOX 1093

CITY Garden City STATE KS ZIP 67846

SERVICE

DEPTH OF JOB	<u>2082'</u>
PUMP TRUCK CHARGE	<u>1075 00</u>
EXTRA FOOTAGE	@ _____
MILEAGE	<u>14 mi</u> @ <u>7 00</u> <u>98 00</u>
MANIFOLD	@ _____
TOTAL	<u>1173 00</u>

PLUG & FLOAT EQUIPMENT

@	_____
@	_____
@	_____
@	_____
@	_____

TOTAL _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment
and furnish cementer and helper(s) to assist owner or
contractor to do work as is listed. The above work was
done to satisfaction and supervision of owner agent or
contractor. I have read and understand the "GENERAL
TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Karlin

SIGNATURE Larry Karlin

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 20 2008

CONSERVATION DIVISION
WICHITA, KS



INVOICE

24 S. Lincoln Street
 P.O. Box 31
 Russell, KS 67665-2906
 Voice: (785) 483-3887
 Fax: (785) 483-5566

Invoice Number: 114298
 Invoice Date: Jun 6, 2008
 Page: 1

Bill To:
Lario Oil & Gas Co. P. O. Box 307 Kingman, KS 67068

Center 'D' well 6113108

Customer ID	Well Name# or Customer P.O.	Payment Terms	
Lario	<u>RFE-07-270</u> Hullet #2-6 (Competition)	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	Jun 6, 2008	7/6/08

Quantity	Item	Description	Unit Price	Amount
132.00	MAT	Class A Common	14.20	1,874.40
88.00	MAT	Pozmix	7.20	633.60
81.00	MAT	Gel	18.75	1,518.75
5.00	MAT	Chloride	52.45	262.25
2.00	MAT	Sand	11.80	23.60
130.00	MAT	Flo Seal	2.25	292.50
4.00	MAT	Cottonseed Hulls	28.70	114.80
674.00	SER	Handling	2.15	1,449.10
14.00	SER	Mileage 674 sx @ .09 per sk per mi	60.66	849.24
1.00	SER	Port Collar	1,075.00	1,075.00
14.00	SER	Mileage Pump Truck	7.00	98.00

CONFIDENTIAL

ad kc
 JUN 16 2008
ad kc

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 819.12

ONLY IF PAID ON OR BEFORE

Jul 6, 2008

Subtotal	8,191.24
Sales Tax	297.35
Total Invoice Amount	8,488.59
Payment/Credit Applied	
TOTAL	8,488.59

ALLIED CEMENTING CO., LLC. 31880

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
DAKLEY

DATE <u>6-3-08</u>	SEC. <u>6</u>	TWP. <u>13S</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>8:00 AM</u>	JOB START <u>11:00 AM</u>	JOB FINISH <u>12:30 PM</u>
LEASE <u>HULLET</u>	WELL # <u>2-6</u>	LOCATION <u>DAKLEY 11S-2 1/2 W SENTO</u>			COUNTY <u>Logan</u>	STATE <u>Ks</u>	
<input checked="" type="radio"/> OLD OR <input type="radio"/> NEW (Circle one)		AFE # <u>08-270</u>					

CONTRACTOR PLAINS LLC OWNER SAME

TYPE OF JOB PORT COLLAR

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2" DEPTH _____

TUBING SIZE 2 3/8" DEPTH 4337'

DRILL PIPE _____ DEPTH _____

TOOL PORT COLLAR DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

EQUIPMENT

PUMP TRUCK # <u>431</u>	CEMENTER <u>TERRY</u>	HELPER <u>KELLY</u>
BULK TRUCK # <u>218</u>	DRIVER <u>FUZZY</u>	
BULK TRUCK # <u>399</u>	DRIVER <u>LONNIE</u>	

BARDE PLUG 4370'

REMARKS:

PRESSURE PLUG TO 1000 PSE. IT HELD SPOT 2 SKS SAND AT 4337'. Pull UP TO PORT COLLAR + OPEN MIX 70 SKS GEL WITH 3 SKS FLO-SEAL + 200" HULLS. DEDUCT LIQUE CIRCULATION. MIX 220 SKS 60/40 POZ 6% GEL 2% CC 1/4" FLO-SEAL. DISPLACE 8 BBL. CLOSE PORT COLLAR PRESSURE TO 1000 PSE. RUN SITE REVERSE OUT.

THANK YOU

CHARGE TO: LARIO OIL & GAS

STREET PO BOX 1093

CITY Garden City STATE Ks ZIP 67846

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Karlin

SIGNATURE Larry Karlin

CEMENT

AMOUNT ORDERED 70 SKS 62/1 35 SKS FLO-SEAL

200" HULLS 2 SKS SAND

550 SKS 60/40 POZ 6% GEL 2% CC 1/4" FLO-SEAL

USED 220 SKS 60/40 POZ 6% GEL 2% CC 1/4" FLO-SEAL

COMMON	<u>132 SKS</u>	@	<u>14.20</u>	<u>1874.40</u>
POZMIX	<u>88 SKS</u>	@	<u>7.25</u>	<u>638.00</u>
GEL	<u>81 SKS</u>	@	<u>18.75</u>	<u>1518.75</u>
CHLORIDE	<u>5 SKS</u>	@	<u>52.45</u>	<u>262.25</u>
ASC		@		
Sand	<u>2 SKS</u>	@	<u>11.80</u>	<u>23.60</u>
FLO-SEAL	<u>130"</u>	@	<u>2.25</u>	<u>292.50</u>
HULLS	<u>200" (4 SKS)</u>	@	<u>28.75</u>	<u>114.00</u>
HANDLING	<u>674 SKS</u>	@	<u>2.15</u>	<u>1449.10</u>
MILEAGE	<u>94 PER SKI</u>			<u>849.24</u>
TOTAL				<u>7018.24</u>

SERVICE

DEPTH OF JOB	<u>4337'</u>			
PUMP TRUCK CHARGE			<u>1075.00</u>	
EXTRA FOOTAGE		@		
MILEAGE	<u>14 MI</u>	@	<u>7.00</u>	
MANIFOLD		@		
TOTAL				<u>1173.00</u>

PLUG & FLOAT EQUIPMENT

_____	@	_____	
_____	@	_____	
_____	@	_____	
_____	@	_____	
_____	@	_____	
TOTAL			_____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 20 2008

CONSERVATION DIVISION
WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

INVOICE

Invoice Number: 114379

Invoice Date: Jun 10, 2008

Page: 1

KCC
6/20/08

Bill To:
Lario Oil & Gas Co.
P. O. Box 307
Kingman, KS 67068

Custom'ed 6116108

Customer ID	Well Name# or Customer P.O.	Payment Terms	
Lario	<i>Completion</i> Hullet #26 AFE-07-270	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	Jun 10, 2008	7/10/08

Quantity	Item	Description	Unit Price	Amount
230.00	MAT	Class A Common	14.20	3,266.00
120.00	MAT	Pozmix	7.20	864.00
15.00	MAT	Gel	18.75	281.25
8.00	MAT	Chloride	52.45	419.60
427.00	SER	Handling	2.15	918.05
14.00	SER	Mileage 427 sx @.09 per sk per mi	38.43	538.02
1.00	SER	Circulate Cement & Squeeze	1,075.00	1,075.00
14.00	SER	Mileage Pump Truck	7.00	98.00

CONFIDENTIAL

all
xc

JUN 18 2008

ap
xc

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ **745.99**

ONLY IF PAID ON OR BEFORE

Jul 10, 2008

Subtotal	7,459.92
Sales Tax	469.97
Total Invoice Amount	7,929.89
Payment/Credit Applied	
TOTAL	7,929.89

ALLIED CEMENTING CO., LLC. 31661

Federal

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

AFE-07-270

DATE <u>6-6-08</u>	SEC. <u>6</u>	TWP. <u>13s</u>	RANGE <u>31w</u>	CALLED OUT	ON LOCATION <u>3:00 AM</u>	JOB START <u>11:30 AM</u>	JOB FINISH <u>12:30 PM</u>
LEASE <u>Hullet</u>	WELL# <u>2</u>	LOCATION <u>Oakley 11s 21E Sinto</u>			COUNTY <u>Logan</u>	STATE <u>KS</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR Plains LLC
 TYPE OF JOB Circulate Cement + Squeeze
 HOLE SIZE _____ T.D. _____
 CASING SIZE 4 1/2 DEPTH _____
 TUBING SIZE 2 3/8 DEPTH 1366
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. 1400-1401
 DISPLACEMENT _____

OWNER same

CEMENT
 AMOUNT ORDERED 350 SKS 60/40 60 GEL
28cc 1/4" FLO-SEAL
50 SKS COM 38cc
used 300 SKS 60/40 60 GEL 28cc 1/4" FLO

COMMON	<u>230 SKS</u>	@	<u>14.20</u>	<u>3266.00</u>
POZMIX	<u>120 SKS</u>	@	<u>7.20</u>	<u>864.00</u>
GEL	<u>15 SKS</u>	@	<u>18.75</u>	<u>281.25</u>
CHLORIDE	<u>8 SKS</u>	@	<u>52.45</u>	<u>419.60</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>427 SKS</u>	@	<u>2.15</u>	<u>918.05</u>
MILEAGE	<u>9 1/2 SK/MILE</u>			<u>538.02</u>
				TOTAL <u>6286.92</u>

EQUIPMENT

PUMP TRUCK CEMENTER Andrew
 # 423-281 HELPER Alvin
 BULK TRUCK DRIVER Terry **CONFIDENTIAL**
 # 347
 BULK TRUCK DRIVER Jerry
 # 394

REMARKS:

Load hole take INJECTION rate at 100
min 500# MIX 300 SKS 60/40 60 GEL
Followed by 50 SKS COM 38cc Displace
and squeeze 200 400# Fall 10 Joints
Reverse clean Cement did circulate
to surface Pressure to 500# shut
It.
Thank you

SERVICE

DEPTH OF JOB	<u>1366'</u>		
PUMP TRUCK CHARGE			<u>1075.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>14 miles</u>	@	<u>7.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL <u>1123.00</u>			

CHARGE TO: Lario Oil + Gas
 STREET Po Box 1093
 CITY Garden City STATE KS ZIP 67846

PLUG & FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

TOTAL _____

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Harry Karlin
 SIGNATURE [Signature]

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 20 2008

CONSERVATION DIVISION
WICHITA, KS