#### For KCC Use: 6-13-2010 Effective Date: District # SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: 06 10 2010	Spot Description: 160' N & 32' E of
month day year	NE SE Sec. 17 Twp. 20 S. R. 35 DE W
OPERATOR: License# 5046 V	(a/a/a/a) 2,140 feet from N / X S Line of Section
Name: Raymond Oil Company Inc.	628 feet from K E / W Line of Section
Address 1: PO Box 48788	Is SECTION: Regular Irregular?
Address 2:	
City: Wichita State: Ks Zip: 67201 +	(Note: Locate well on the Section Plat on reverse side) County: Wichita
Contact Person: Ted McHenry	<b></b>
Phone: 316-267-4214 ext 108	Lease Name: Eder Well #: 3 Field Name: Wo Sand Creek Draw
CONTRACTOR: License# 30606	
Name: Murfin Drilling Company	Is this a Prorated / Spaced Field?  Target Formation(s): LKC,Marm,Cher, Miss
	Nearest Lease or unit boundary line (in footage): 500
Well Drilled For: Well Class: Type Equipment:	3116' 4
☑Oil ☐ Enh Rec ☑Infield ☑ Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
Disposa! Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water: 100'  Yes No
Seismic ;# of Holes Other	Depth to bottom of usable water: 1150'
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: _5050'
Well Name:Original Total Depth:	Formation at Total Depth: Miss
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #: Contractor will file
Bottom Hole Location:	
	(Note: Apply for Permit with DWR   ►1)
KCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  Yes No
	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  JUN 0 7 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  JUN 0 7 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Wes PNo  RECEIVED  JUN 0 7 2010  drilling rig;  y circulating cement to the top; in all cases surface pipe
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IGHT RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  RECEIVED  JUN 0 7 2010  Idrilling rig;  Yes PNo  Idrilling rig;  Yes PN
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IGINATIAN  INDICATE OF THE PROPOSED OF T
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IGINATION OF 2010  IDAVIT  IGINATION OF 2010  IDAVIT  IDAVIT  IGINATION OF 2010  IDAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and the standard plug as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IT Yes Proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IGHT OF TAIL OF T
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IT Yes Proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IGHT OF TAIL OF T
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of t	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and the standard plug as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved in the same and the same and the same and the same and the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be competed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best of the same and the statements made herein are true and correct to the same and	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be compented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Signature of Operator or Agent:   Signatur	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced.  I hereby certify that the statements made herein are true and correct to the because of the complete of the production of	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IDAVIT  IGINATION OF 2010  Idrilling rig;  IV circulating cement to the top; in all cases surface pipe shallow the complete of the compl
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Signature of Operator or Agent:   Signature of Operator or Agent:   Signature of Operator or Agent   Signatu	Will Cores be taken?  If Yes, proposed zone:    DAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:    DAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Signature of Operator or Agent:   Signature of Operator o	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Signature of Operator or Agent:   Signature of Operator or	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the prior of the appropriate district office will be a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. Thereby certify that the statements made herein are true and correct to the best of the statements. Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 203 - 2015 5 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:    DAVIT   In It
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the prior of the appropriate district office will be a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. Thereby certify that the statements made herein are true and correct to the best of the statements. Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 203 - 2015 5 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:    DAVIT   RECEIVED

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 203-20155-00-00	
Operator: Raymond Oil Company Inc.	Location of Well: County: Wichita
Lease: Eder	2,140 feet from N / X S Line of Section
Well Number: 3	628 feet from X E / W Line of Section
Field: WC	Sec. <u>17</u> Twp. <u>20</u> S. R. <u>35</u> E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: NE _ SE	Togular of Integular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				1	· · · · · · · · · · · · · · · · · · ·	
	:	:	•	'	:	•
	:	:	;		:	:
	:	:	:		:	:
į.	:	:		;	:	:
1	•		:	١ ,	•	:
l <i></i>		,			 	
1			_		_	_
1	:	:				
İ	•	;				•
!	;	: ;				:
į.	:	:			:	:
1	:	: :	:	:	:	:
	:	:	:			:
	:	•				
		:			:	:
	:	:		:		:
	;	:	;	:		
	:					
	:	•				•
	:	;			:	
	:	: :			:	:
•						
					 50d	1 618
	:				<b>50</b> d	1 628
					<b>50</b> d	1 638
					500	1 628'
					500	1 626° 0←→
					 50d	0 ← →
					 50d	1 638°
					 501	1 63€° 0 ← →
					 501	↑ 638' ↑
					 501	1 638°
					 501	638' 0 <del>(                                   </del>
					 Sod .	
						638'





## **KCC WICHITA**

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Raymond Oil Company Inc.			License Number: 5046			
Operator Address: PO Box 48788			Wichita	Ks 67201		
Contact Person: Ted McHenry			Phone Number: 316-267-4214 ext 108			
Lease Name & Well No.: Eder 3			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haut-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No	Pit is:  Proposed  If Existing, date c  Pit capacity:  Area? Yes  Artificial Liner?	(bbls)	Sec. 17 Twp. 20 R. 35  1,810 21 4 5 Feet from North / Sect from No	South Line of Section  West Line of Section  County  mg/l		
Pit dimensions (all but working pits):    B0						
Distance to nearest water well within one-mile 2250 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	420	Source of informeasu	over and Haul-Off Pits ONLY:			
Number of producing wells on lease: Number		Number of working pits to be utilized:1  Abandonment procedure: Evaporate & backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	pe closed within 365 days of spud date.	RECEIVED		
I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief.	JUN 0 7 2010		
6/4/2010 Date		Tiustally	Minus ignature of Applicant or Agent	JUN 07 2010 KCC WICHI		
	KCC	OFFICE USE O	NLY Steel Pit 🗶 RFAC	RFAS ☐		
Date Received: 6-7-16 Permit Num	ber:	Perm	it Date: <b>6-7-</b> ( © Lease Inspection	n: 人 Yes  No		