For KCC Use:	1-11/2010
Effective Date: _	6-14-2010
District #	<u> </u>
SGA? Yes	₹ IXÎNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well	All blanks must be Filled
Expected Spud Date: June 30, 2010	Spot Description:	
month day year		44 [5] [5]
32204	. C E/2 SW Sec. 34 Twp. 32	
OPERATOR: License#	1,320 feet from 1,380	N / X S Line of Section
Name: _REDLAND RESOURCES, INC.	feet from	E / X W Line of Section
Address 1: 6001 NW 23RD STREET	is SECTION: Regular Inregular?	
Address 2:	(Note: Locale well on the Section Plat or	1 reverse side)
City: OKLAHOMA CITY State; OK Zip: 73127 +	County: BARBER	revolue side,
Contact Person: ALAN THROWER		Well #: 34-14
Phone: _(405)789-7104	Field Name: # RHDDES	AAGU #:
CONTRACTOR: License# 5929		— [2].
Name: DUKE DRILLING COMPANY	Is this a Prorated / Spaced Field?	Yes No
The state of the s	Target Formation(s): MISSISSIPPIAN	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 132	U -
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1522	feet MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes X No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150	
Other:	Dopth to bottom of usable water: 180	
<u></u>	Surface Pipe by Alternate: VI 1	RECEIVED
If OWWO: old well information as follows:	Length of Surlace Pipe Planned to be set: 275	KANSAS CORPORATION COMMISSION
Operator:	Length of Conductor Pipe (if any): 50	
Weil Name:	Projected Total Depth: 4600°	JUN 0 2 2010
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISSISSIPPIAN	WENT ALL
Original Completion Bale. Original Idial Depth.	Pormason at Total Depth:	CONSERVATION DIVISION
Directional, Deviated or Horizonial wellbore?	Water Source for Drilling operations:	WICHITA, KS
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWF	
KCC DKT #:		
The second secon	Will Cores be taken?	☐Yes 🔀 No
	If Yes, proposed zone:	
ACE	DAVIT	RECEIVED
		FOLIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	iging or this well will comply with K,S,A, 55 et, seq.	IIIN O O OOLO
It is agreed that the following minimum requirements will be met:		JUN 0 9 2010
 Notify the appropriate district office prior to spudding of well; 		
2. A copy of the approved notice of intent to drill shall be posted on cach a	drilling rig;	KCC WICHITA
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe	e shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.	
 If the well is dry hole, an agreement between the operator and the distri- The appropriate district office will be notified before well is either plugge 	ct office on plug length and placement is necessary pr	for to plugging;
The appropriate district office will be notified delate works either plugge If an ALTERNATE II COMPLETION, production pipe shall be comented	to or production casing is comented in;	VC of any of state
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	3.891-C. which applies to the KCC District 3 area, alter	rate II cementing
must be completed within 30 days of the spud date or the well shall be p	Diugged. In all cases, NOTIFY district office prior to	any cementing.
I hereby certify that the statements made herein are true and correct to the be		• • •
1/01		
Date: 6/2//D Signature of Operator or Agent; Dally	THE AGE	₇ ΝΤ''
7		
For KCC Use ONLY	Romember to:	3
	- File Drift Pit Application (form CDP-1) with Intent to E	Orill:
API#15 007-2355.7-00-00		
	- File Completion Form ACO-1 within 120 days of spu	d date;
Nove	File acreage attribution plat according to field prorati	on orders;
Conductor pipe required None feet	File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work	on orders; %
Conductor pipe required	File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is compared to the compar	on orders; rkover or re-entry; pleted (within 60 days);
Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT. Approved by: Let 6-9-2010	 File acreage attribution plat according to field prorati Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting 	on orders; rkover or re-entry; pleted (within 60 days); ealt water.
Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT Approved by: Let 6-2010 This authorization expires: 6-9-2011	File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is composited written approval before disposing or injecting If this permit has expired (See: authorized expiration)	on orders; rkover or re-entry; pleted (within 60 days); all water. date) please
Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT Approved by: Let 6-2010	File acreage attribution plat according to field proration to Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is composited of Notification approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below.	on orders; rkover or re-entry; pleted (within 60 days); all water. date) please
Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT Approved by: Let 6-2010 This authorization expires: 6-9-2011	File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is composited written approval before disposing or injecting If this permit has expired (See: authorized expiration)	on orders; rkover or re-entry; pleted (within 60 days); all water. date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 00 / 23 SS / - 00 CS / Operator: REDLAND RESOURCES, INC.	Location of Well: County: BARBER
R7KIDS	1,320 feet from N / S Line of Section
Well Number: 34-14	
Field:	1,980 feet from L E / W Line of Section Sec. 34 Twp. 32 S. R. 11 E W W
Number of Acres attributable to well: OTR/QTR/QTR/QTR of acreage: _ C . E/2 . SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	RECEIVED
	LAT JUN 0 9 2010 putable acroage for prorated or spaced wells.)
	st lease or unit boundary line.) KCC WICHITA
	RECEIVED KANSAS CORPORATION COMMISSION
	JUN 0 2 2010
	CONSERVATION DIVISION WICHITA, KS
	EXAMPLE
1980'	1980
E 1326	3390'
1.120	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

THE STREET WHITE

JUN 0 9 2010

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Duplicate

Form CDP-1 April 2004 Form must be Typed

KCC WICHITA

APPLICATION FOR SURFACE PIT

Operator Address: 6001 NW 23RD STREET Contact Person: ALAN THROWER Phone Number: (405)789-7104 Pit Lease Name & Well No.: R7KIDS 34-14 Pit Leastion (CQCQC): C E/2 SW Sec. 34 Nap. 32 R. 11 East West 1,320 Feet from North / South Line of Section 1,980 Feet from North / South Line of Section 1,980 Feet from Set / West Line of Section 1,980 F	Operator Name: REDLAND RESOURCES, INC.			License Number: 32204			
Lease Name & Woll No.: R7KIDS 34-14 Pit Location (QQQQ): Type of Pit: Emergency Pit Burn Pit Kelsting H Existing Sec Sat Twp, 32 R. 11 East West	Operator Address: 6001 NW 23RD STREET			OKLAHOMA CITY OK 73127			
Type of PII: Emergency Pii Burn Pii Pii Is: Setting Pii Dottling Pit Pic stating If Existing, date constructed: Setting Pii Author Pii Haul-Off Pii Pit capacity: Pit	Contact Person: ALAN THROWER	· · · · · · · · · · · · · · · · · · ·		Phone Number: (405)789-7104			
Emergency Pit	Lease Name & Well No.: R7KIDS	34-14		Pit Location (QQQQ):			
Settling Pit Drilling Pit Haut-Off Pit Workover Pit Haut-Off Pit Pit capacity: P	Type of Pit:	Pit is:	•	CE/2SW_			
Setting Pit	Emergency Pit Burn Pit	▼ Proposed	Existing	Sec. 34 Twp. 32 R. 11 East West			
1,980 Feat from East / West Line of Section BARBER County	Settling Pit Drilling Pit	If Existing, date of	onstructed;				
Substance to nearest water well within one-mile of pit Distance to nearest water well within one-mile of pit Distance to nearest water well within one-mile of pit Depth of water well Feet Depth of water well	Workover Pit Haul-Off Pit	Dit conneits:		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Is the pit located in a Sensitivo Ground Water Area? Yes No Chloride concentration:	(If WP Supply API No. or Year Drilled)	Fit Capacity.	(sldd)	BARBER			
Is the bottom below ground level? Artificial Liner? Yes No NaTURAL PERMEABILITY Pit dimensions (all but working pits): Depth from ground level to deepes! point: Depth grow ground level to deepes! point: Depth grow ground level to deepes! point: Describe procedures for periodic maintenance and ground ground level to deepes! point: Describe procedures for periodic maintenance and ground ground level to deepes! point: Describe procedures for periodic maintenance and ground ground level to deepes! point: Describe procedures for periodic maintenance and ground	Is the pit located in a Sensitive Ground Water	Area? Yes					
Pit dimensions (all but working pits): 125			7	·			
Pit dimensions (all but working pits): 125 Length (feet) 125 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 6 (feet) No Pit RECEIVED If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and description of the liner integrity, including any special monitoring. JUN 0 2 2010 CONSERVATION DIVISION WICHITA AS Depth to shallowest fresh water feet Source of information: well owner electric log KDWR. Feet Depth of water well feet Producing and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: FRESH Number of producing wells on lease: Number of working pits to be utilized: 2 Abandonment procedure: EVAPORATION-BACKFILL Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant op Agent			L.	i			
Depth from ground level to deepes! point: Describe procedures for periodic maintenance and installation procedure.			No	NATURAL PERMEABILITY			
Describe procedures for periodic maintenance and according any special monitoring. Describe procedures for periodic maintenance and according any special monitoring. JUN 0 2 2010 CONSERVATION DIVISION WICHITA SS Distance to nearest water well within one-mile of pit source of information: Depth to shallowest fresh water feet source of information: The feet Depth of water well feet measured well owner electric log KDWR. Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: FRESH Number of producing wells on lease: Number of producing wells on lease: Number of producing wells on lease: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant or Applican	Pit dimensions (all but working pits):12	Pit dimensions (all but working pits): 125 Length (feet) 125 Width (feet) N/A: Steel Pits					
Distance to nearest water well within one-mile of pit MA feet Depth of water well feet	Depth fr	om ground level to de	eepest point:				
Distance to nearest water well within one-mile of pit MA			Describe proce	edures for periodic maintenance and determining ATION COMMISSION			
Distance to nearest water well within one-mile of pit MA	material, thickness and installation procedure),	liner integrity, i	ncluding any special monitoring.			
Distance to nearest water well within one-mile of pit MA				JUN 0 2 2010			
Distance to nearest water well within one-mile of pit NA				CONSERVATION DIVISION			
Source of information:				WICHITALISS			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Detailing, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: FRESH Number of working pits to be utilized: 2 Abandonment procedure: EVAPORATION-BACKFILL Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant of Applic	Distance to nearest water well within one-mile of pit						
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Drill pits must be closed within 365 days of spud date. Signature of Applicant or Agen.	NA feet Depth of water wellfeet		[[
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant or Appl	Emergency, Settling and Burn Pits ONLY:		İ				
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant or Appl	· · · · · · · · · · · · · · · · · · ·						
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant of Agent.	•						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date.							
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Lo /2/10 Supply Signature of Applicant or Agent	Does the slope from the tank battery allow all spilled fluids to						
6/2/10 Sally Signature of Applicant or Agen	flow into the pit? Yes No		Drill pits must I	pe closed within 365 days of spud date.			
Signature of Applicant or Agent KCC OFFICE USE ONLY Steel Pit RFAC RFAS	I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
Co Signature of Applicant or Agents KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
KCC OFFICE USE ONLY Steel Pit RFAC RFAS	6/2/10 Sally x. Dyers						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS ₹	Date Signature of Applicant or Agen						
	KCC OFFICE USE ONLY Steel Pit RFAC RFAS て						
Date Received: 4/2/10 Permit Number: Permit Date: 6-7-10 Lease Inspection: X Yes No	Date Received: 4/2/10 Permit Num	ber:	Permi	t Date: 6 - 7 - 6 Lease Inspection: X Yes No			



Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

June 7, 2010

Redland Resources, Inc. 6001 NW 23rd St Oklahoma City, OK 73127

RE: Drilling Pit Application

R7Kids Lease Well No. 34-14 SW/4 Sec. 34-32S-11W Barber County, Kansas RECEIVED
JUN 0 9 2010
KCC WICHITA

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File