For KCC Use: Effective Date:	6-20-2010		
District #	4		
SGA? Yes	Ž No		

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date					
	<b>(a</b> month	20 day	2010 vear	Spot East	
0550		uay	you		t
OPERATOR: License# 3553		<del></del>		leet florii V IN / S Line of Section	
Name: Citation Oil & Gas Corp.				Teet from VE / W Line of Section	
Address: P O Box 690688	200			Is SECTIONRegularIrregular?	
City/State/Zip: Houston, TX 772	209			(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Bridget Lisent	901 1496	amou		County: Ellis	_
Phone: (281) 891-1565 / (281) 8	091-1400			Lease Name: Well #: 5-14	_
CONTRACTOR: License# 59	929			Field Name: Fairport	_
Name: Duke Drilling Co., Inc.				Is this a Prorated / Spaced Field?	)
		,		Target Formation(s): Arbuckle, LKC & Topeka	-
Well Drilled For:	Well Class:	Туре	Equipment:	Nearest Lease or unit boundary: 1980	
Oil Enh Rec	✓ Infield		Mud Rotary —	Ground Surface Elevation: 1896 feet MS	
Gas Storage	Pool E	xt.	Air Rotary	Water well within one-quarter mile:  Yes VN	
OWWO Disposal	Wildca	ıt 🔲	Cable	Public water supply well within one mile:    Yes   V   New	)
Seismic;# of Ho	oles Other			Depth to bottom of tresh water: 520	-
Other				DECENT	Ď
				Surface Pipe by Alternate: 1 1 2 KANSAS CORPORATION Length of Surface Pipe Planned to be set:	COMMI
If OWWO: old well informatio	on as follows:				
Operator:				Projected Total Depth: 3500	2010
Well Name:		Original Take	al Danth.	Formation at Total Denth Arbuckle	_
Original Completion Date:	-	_Original lota	ai Deptn:	CONSERVATION	
Directional, Deviated or Horiz	ontal wellbore	?	Yes ✓ No	Well ✓ Farm Pond Other	KS
If Yes, true vertical depth:					
Bottom Hole Location:				(Note: Apply for Permit with DWR 1)	_
KCC DKT #:					)
				If Voc. proposed rape:	
			۸Et	If Yes, proposed zone:	_
The undersigned hereby affilit is agreed that the following		•	letion and eventual	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.	_
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append	g minimum red district office ed notice of int of surface pint ated materials an agreemen ct office will be COMPLETION dix "B" - East	quirements w prior to spu ent to drill se e as specifi s plus a mini at between the notified bef production ern Kansas	eletion and eventual will be met:  Indiding of well;  Indial be posted on each de below shall be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing orde	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.	9
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is dry hole,  5. The appropriate distric  6. If an ALTERNATE II C Or pursuant to Appenmust be completed with	g minimum red district office and notice of int of surface pip lated materials an agreemen ct office will be COMPLETION. dix "B" - East ithin 30 days of	quirements war prior to spuent to drill so the specific splus a miniput between the notified before production ern Kansas of the spud of	eletion and eventual will be met:  Indding of well;  Indi be posted on each below shall be some operator and the fore well is either plupipe shall be cemer surface casing orded atter or the well shall be shall shall be	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing.	-
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state	g minimum red district office and notice of int of surface pip lated materials an agreemen ct office will be COMPLETION. dix "B" - East ithin 30 days of	quirements we prior to sputent to drill so e as specific solution a minimate the notified before the production ern Kansas of the spud of the rein are to	eletion and eventual will be met:  Indding of well;  Indi be posted on each below shall be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing orded tate or the well shall rue and to the best	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.	9
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state	g minimum red district office did notice of int of surface pint ated materials an agreemen ct office will be COMPLETION dix "B" - East ithin 30 days of ements made	quirements we prior to sputent to drill so e as specific solution a minimate the notified before the production ern Kansas of the spud of the rein are to	eletion and eventual will be met:  Indding of well;  Indi be posted on each below shall be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing orded tate or the well shall rue and to the best	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.	9
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 6/7/2010	g minimum red district office di notice of int of surface pip lated materials an agreemen ct office will be COMPLETION dix "B" - East ithin 30 days of ements made _ Signature of	quirements we prior to sput ent to drill so the specific splus a miniput between the notified before the spud of the spud of herein are to operator or	eletion and eventual will be met:  Indding of well;  Indi be posted on each below shall be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing orded tate or the well shall rue and to the best	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing.  If the permitting Analyst  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	9
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 6/7/2010	g minimum red district office of notice of int of surface pint and agreement office will be COMPLETION dix "B" - East office made and agreements made Signature of	quirements war prior to spurent to drill so e as specific solution a minimal to between the notified before the notified before the spud of the spud o	eletion and eventual will be met:  Indding of well;  Indi be posted on each below shall be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing orded tate or the well shall rue and to the best	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing.  If the primiting Analyst  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen must be completed wi I hereby certify that the state  Date: 6/7/2010  For KCC Use ONLY API # 15 - 051-2	g minimum red district office of notice of int of surface pint ated an agreement of office will be COMPLETION dix "B" - East office ments made _ Signature of	quirements we prior to spurent to drill so e as specific so plus a minist between the notified before the notified before the spud of the	eletion and eventual will be met:  Indding of well;  Indi be posted on each below shall be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing orded tate or the well shall rue and to the best	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Permitting Analyst  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	- -
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state  Date: 6/7/2010  For KCC Use ONLY API # 15 - D 51 - 2 Conductor pipe required	g minimum red district office of notice of int of surface pint ater also an agreement office will be COMPLETION dix "B" - East office ments made _ Signature of	quirements we prior to spurent to drill so e as specific so plus a minibit between the notified before the notified before the spud of the	eletion and eventual will be met:  Idding of well;  Iddin	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Permitting Analyst  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	- -
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state  Date: 6/7/2010  For KCC Use ONLY API # 15 - 251 - 2 Conductor pipe required Minimum surface pipe required	g minimum red district office of notice of int of surface pip diated materials an agreement office will be COMPLETION dix "B" - East office will be completed by the completed b	quirements war prior to sput ent to drill so e as specific so plus a minimate between the notified before the notified before the spud of	eletion and eventual will be met:  Idding of well;  Idding of well into ne operator and the fore well is either pluring shall be cemer surface casing order date or the well shall rue and to the best of Agent:	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	-
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi 1 hereby certify that the state  Date: 6/7/2010  For KCC Use ONLY API # 15 - D 5 1 - 2 Conductor pipe required Minimum surface pipe requ Approved by: 2 4 6	g minimum red district office of notice of int of surface pip lated materials an agreement office will be COMPLETION dix "B" - East office materials and days of ements madeSignature of	prior to spure to drill so e as specific so plus a minimate between the notified before the notified before the spud of the sp	eletion and eventual will be met:  Idding of well;  Iddin	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi 1 hereby certify that the state  Date: 6/7/2010  For KCC Use ONLY API # 15 - D 5 1 - 2 Conductor pipe required Minimum surface pipe required Approved by: Leve G This authorization expires:	g minimum red district office of notice of int of surface pip lated magreement of office will be COMPLETION dix "B" - East office will be COMPLETION of the ments made Signature of S996-C	prior to spuent to drill so e as specific solution to drill so e as specific solution to drill solution to drill solution to drill solution ern Kansas of the spud coherein are to operator or specific solution to drill solution ern Kansas of the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein specific solution for the spud coherein specific specific solution for the spud coherein specific specif	detion and eventual will be met: dding of well; hall be posted on ended below shall be some operator and the fore well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best of Agent:	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	. / / /3
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed with the state I hereby certify that the state Date: 6/7/2010  For KCC Use ONLY API # 15 - D 5 I - 2 Conductor pipe required Minimum surface pipe required Approved by: 2 M 6	g minimum red district office of notice of int of surface pip lated magreement of office will be COMPLETION dix "B" - East office will be COMPLETION of the ments made Signature of S996-C	prior to spuent to drill so e as specific solution to drill so e as specific solution to drill solution to drill solution to drill solution ern Kansas of the spud coherein are to operator or specific solution to drill solution ern Kansas of the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein are to operator or specific solution for the spud coherein specific solution for the spud coherein specific specific solution for the spud coherein specific specif	detion and eventual will be met: dding of well; hall be posted on ended below shall be some operator and the fore well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best of Agent:	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen must be completed wi 1 hereby certify that the state  Date: 6/7/2010  For KCC Use ONLY API # 15 - OSI - 2 Conductor pipe required Minimum surface pipe requi Approved by: Leve G This authorization expires:	g minimum red district office district office of ontice of int of surface pip lated magreemen ct office will be COMPLETION dix "B" - East ithin 30 days of ements made _ Signature of  5996-C  Nor ired 55-2010 b-15-20	prior to spuent to drill so e as specific to between the notified before the notified before the spud of the spud	detion and eventual will be met:  Idding of well;  Idding of et into  Idding of well;  Idding of et into  Idding of well;  Idding of et into	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 05/-	259960	000	<u>.</u>	Location of Well: County	ty: Ellis
Operator: Citation Oil & G	las Corp.			2085	feet from VN/ S Line of Section
Lease: Wieland				1980	feet from 🗸 E / W Line of Section
Well Number: 5-14				Sec. 1 Twp. 13	
Field: Fairport				p.	
				Is Section:  Regula	ar or Irregular
Number of Acres attribu	table to well:	<u> </u>			
QTR / QTR / QTR of acr	eage:		NE	If Section is Irregular.	locate well from nearest corner boundary.
				Section corner used:	NE NW VSE SW
	(Show loca			le acreage for prorated ase or unit boundary line	-
; ;	· ·			· .	RECEIVED KANSAS CORPORATION COMMISSION
	· · · · · · · · · · · · · · · · · · ·	:		: : :	RECEIVED KANSAS CORPORATION COMMISSION JUN 10 2010
				· · · · · · · · · · · · · · · · · · ·	KANSAS CORPORATION COMMISSION
				: : : : : : :	JUN 1 0 2010  CONSERVATION DIVISION
					JUN 1 0 2010  CONSERVATION DIVISION

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

15-051-25996-00-00 CITATION OIL & GAS CORPORATION WIELAND UNIT LEASE NE.1/4. SECTION 1. T135. R16W ELLIS COUNTY. KANSAS ROCK ROAD Drillsite Location Wieland Unit #5-14 shown on this be legally downer. 2085'FNL 1980'FEL ROAD Ground Elevation = 1896 O'HO. ELECTRIC SERVICE LINE 120'S. OF LOC. STAKE Notes: 1. Set iron rod at location site. 2. All flagging Red & Yellow. 3. Overhead power available at N. line. Sec.1 and at various locations in Sec.1. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelines in Sec.1. 6. Contact landowner for best access. NO ROAD KANSAS CORPORATION COMMISSION

 Controlling data is based upon the best was and photographs available to us and upon a require section of land containing 640 docs.

Appropriate section that more extermined using the names standard of care of district examples project on 10 at 54th of Consent. The section standard with extending the Appropriate section that extending the section for the control of the section in the section is not propriate the section of the control of the section in the section is not guaranteed. The extending the section in the section is not guaranteed. The extending the section is not propriate for the section of district of the section is not section. The section is not section in the section of the section of the section is not section in the section of the section is not section in the section of the section of the section of the section is not section of the section of

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

May 18, 2010

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Citation Oil & Gas Corp			License Number: 3553			
Operator Address: P O Box 69068	8 Houston, T	X 77269				
Contact Person: Bridget Lisenbe			Phone Number: ( 281 ) 891 - 1565			
Lease Name & Well No.: Wieland 5-14			Pit Location (QQQQ):			
ype of Pit: Pit is:			<u>NE</u> _			
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 _Twp. 13S R. 16 East ✓ West			
Settling Pit	If Existing, date constructed:		2085 Feet from 🗸 North	/ South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 600 (bbls)		1980 Feet from 🗸 East	/ West Line of Section		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No No	Chloride concentration:	mg/l		
Is the bottom below ground level?			(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Bentonite and drill solids			
Pit dimensions (all but working pits):	00 Length (fe	eet)100	Width (feet)	N/A: Steel Pits		
Depth f	rom ground level to de	eepest point: 4	(feet)			
				JUN 1 0 2010 CONSERVATION DIVIS		
			pth to shallowest fresh water 180 feet.			
None feet Depth of water well N/A feet		Source of information: measured well owner electric log KDWR				
Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY:				
		Type of materia	Type of material utilized in drilling/workover: Conditioned native mud fresh water			
		Number of working pits to be utilized: 1				
		Abandonment procedure: Evaporation and backfill				
		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	Š		
6/7/2010 Date	<u> </u>	Bridget (	July July Ignature of Applicant or Agent			
	KCC	OFFICE USE O	NLY	RFASTC Keep out of draw water wa		
Date Received: 6-10-16 Permit Nun	nber:	Perm	it Date: <u>6/14/10</u> Lease Inspe	water wa ection: X Yes \ No		



June 14, 2010

**Bridget Lisenbe** Citation Oil & Gas Corp. PO Box 690688 Houston TX 77269

Re:

**Drilling Pit Application** 

Wieland Lease Well No. 5-14

NE/4 1-13S-16W Ellis County, Kansas

Dear Ms. Lisenbe:

District staff has inspected the above referenced location and has determined that the reserve pit shall be kept our and away from any creek, stream, draw or waterway, constructed without slots, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Joselle Rains

Department of Environmental Protection and Remediation