# For KCC Use: Effective Date: District # \_\_\_\_\_\_/ SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 7-25-10	Spot Description:
month day year	W2 - SE - NW Sec. 20 Twp. 22 S. R. 34 EXW
OPERATOR: License#	(OOOOO) 1,980 feet from N / S Line of Section
Name: Lario Oil & Gas Company	1,650 feet from E / W Line of Section
Address 1: 301 S. Market	ls SECTION: X Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 67202 +  Contact Person: Jay Schweikert	County: Finney
Phone: 316-265-5611	Lease Name: Burg Well #: 7
5000	Field Name: Amazon Ditch
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: Duke Drilling	Target Formation(s): Toronto, Lansing, Marmaton, Ft. Scott, St. Louis
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1650'
◯Oil ☐ Enh Rec ☑ Infield ☑ Mud Rotary	Ground Surface Elevation: 2973' (Est.) feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes X No  Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water: 1050'
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 650'
	Length of Conductor Pipe (if any): none
Operator:	Projected Total Depth: 4850'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Nate: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
.1 6	If Yes, proposed zone:
PROVATED & SPACED: HULDTON- PANOMA	RECEIVED
	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig;  KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig; v circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  **CC WICHITA** circulating cement to the top; in all cases surface pipe **shall be set* underlying formation. ct office on plug length and placement is necessary **prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  **CC WICHITA** circulating cement to the top; in all cases surface pipe **shall be set* underlying formation. ct office on plug length and placement is necessary **prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  **CC WICHITA*  **Converting rig;  **Converting rig;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  **CC WICHITA**  **Corrections of circulating cement to the top; in all cases surface pipe **shall** be set*  **underlying formation.**  **ct office on plug length and placement is necessary **prior* to **plugging;**  **d or production casing is cemented in;**  **from below any usable water to surface within **120 DAYS** of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged.  **In all cases, NOTIFY district office**  **prior* to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the shall be provided in the statements made herein are true and correct to the beside.	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of myknowledge and belief.  Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the spud date or the spud da	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  Arilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Title:  Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the driving all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the properties of the statements made herein are true and correct to the best of the statements of the desired of the statements of the statemen	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  Arilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.  st of myknowledge and belief.  Title:  Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the beautiful of the statements of the product of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the beautiful of the put that the statements made herein are true and correct to the put that the statements made herein are true and correct to the put that the statements made herein are true and correct to the put that the statement of the put that the statement of the put that the statement of the put that	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  Arilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, atternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing.  st of myknowledge and belief.  Title:  Operations Engineer  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of the state of the spud and the district of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the spud date.  6-16-10  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D 55 - 22 0 75 - 00000	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the beautiful to the complete of the complete of the product	ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig;  v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, atternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Title:  Operations Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through a surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the shall be proposed to the statements made herein are true and correct to the best of the drill shall be proposed to the spud date or the well shall be proposed to the shall be proposed	pavit ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of myknowledge and belief.  Title:  Deerations Engineer  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set by through a surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the shall be proposed to the statements made herein are true and correct to the best of the drill shall be proposed to the spud date or the well shall be proposed to the shall be proposed	ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig;  v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the statements made herein are true and correct to the best of the best of the statements of the proposed of the statements of the proposed of t	ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig;  v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Pemember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of intent to drill <i>shall be</i> posted on each of the state of the spud all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge of the antificial before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced.  For KCC Use ONLY  API # 15 - D S S - 22 D 75 - D CO  Conductor pipe required	ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig;  v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the specified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the spud date or the well shall be producted or pursuant to Appendix 'B' - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the well shall be produced to the spud date or the shall be produced to the spud date or the shall be produced to the spud date or the spud date or the shall be produced to the spu	ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  drilling rig;  v circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing.  st of myknowledge and belief.  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:  m
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2010  Arilling rig;  Accomply circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Let office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of myknowledge and belief.  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 055-22075 0000  Operator:Lario Oil & Gas Company	Location of Well: County: Finney
Lease: Burg	1,980 feet from N / S Line of Section
Well Number: 7	1,650 feet from E / W Line of Section
Field: Amazon Ditch	Sec. 20 Twp. 22 S. R. 34 E W
Number of Acres attributable to well: W2 _ SE _ NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

P				
Operator Name: Lario Oil & Gas Company		License Number: 5214		
Operator Address: 301 S. Market			Wichita KS 672	202
Contact Person: Jay Schweikert			Phone Number: 316-265-5611	
Lease Name & Well No.: Burg	7		Pit Location (QQQQ):	
Type of Pit:	Pit is:		W2SENW	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 20 Twp. 22 R. 34 East West	
Settling Pit Drilling Pit	If Existing, date c	onstructed:	1,980 Feet from North / South Line of Sec	tion
Workover Pit Haul-Off Pit	Pit capacity:		1,650 Feet from East / West Line of Sec	
(If WP Supply API No. or Year Drilled)	7,100	(bbls)	Finney Co	- 1
Is the pit located in a Sensitive Ground Water	Area? Yes	No		q/I
		21	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	Bentonite	
Pit dimensions (all but working pits):	00 Length (fe	eet)100	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	eepest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining	
material, thickness and installation procedure			ncluding any special monitoring.	
				ì
Distance to nearest water well within one-mil	e of pit		west fresh water148feet.	6
3042'feet Depth of water well	207feet	Source of infor		[
Emergency, Settling and Burn Pits ONLY:	<del></del>	Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: Bentonite Mud	_
Number of producing wells on lease:		Number of wor	king pits to be utilized:	_ ['
Barrels of fluid produced daily:		Abandonment	procedure: Allow for evaporation. Fill in and cover	_
Does the slope from the tank battery allow all	spilled fluids to		pits.	
flow into the pit? Yes No		Drill pits must t	pe closed within 365 days of spud date.	VED.
I hereby certify that the above state	ements are true and o	correct to the best	of my kp <b>o</b> wledge and belief.	
		$\Lambda$	JUN 17	201
6-16-10		Mey	Schwedert KCC WIC	ᆪᇈᅪ
Date		7/ // 8	gnature of Applicant or Agent	7171
		///		一
	KCC (	OFFICE USE OI	NLY Steel Pit RFAC RFAS	
/				- 1
Date Received: 4/17/10 Permit Num	ber:	Permi	t Date: <u>(a/)7//</u> Lease Inspection: Yes X No	,