For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

7-13-10	25' S.R. 15'W of
Expected Spud Date: 7-13-10 month day year	Spot Description: 25' S & 15'W of
	NE SE SW - NE Sec. 33 Twp. 14 S. R. 31 ☐ E XW
OPERATOR: License#	feet from X N / S Line of Section
Name: Lario Oil & Gas Company	leet from
Address 1: 301 S. Market	Is SECTION: Regular I Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip; 67202 +	County: Gove
Contact Person: Jay Schweikert Phone 316-265-5611	Lease Name: Thies Ranch Well #: 1-33
1 Horic.	Field Name: Wildcat
CONTRACTOR: License#33575	Is this a Prorated / Spaced Field?
Name: WW Drilling, LLC	Target Formation(s): Lansing, Pawnee, Ft. Scott, Marmaton & Johnson
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 495'
⊠Oil Enh Rec Infield X Mud Rotary	Ground Surface Elevation: 2639 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180'
Other:	Depth to bottom of usable water: 1560 /200
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 220'
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 4700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: MississIpplan
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR 🗹)
	Will Cores be taken? ☐ Yes ☑ No
	If Yes, proposed zone:
ACC	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	
It is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq.
Notify the appropriate district office <i>prior</i> to spudding of well;	// -
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig;
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation
4 If the well is dry hole an agreement herween the oberator and the distr	
	ict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugge	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;
The appropriate district office will be notified before well is either pluggeIf an ALTERNATE II COMPLETION, production pipe shall be cemented	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;
The appropriate district office will be notified before well is either pluggeIf an ALTERNATE II COMPLETION, production pipe shall be cemented	ict office on plug length and placement is necessary <i>prior to plugging;</i> ad or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	ict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the personal context.	ict office on plug length and placement is necessary <i>prior to plugging</i> ; ad or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the personal context.	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Operations Engineer
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent:	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Engineer
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the period of the statements of Operator or Agent: Date: Signature of Operator or Agent:	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Operations Engineer
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the period of the statements of Operator or Agent: Date: 6-15-10	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Which is a completion of the prior to Derations Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the period of the statements of Operator or Agent: For KCC Use ONLY	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Sulprit plugging report (CP-4) after plugging is completed (within 50 days):
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set Date: For KCC Use ONLY	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Sulprit plugging report (CP-4) after plugging is completed (within 50 days):
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the vel Date: 6-15-10 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OG3 - 2 18 50 - OO Conductor pipe required Mone feet Minimum surface pipe required Approved by: Lune G-17-2010	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Which produces are provided and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set Conductor pipe required	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the vel Date: 6-15-10 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OG3 - 2 18 50 - OO Conductor pipe required Mone feet Minimum surface pipe required Approved by: Lune G-17-2010	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 19 Notify appropriate district office 48 hours prior to workover or re-entry; 20 Submit plugging report (CP-4) after plugging is completed (within 60 days); 21 Obtain written approval before disposing or injecting salt water. 22 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the set Conductor pipe required	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 19 Notify appropriate district office 48 hours prior to workover or re-entry; 20 Submit plugging report (CP-4) after plugging is completed (within 60 days); 21 Obtain written approval before disposing or injecting salt water. 22 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063-21850-0000	
Operator: Lario Oil & Gas Company	Location of Well: County: Gove
Lease: Thies Ranch	2,170 feet from N / S Line of Section
Well Number: 1-33	1,500 feet from X E / W Line of Section
Field: Wildcat	Sec. <u>33</u> Twp. <u>14</u> S. R. <u>31</u> E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE _ SE _ SW _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).




Pro-Stake LLC

Oil Field & Construction sire Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



Lario Oil Company.

OPERATOR

x061410-f

Thies Ranch #1-33

LEASE NAME

Gove County, KS

COUNTY

33 14s 31w Sec. Two. Rng.

N

2170' FNL – 1500' FEL

LOCATION SPOT

SCALE: 1" = 1000'

DATE STAKED: June. 7th, 2010

MEASURED BY: Luke R.

DRAWN BY: Luke R.

AUTHORIZED BY: Jay S.


This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

GR. ELEVATION: 2639.0°

Directions: From the South side of Oakley, Ks at the intersection of Hwy 40 & Hwy 83 South - Now go 20 miles South on Hwy 83 - Now go 2 miles East on Jayhawk Rd - Now go 2 miles East on Gove H Rd - Now go 2 miles South on 14 Rd - Now go East 1 mile on H Rd to the NE corner of 33-14s-31w - Now go South 0.6 mile on trail to ingress stake West NW into - Now go 0.3 miles W-NW on trail to ingress stake North into - Now go approx 1000 North through pasture into staked location

Final ingress must be verified with land owner or Operator



JUN 17 2010

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214		
Operator Address: 301 S. Market			Wichita KS 67202	
Contact Person: Jay Schweikert		Phone Number: 316-265-5611		
Lease Name & Well No.: Thies Ranch 1-33		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SE SW NE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 33 Twp. 14 R. 31 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2,170 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:			
(If WP Supply API No. or Year Drilled)	7,100	(bbls)	Gove	
is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	Bentonite	
Pit dimensions (all but working pits):	DO Length (fe	eet)100	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de		4 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determiningRECEIVED	
material, unickness and instanation procedure		inter integrity, in		
			JUN 1 7 2010	
			KCC WICHITA	
· · · · · · · · · · · · · · · · · · ·			west fresh water /3 feet. /	
1 (100)		Source of infor		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	be of material utilized in drilling/workover: Bentonite Mud	
Number of producing wells on lease: Number of w		Number of wor	king pits to be utilized: 2	
Barrels of fluid produced daily: Abandonment		procedure: Allow for evaporation. Fill in and cover pits.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
6-15-10 Schullet				
Date		///s	ignature of Applicant or Agent	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 6/17//D Permit Number: Permit Date: Lease Inspection: Yes No				