## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cheyenne Oil S	ervice, Inc	License Number: 7146						
Operator Address: 118 N Penn Ave Ness City, KS 67560								
Contact Person: Paul L. Cambron			Phone Number: (785) 798-5050					
Lease Name & Well No.: Snodgrass SWD			Pit Location (QQQQ):					
Type of Pit:	Pit is:		NE - NE - SW -					
Emergency Pit Burn Pit	XX Proposed	Existing	Sec. 17 Twp. 17 R. 23 East X West					
Settling Pit Drilling Pit	If Existing, date constructed:		1990 Feet from North / X South Line of Section					
X Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		2990 3447 Feet from X East / West Line of Section					
(ii vvi Supply APT No. of Teal Diffied)	(bbls)		Ness County					
Is the pit located in a Sensitive Ground Water Area? Yes XX No			Chloride concentration: mg/l					
			(For Emergency Pits and Settling Pits only)					
Is the bottom below ground level?  X Yes No	Artificial Liner?  Yes	No	How is the pit lined if a plastic liner is not used?					
Pit dimensions (all but working pits): Length (feet) 24 Width (feet) N/A: Steel Pits								
Depth from ground level to deepest point: (feet) No Pit								
If the pit is lined give a brief description of the liner  material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.								
internal, the integrity, i			RECEIVED					
	•		APR 2 6 cons					
Distance to nearest water well within one-mile	e of pit		APR 2 6 1000 KCC WICHITA west fresh water					
Distance to nearest water well within one-mile  5017  4,000 feet Depth of water well	e of pit feet	Depth to shallo Source of infor measu	APR 2 KCC WICHITA  owest fresh water					
5017	34 feet	Source of informeasu	APR 2 6 1000 KCC WICHITA  owest fresh water					
4,000 feet Depth of water well_	feet	Source of informeasu	APR 2 KCC WICHITA  west fresh water					
GO17  Geet Depth of water well  Emergency, Settling and Burn Pits ONLY:	34 feet	Source of informeasu  Drilling, Work  Type of materia	APR 2 KCC WICHITA  west fresh water feet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY:					
Froducing Formation:	34 feet	Source of information measurements  Drilling, Work  Type of material  Number of work	APR 2 KCC WICHITA  west fresh water feet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover:FW & SW					
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	34 feet	Source of informeasure measure Drilling, Work Type of material Number of work Abandonment	APR 2 KCC WICHITA  owest fresh water					
Feet Depth of water well	3∜ feet spilled fluids to	Source of informeasure measure Drilling, Work Type of material Number of work Abandonment Drill pits must leading	KCC WICHTA  west fresh water feet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: FW & SW  rking pits to be utilized: 1  procedure: Empty and backfill.  be closed within 365 days of spud date.					
Freducing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Sol7  Depth of water well  Depth of water well  Depth of water well  Depth of water well  Pits ONLY:	3∜ feet spilled fluids to	Source of informeasure measure Drilling, Work Type of material Number of work Abandonment Drill pits must leading	KCC WICHTA  west fresh water feet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: FW & SW  rking pits to be utilized: 1  procedure: Empty and backfill.  be closed within 365 days of spud date.					
Freducing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Sol7  Depth of water well  Depth of water well  Depth of water well  Depth of water well  Pits ONLY:	3∜ feet spilled fluids to	Source of informeasure of measure of measure of material Number of work Abandonment Drill pits must be correct to the beside of the beside of the source of the beside of the source of the beside of the source of the beside of the beside of the beside of the beside of the source of the beside of the beside of the beside of the source of the beside of	KCC WICHTA  west fresh water feet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: FW & SW  rking pits to be utilized: 1  procedure: Empty and backfill.  be closed within 365 days of spud date.					
Feet Depth of water well	spilled fluids to	Source of informeasure of measure of measure of material Number of work Abandonment Drill pits must be correct to the beside of the beside of the source of the beside of the source of the beside of the source of the beside of the beside of the beside of the beside of the source of the beside of the beside of the beside of the source of the beside of	KCC WICHTA  west fresh water feet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: FW & SW  rking pits to be utilized: 1  procedure: Empty and backfill.  be closed within 365 days of spud date.  It of my knowledge and belief.  ignature of Applicant or Agent					
Feet Depth of water well	spilled fluids to	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must in  correct to the besent in the second in	KCC WICHTA  west fresh water feet.  rmation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: FW & SW  rking pits to be utilized: 1  procedure: Empty and backfill.  be closed within 365 days of spud date.  t of my knowledge and belief.  NLY Steel Pit RFAC RFAS					

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **APPLICATION FOR SURFACE PIT (FORM CDP-1)**

#### Instructions

#### General Instructions.

- All Notices of Intent to Drill must include an Application for Surface Pit, even if steel pits will be used.
- 2. Operators need to submit two copies of all CDP-1s.
- 3. Form must be typed.

#### Section 1: Operator Information.

- Operator Name. Enter the operator's full name as it appears on operator's license.
- License Number. Enter the operator's license number. To verify KCC operator license information check the Commission's website at <a href="http://www.kcc.state.ks.us/conservation/oil\_license.cg">http://www.kcc.state.ks.us/conservation/oil\_license.cg</a> or contact the Conservation Division's Licensing Department at (316) 337-6194.
- 1c. Operator Address. Enter the operator's mailing address.
- 1d. Contact Person. Enter the name of the individual who will be the operator's contact person for this Application for Surface Pit, should Conservation Division Staff need to contact the operator about the Application for Surface Pit. The contact person may be the operator or the operator's agent.
- Phone Number. Enter the phone number of the contact person, so that Conservation Division Staff may easily reach the contact person if necessary.

#### Section 2: Lease/Well/Pit Information.

- Lease Name & Well No. Enter the name of the lease, and if
  applicable the well number, at which the pit is or will be located.
- 2b. Type of Pit. Mark the appropriate box to indicate the type of pit. Note—if the pit is a workover pit, the operator must enter the API No. or Year Drilled of the well which is to be worked over.
- 2c. **Proposed or Existing Pit.** Operator should mark the appropriate box to indicate if the pit is proposed or already exists.
  - 2c(1). Existing Pits. The operator should provide the date pit
  - 2c(2). **Proposed and Existing Pits.** The operator must provide the pit capacity.

#### 2d. Pit Location.

- 2d(1). ¼ ¼ ¼ ¼ Section. The operator should list the location of the pit by ¼ ¼ ¼ ¼ Section.
- 2d(2). Sec., Twp., and R. The operator should enter the Section, Township and Range Number in which the pit is located, and should mark either the "East" or "West" box to indicate if the Range # is East or West.
- 2d(3). Footage Location. This is where the operator reports the location of the pit from the North or South section line and the East or West section line. Enter in the blank provide the number of feet the pit is or will be from the North or South section line and then mark the appropriate box for the measurement to indicate if the footage is from the North or South section line. Follow the same procedure with respect to the location of the pit from the East or West section line.
- 2d(4). County. Enter the county in which the pit is or will be located.
- 2e. Sensitive Groundwater Area. Mark the appropriate box as to whether or not the pit is located in a Sensitive Groundwater Area. Operators may find a listing of Sensitive Groundwater Areas in Table III of the Conservation Division's Rules and Regulations. The Commission's rules and regulations for the conservation of oil and gas, including Table III, are available in an Adobe pdf file from the Conservation Division's website at <a href="http://www.kcc.state.ks.us/conservation/index.htm">http://www.kcc.state.ks.us/conservation/index.htm</a>.
- 2f. Chloride Concentration (for emergency and settling pits only). Indicate the chloride concentration level of fluids which the pit is or will be used to contain. A sample should be taken from the salt water tank. This information is needed to determine the potential for contamination should the salt water tank discharge into the emergency pit.

- Below Ground Level. Mark the appropriate box to indicate whether the bottom of the pit is below ground level.
- 2h. Artificial Liner. Mark the appropriate box to indicate whether the pit is or will be constructed with an artificial liner.
- Other Liner. Explain how the pit is constructed if a plastic liner is not used.
- 2j. Pit Dimensions (all but working pits). For all but steel pits, enter the length, width, and depth (from ground level to the deepest point) in feet of the pit. If the pit is a steel pit, the operator only needs to mark the "steel pits" blank.

#### Section 3: Description of Liner.

If the pit is lined, enter a brief description of the liner material, thickness, and installation procedure.

#### Section 4: Description of Maintenance.

Enter a brief description of the procedures used for periodic maintenance and determining liner integrity, including any special monitoring.

#### Section 5: Distance to Nearest Water Well Within One Mile of Pit.

Enter the distance to the nearest water well within one mile of the pit location and the total depth of the water well. If there are not any water wells within a one-mile radius of the pit location, the space should be left blank. Water well information is available from the Kansas Geological Survey's website, at <a href="http://www.kgs.ku.edu/Magellan/WaterWell/index.html">http://www.kgs.ku.edu/Magellan/WaterWell/index.html</a>.

#### Section 6: Shallowest Freshwater Depth.

Enter the depth to the shallowest fresh water in the area of the pit and mark the appropriate box as the source of the freshwater information.

#### Section 7: Emergency, Settling, and Burn Pits ONLY.

Enter the formation from which wells on the lease are producing, the number of producing wells on the lease, and the number of barrels of fluids produced daily on the lease. The operator should also mark the appropriate box to indicate if the slope of the tank battery allows all spilled fluids to flow in the pit.

#### Section 8: Drilling, Workover, and Haul-Off Pits ONLY.

Enter the type of material utilized in the drilling or workover of the well, the number of working pits to be utilized, and the procedure to be used for abandoning the pits after work at the well is complete.

#### Section 9: Affidavit.

Date and sign the certification that the above statements are true and correct to the best of the signee's knowledge and belief.

# WORKOVER PIT APPUGATION VERBAL AUTHORIZATION

DATE: 4-2	3-09 CHEVENE OI		TIME: 10:0	o e/	
PERATOR:	CHEYENE OI	L SERVICEC	ONTACT PERSO	ON: PAUL	CAMBORN
.EASE NAME:	SNODGRAS	s swl	>		
SW VE	SW SEC. 17 T	WP. <u>17</u> R	ANGE Z3 V	Y COUNTY:	<u>NS</u>
CAICTOU OTION.	,		•	7 mil	E NORTH
CONSTRUCTION: SIZE:	WIDTH	IENGTU	DEDTU		
OIZE.	ESTIMATED CAPA	CITY	BBIS:		
	20111111123 071171	O	<u> </u>	KANS	AS CORPORATION COMMISSION
ST. DEPTH TO	ROUNDWATER (if k	(nown):			
YPE OF FLUID:	Saltwater Cement	X	Workover Fluids		APR 2 9 2009
	Cement		Drilling Mud/Cuti	tings	RECEIVED
				,	
JUES OPERATOR	R PLAN TO LINE PIT BEFORE PIT WILL I	: _ <u>X</u> 1E5	NO		
	TER WELLS WITHIN				
		i) : iiii== 0 :	100		
(0:0 1)500145	101 10 5 7 11 00 4	2 \	V 110		
C.C. INFORMAT	ION: IS PIT IN SGA	·? YES	NO		
(CC DISTRICT :	#10RECOMMENDAT	ION (Check (	Driel:		
• • • • • • • • • • • • • • • • • • • •	ition granted with no	•	5116).		
	ition granted, if pit is				
	tion granted, no line		but free fluids m	ust be remove	d within
	mpletion of workover	,		,	
4. No verba	al authorization will b	e given withou	ut on-site inspec	tion.	
spamind operator	that of namit fam	must be sie	i vittia fina (E) a	iono effectivado	al a ibadination
remind operator	that oit permit form		i within tive (5) C	Jays aitel yeroa	<u>a aumonzation.</u>
/		,		· · · · · · · · · · · · · · · · · · ·	
					•
RESULTS OF INS	SPECΠON:				•
<del></del>	<del></del>				
			· · · · · · · · · · · · · · · · · · ·		
	4	,,			
		•			
<del>\</del>	<del></del>				
A CONTROL OF THE PROPERTY OF T	Umos	Agent		Date 4	-23-09
CC: JOHELLE RAIN		•		-	,
CC: JONELLE RAIN				15-135	19040