

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
October 2008  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 3728  
Name: Roger Kent dba R.J. Enterprises  
Address 1: 22082 NE Neosho Road  
Address 2: \_\_\_\_\_  
City: Garnett State: KS Zip: 66032 + 1918  
Contact Person: Roger Kent  
Phone: ( 785 ) 448-6995 or 448-7725  
CONTRACTOR: License # 3728  
Name: Roger Kent dba R.J. Enterprises  
Wellsite Geologist: n/a  
Purchaser: n/a

Designate Type of Completion:  
 New Well \_\_\_\_\_ Re-Entry \_\_\_\_\_ Workover \_\_\_\_\_  
 Oil \_\_\_\_\_ SWD \_\_\_\_\_ SIOW \_\_\_\_\_  
\_\_\_\_\_ Gas \_\_\_\_\_ ENHR \_\_\_\_\_ SIGW \_\_\_\_\_  
\_\_\_\_\_ CM (Coal Bed Methane) \_\_\_\_\_ Temp. Abd. \_\_\_\_\_  
\_\_\_\_\_ Dry \_\_\_\_\_ Other \_\_\_\_\_  
*(Core, WSW, Expl., Cathodic, etc.)*

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_\_ Conv. to Enhr. \_\_\_\_\_ Conv. to SWD \_\_\_\_\_  
\_\_\_\_\_ Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
\_\_\_\_\_ Commingled \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Dual Completion \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Other (SWD or Enhr.?) \_\_\_\_\_ Docket No.: \_\_\_\_\_  
November 25, 2009    November 27, 2009    November 27, 2009  
Spud Date or                      Date Reached TD                      Completion Date or  
Recompletion Date                                                                Recompletion Date


API No. 15 - 15-003-24,747-00-00  
Spot Description: \_\_\_\_\_  
SE NW NW SE Sec. 15 Twp. 21 S. R. 20  East  West  
2,145 Feet from  North /  South Line of Section  
2,010 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Anderson  
Lease Name: Herman Well #: 7-A  
Field Name: Bush City Shoestring  
Producing Formation: Squirrel  
Elevation: Ground: 1,185 Kelly Bushing: n/a  
Total Depth: 855' Plug Back Total Depth: 848'  
Amount of Surface Pipe Set and Cemented at: 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: surface  
feet depth to: 848' w/ 84 sx cmt.

**Drilling Fluid Management Plan** Alt II NCR 5-10-10  
*(Data must be collected from the Reserve Pit)*  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: Drilled with fresh water - air dry  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Agent for Roger Kent Date: April 28, 2010  
Subscribed and sworn to before me this 28th day of April  
2010  
Notary Public: Donna Manda  
Date Commission Expires: March 16, 2011



**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**APR 28 2010**  
CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Roger Kent dba R.J. Enterprises Lease Name: Herman Well #: 7-A  
 Sec. 15 Twp. 21 S. R. 20  East  West County: Anderson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <b>Gamma Ray/Neutron/CCL</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum <b>See attached log</b>
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		7"		20'	Portland	84	
Production		2-7/8"		848'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
15 perfs	775.0 - 782.0 ft.		
21 perfs	789.0 - 799.0 ft.		
21 perfs	802.0 - 812.0 ft.		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls. _____	Gas Mcf _____	Water Bbls. _____ Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--

R. J. Enterprises  
22082 NE Neosho Rd  
Garnett, KS 66032

Herman 7-A

Start 11-25-09

Finish 11-27-09

2	soil	2	
8	clay	10	
29	lime	39	
167	shale	206	
31	lime	237	
69	shale	306	
10	lime	316	
6	shale	322	set 20' 7"
38	lime	360	ran 848' 2 7/8
20	shale	380	cemented
14	lime	394	to surface 84 sxs
6	shale	400	
14	lime	414	
165	shale	579	
22	lime	601	
59	shale	660	
28	lime	688	
24	shale	712	
8	lime	720	
20	shale	740	
6	lime	746	
7	shale	753	
8	lime	761	
9	shale	770	
5	sandy shale	775	odor
8	sandy shale	783	good show
5	shale	788	show
26	Bk sand	814	good show
5	sandy shale	819	show
36	Bk sand	855	T.D.

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 28 2010

CONSERVATION DIVISION  
WICHITA, KS

**GARNETT TRUE VALUE HOMECENTER**

410 N Maple  
Garnett, KS 66032  
(785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**CREDIT INVOICE**

THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

Page: 1 Invoice: 10151642

Special : Time: 12:54:14  
Instructions : Ship Date: 11/06/09  
Sale rep #: WAYNE WAYNE STANLEY Acct rep code: Invoice Date: 11/06/09  
Due Date: 12/08/09

Sold To: ROGER KENT Ship To: ROGER KENT  
22082 NE NEOSHO RD (785) 448-6995 NOT FOR HOUSE USE  
GARNETT, KS 66032 (785) 448-6995

Customer #: 0000357 Customer PO: Order By:

CREDIT

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
-1.00	-1.00	P	BX	0811551	GALV HX BOLTS 5/16 X 3	39.9900 ea	39.9900	-39.99
					Credited from invoice 10151605			
50.00	50.00	P	EA	0812554	HOG CARR SCRW 5/16X3 1/2 50	23.9900 ea	0.4788	23.99

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$-16.00
SHIP VIA Customer Pick up				Taxable	-16.00
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
X				Tax #	
				Sales tax	-1.16
				<b>TOTAL</b>	<b>\$-17.16</b>

1 - Merchant Copy



**GARNETT TRUE VALUE HOMECENTER**

410 N Maple  
Garnett, KS 66032  
(785) 448-7106 FAX (785) 448-7135

Statement Copy

**INVOICE**

PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Page: 1 Invoice: 10151869

Special : Time: 12:48:47  
Instructions : Ship Date: 11/12/09  
Sale rep #: JIM Acct rep code: Invoice Date: 11/12/09  
Due Date: 12/08/09

Sold To: ROGER KENT Ship To: ROGER KENT  
22082 NE NEOSHO RD (785) 448-6995 NOT FOR HOUSE USE  
GARNETT, KS 66032 (785) 448-6995

Customer #: 0000357 Customer PO: Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
200.00	200.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	5.4900 BAG	5.4900	1098.00
-9.00	-9.00	P	PL	CPMP	MONARCH PALLET	14.0000 PL	14.0000	-126.00
					Credited from invoice 10151513			
-30.00	-30.00	P	BAG	CPPC	PORTLAND CEMENT-94#	8.0900 BAG	8.0900	-242.70
					Credited from invoice 10151513			

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 APR 28 2010  
 CONSERVATION DIVISION  
 WICHITA, KS

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$729.30
SHIP VIA ANDERSON COUNTY				Taxable	729.30
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
X				Tax #	
				Sales tax	49.59
				<b>TOTAL</b>	<b>\$778.89</b>

3 - Statement Copy



0 0 3 0 F H 0 0 1 0 4 P 1 3 G L

**GARNETT TRUE VALUE HOMECENTER**

410 N Maple  
Garnett, KS 66032  
(785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**INVOICE**

THIS COPY MUST REMAIN AT  
MERCHANT AT ALL TIMES!

Page: 1

Invoice: **10151255**

Special :  
Instructions :  
Time: 17:07:31  
Ship Date: 10/28/09  
Invoice Date: 10/28/09  
Due Date: 11/08/09

Sale rep #: JIM  
Acct rep code:  
Sold To: ROGER KENT  
22082 NE NEGSHO RD  
GARNETT, KS 66032  
Ship To: ROGER KENT  
(785) 448-6995 NOT FOR HOUSE USE  
(785) 448-6995

Customer #: 0000357  
Customer PO:  
Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
690.00	690.00	P	BAG	CPPC	PORTLAND CEMENT-94#	8.8900 BAG	8.8900	6134.10

*To correct pricing*

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 APR 28 2010  
 CONSERVATION DIVISION  
 WICHITA, KS

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$6134.10
SHIP VIA Customer Pick up				Taxable	6134.10
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
X				Sales tax	447.79
				Tax #	

**TOTAL \$6581.89**

1 - Merchant Copy

