Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

API No. 15 - 015-23151-00-00 OPERATOR: License #: 64(17 **NE SW SE** Flowers Production Co., Inc. NESW Sec. 3 Twp. 25 S. R. 3 Feast West Address 1: 622 Oil Hill Road Address 2: P.O. Box 249 1,779 Feet from East / West Line of Section City: El Dorado State: KS Zip: 67042 + _____ Contact Person: Dallas Flovvers Footages Calculated from Nearest Outside Section Corner: Phone: (316) 321-0550 NE NW SE SW Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic County: Butler Water Supply Well Other: SWD Permit #:_____ ____ Well #: _5___ Lease Name: Joseph ✓ ENHR Permit #: <u>E 25887</u> Gas Storage Permit #: __ Date Well Completed: 1954 Is ACO-1 filed?

Yes No If not, is well log attached?

Yes No The plugging proposal was approved on: 4-8-09 by: Duane Krueger (KCC District Agent's Name) Producing Formation(s): List All (If needed attach another sheet) Mississippi Depth to Top: 2759 Bottom: 2768 T.D. 2809 Plugging Commenced: 4-8-09 Bottom: ______ T.D. ____ ___ Depth to Top: _____ Plugging Completed: 4-8-09 ____ Bottom: _____T.D. ___ _ Depth to Top: ____ Show depth and thickness of all water, oil and gas formations. Oil. Gas or Water Records Casing Record (Surface, Conductor & Production) Setting Depth Pulled Out Formation Casing Content 0' 8 5/8" 223' Mississippi surface 2809' 0' production string 5 1/2" Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. RIH W/TBG @ 2,766' ESTABLISHED CIRCULATION, CONSOLIDATED OIL WELL SERVICE MIXED & PUMPED 50 SXS CLASS A 3% CC AND DISPLACED IN CASING, WAITED 2-HOURS, TAGGED CEMENT @ 2,502', TESTED CASING, HELD OK. RIH W/WIRELINE @ 275' AND SHOT SQUEEZE HOLES, SWEDGED INTO 5 1/2" CASING, & ESTABLISHED CIRCULATOIN, CONSOLIDATED OIL WELL SERVICE MIXED & PUMPED 117 SXS 60/40 POZMIX 4% GEL TO SURFACE. CEMENT CIRCULATED. PLUG DOWN 2:30, 4-8-2009.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

FEB 1 6 2010 KCC WICHITA