Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: American Energies Corporation			License Number: 5399 /	
Operator Address: 155 North Ma			hita, KS 67202	
Contact Person: Alan L. DeGood,	President	Phone Number: (316) 263 - 5	785	
Lease Name & Well No.: Stucky Ur		Pit Location (QQQQ):		
Type of Pit:	Pit is:		CSENE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 2 Twp. 22S R. 3W] East ✓ West
Settling Pit Drilling Pit	If Existing, date of	constructed:	1980' Feet from 🕱 North / 🗸	South Line of Section
✓ Workover Pit Haul-Off Pit	Dit conneits:		660' Feet from 🔀 East / 🗸	
(If WP Supply API No. or Year Drilled) Pit capacity		(bbls)	Harvey	
Is the pit located in a Sensitive Ground Water	e pit located in a Sensitive Ground Water Area? Yes 4 No			County
is the pit located in a Sensitive Ground water Area?			Chloride concentration:	• •
Is the bottom below ground level?	the bottom below ground level? ✓ Yes No		How is the pit lined if a plastic liner is not	used?
Y Yes No			Natural clays in soil.	
Pit dimensions (all but working pits):	6 Length (f	eet)10	Width (feet)	N/A: Steel Pits
Depth f	om ground level to d	eepest point: 4	(feet)	
If the pit is lined give a brief description of the	Describe procedures for periodic maintenance and determining			
material, thickness and installation procedure	Э.	liner integrity, including any special monitoring.		
Natural Clays in soil.		,		
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water N/A og feet.		
lGGU feet Depth of water well N/A GU feet		Source of information: measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:				
Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Workover fluid, cuttings, water		
Number of producing wells on lease:				
Barrels of fluid produced daily:		Number of working pits to be utilized: 1 Abandonment procedure: Allow pits to dry and backfill.		
•		Abandonment	procedure: 7 mow pito to dry and backing	
Does the slope from the tank battery allow all flow into the pit?	spilled fluids to	Drill pits must be closed within 365 days of spud date.		
I haraba anaif. Mark the above the		<u></u>		RECEIVED
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.	ISAS CORPORATION COMMIS
40/45/00	\cap	Ω ρ Ω	91_1)	OCT 16 2008
10/15/08 Date		war pho	gnature of Applicant or Agent	
			g or Approach of Agent	CONSERVATION DIVISION
	ILY	Liner		
Date Received: 10/16 65 Permit Num	15 A79 9	000.	Date: 10/17/0 & Lease Inspection:	
vale received: / 1 6 [6 6 Permit Num	oer: 'Jav' (- 6)	Permit	Date: 10/1/08 Lease Inspection:	Yes No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 16, 2008

American Energies Corporation 155 N. Market Ste 710 Wichita, KS 67202

Re: Workover Pit Application Stucky Unit Lease Well No. 1 NE/4 Sec. 02-22S-03W Harvey County, Kansas

Dear Sir or Madam:

District staff has reviewed the above referenced location and has determined the pit must **be lined and fluids removed after completion**. A plastic liner with the minimum thickness of 6 mil is to be used. Integrity of the liner must be maintained at all times.

The fluids must be removed from the pit after workover operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (April 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes
Kathy Haynes

Department of Environmental Protection and Remediation

Cc: district

QCT-16-2008 03:40 PM KCC-EP&R

316 337 6232

P.92

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Form CDP-1 And 2004 Form must be Typed

Submit in Duplicate						
Operator Name: American Energ	ies Corpora	Licente Number: 5399				
Operator Address: 155 North Ma						
Contact Person: Alan L. DeGood,	President	Phone Number: (316)263 -6785				
Lease Name & Well No.: Stucky Unit #1			Pit Location (QQQQ):			
Type of Pit;	PH In:		C SE NE			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 2 Twp. 228 R 3W East V West			
Settling Pit Ontling Pit	If Existing, date constructed:		1980' Feet from X North / South Line of Section			
Worksvar Pit Haut-Off Pit	Pit capacity:	N	680' Feet from East / V. West Line of Section			
(11 11 Sepply Art) Haz or Year United)	80 (bbts)		Harvey			
is the pit located in a Sensitive Ground Water Area? Yes No			Chieride concentration:mg/l (Par Emergency Pile and Setting Pile any)			
ls the bottom below ground (aver?	☐ Yes [7] No		How is the pit lined if a pleatic liner is not used?			
			Natural clays in soil.			
Pit dimensions (ell but working pits): 6 Length (feet) 10 Width (feet)						
Depth from ground level to deepest point: 4(feat)						
if the pit is lined give a brief description of the i material, thickness and installation procedure.	ner	Describe procedures for periodic meintenance and determining liner integrity, including any special monitoring.				
Natural Clays in soil.						
PIT MIST BE PLASTIC LINED.		EMAILED KATHY WITH NATO.				
LOC IS IN EQUUS B	<u> </u>	KLOCK 16/16/08				
Distance to nearest water wall within one-mile	of pit	Depth to shallowest fresh water N/A feet.				
. 1664 feet Depth of water well	N/A 64 feet	messuredwell owner electric log KDWR				
Emergency, Settling and Hum Pits ONLY:		Orliling, Workover and Heul-Off Pits ONLY:				
Producing Formation:	M	Type of meterial utilized in drilling/workover: Workover fluid.cutilings, water				
Number of producing wells on lease:		Number of working pits to be utilized: 1				
Barrels of fluid produced daily:		Abandonment precedure: Allow pits to dry and backfill,				
Does the slope from the tank bettery allow all splited fluids to flow into the pit? Yest No		Orlii pits must be plozed within 365 days of spud date.				
I hereby cartify that the above statem	ents are inve and c	orrect to the best o	of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMINSH			
10/15/08 Date	_0	lant D	OCT 1 6 2008			
KGC OFFICE USE ONLY						
Data Received: 10/16/05 Permit Number: 15,079 - 20177 Permit Date: Lease Inspection: Yes No						