

RECEIVED

NOV 20 2009

Form ACO-1
October 2008
Form Must Be Typed

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

KCC WICHITA

OPERATOR: License # 33858
Name: J & J Operating
Address 1: 10380 W. 179th Street
Address 2: _____
City: Bucyrus State: KS Zip: 66013 + _____
Contact Person: Patrick Everett
Phone: (913) 549-8442
CONTRACTOR: License # 32834
Name: JTC Oil, Inc.
Wellsite Geologist: _____
Purchaser: Pacer Energy Marketing
Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover
 Oil _____ SWD _____ SIOW
_____ Gas _____ ENHR _____ SIGW
_____ CM (Coal Bed Methane) _____ Temp. Abd.
_____ Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
_____ Plug Back: _____ Plug Back Total Depth
_____ Commingled _____ Docket No.: _____
_____ Dual Completion _____ Docket No.: _____
_____ Other (SWD or Enhr.?) _____ Docket No.: _____
6-29-2009 6-30-2009 7-8-2009
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 15-045-21550-0000
Spot Description: _____
SW SE NW SE Sec. 31 Twp. 13 S. R. 21 East West
1485 Feet from North / South Line of Section
1815 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Douglas
Lease Name: Kelly (Circle K) Well #: 14
Field Name: Wildcat
Producing Formation: Squirrel
Elevation: Ground: 905 Kelly Bushing: None
Total Depth: 760 Plug Back Total Depth: None
Amount of Surface Pipe Set and Cemented at: 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 40
feet depth to: surface w/ 6 sx cmt.

Drilling Fluid Management Plan Alt II N/S 10-10
(Data must be collected from the Reserve Pit)
Chloride content: 1500-3000 ppm Fluid volume: 87 bbls
Dewatering method used: Used on Lease
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.
Signature: Patrick Everett
Title: Agent Date: 11/18/09
Subscribed and sworn to before me this 18 day of November,
20 09.
Notary Public: Joni Persinger
Date Commission Expires: 8/19/12

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

NOTARY PUBLIC - State of Kansas
JONI PERSINGER
My Appt. Exp. 8/19/12

Operator Name: J & J Operating Lease Name: Kelly (Circle K) Well #: 14
 Sec. 31 Twp. 13 S. R. 21 East West County: Douglas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach Additional Sheets) Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy) List All E. Logs Run: Gamma Ray / Nuutron	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name <u>No geologist on site</u> Top Datum <div style="text-align: right; font-weight: bold; font-size: 1.2em;"> RECEIVED NOV 20 2009 KCC WICHITA </div>
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	8 5/8	6 1/4	8	40	Portland	6	
Casing	5 5/8	2 7/8	6.5	740	Portland	113	50/50 Poz.

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	21 Perforations from 679.0 to 689.0		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. 7-25-2009		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil <u>ma</u> Bbls.	Gas <u>n/a</u> Mcf	Water <u>n/a</u> Bbls. Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	--

RECEIVED

NOV 20 2009

TICKET NUMBER 20086

LOCATION Ottawa KS

FOREMAN Fred Madu



CONSOLIDATED Oil Well Services, LLC

KCC WICHITA

FIELD TICKET & TREATMENT REPORT CEMENT

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7/7/09	4028	Kelly # 14	SE 31	13	21	DG
CUSTOMER J+J Operating LLC			TRUCK # DRIVER TRUCK # DRIVER			
MAILING ADDRESS 10380 W 179th			506 Fred			
CITY Bucyrus STATE KS ZIP CODE 66013			368 Bill			
			320 Ken			
			510 Arlen			

JOB TYPE Logging HOLE SIZE 5 7/8 HOLE DEPTH 760' CASING SIZE & WEIGHT 2 3/8" EUE
 CASING DEPTH 740' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 2 1/2" Plug
 DISPLACEMENT 4.3 BBL DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 BPM

REMARKS: check casing depth w/ wireline. Mix + Pump 100# Premium Gel flush. Mix + Pump 113 sks 50/50 Por Mix Cement 2% Gel 1/2" Phen Seal per sack. Cement to surface. Flush pump + lines clean + Displace 2 1/2" Rubber plug into casing TD w/ 4.3 BBL fresh water. Pressure to 700# PSI. Release pressure to set float valve. Shot in casing.

JTC Drilling

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1 of 3	PUMP CHARGE Cement Pump		870.00
5406	1/3 of 30	MILEAGE Pump Truck		34.50
5402	740'	Casing Footage		N/C
5407A	142.38 T/m	Ton Mileage		165.16
5502C	1 1/2 hrs	80 BBL Vac Truck		141.00
1124	111 SKS	50/50 Por Mix Cement		1026.75
1118B	290#	Premium Gel		46.40
1107A	57#	Pheno Seal		61.56
4402	1	2 1/2" Rubber Plug		22.00
		6.3%	SALES TAX	72.28
			ESTIMATED TOTAL	2440.25

Ravin 3737

AUTHORIZATION

John [Signature]

TITLE

NO 230331

DATE