

CONFIDENTIAL

low
my
stand

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

5/19/10

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 8628
Name: CREDO PETROLEUM CORPORATION
Address: 1801 Broadway, Suite 900
City/State/Zip: Denver, CO 80202
Purchaser: N/A
Operator Contact Person: Jack Renfro
Phone: (303) 297-2200
Contractor Name: American Eagle Drilling LLC
License: 33493
Wellsite Geologist: Jim Musgrove

CONFIDENTIAL

MAY 19 2009

KCC

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

1-31-09 2-7-09 2-27-09
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 009-25304 -0050
County: Barton
SE SW NE NW Sec. 9 Twp. 19 S. R. 11 East West
1230 feet from S / N (circle one) Line of Section
1855 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: HUSLIG CPC Well #: 3-9
Field Name: AHRENS NORTH

Producing Formation: LKC
Elevation: Ground: 1782 Kelly Bushing: 5
Total Depth: 3422 Plug Back Total Depth: 3374
Amount of Surface Pipe Set and Cemented at 258 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 678 Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan AH INS 7-9-09
(Data must be collected from the Reserve Pit)


Chloride content 14,500 ppm Fluid volume 300 bbls
Dewatering method used Evaporation

Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: OPERATIONS MANAGER Date: 05/19/2009
Subscribed and sworn to before me this 19 day of May 2009
20 _____
Notary Public: _____
Date Commission Expires: 11/15/2012



KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes No Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
MAY 22 2009

KCC WICHITA

Operator Name: CREDO PETROLEUM CORPORATION Lease Name: HUSLIG CPC Well #: 3-9
 Sec. 9 Twp. 19 S. R. 11 East West County: Barton

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Topeka	2674	796
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Lansing	3074	1287

List All E. Logs Run:

Borehole Compensated Sonic, Microresistivity, Dual Induction, Dual Compensated Porosity

CONFIDENTIAL
MAY 19 2009
KCC

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12-1/4"	8-5/8"	24	258	COMMON	175	2%gel, 3%CaCl
PRODUCTION	7-7/8"	5-1/2"	14	3415	AA2	125	10%SALT, 5% CALSEAL
					60/40	250	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
3	3076-3138 (17') 3240 - CIBP	1000GAL 15%MCA / 1500GAL 20% HCl	
3	3146-3263 (19')	250GAL 15%MCA ; 3000GAL 20%HC	

RECEIVED
MAY 22 2009
KCC WICHITA

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2-7/8" 6.5# N80	3188			
Date of First, Resumerd Production, SWD or Enhr. 02/28/09			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	145	0	0	--	41	

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled _____
(If vented, Submit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., LLC. 33520

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Great Bend KS

DATE <u>1-31-09</u>	SEC <u>9</u>	TWP. <u>19</u>	RANGE <u>11</u>	CALLED OUT <u>12:00 noon</u>	ON LOCATION <u>2:30 pm</u>	JOB START <u>6:30 pm</u>	JOB FINISH <u>7:00 pm</u>
LEASE <u>Husky CPL</u>		WELL # <u>3-9</u>	LOCATION <u>S.N. of Ellinwood 1 1/2 E.</u>		COUNTY <u>BT</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>S/into</u>				

CONTRACTOR American Eagle #1
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 266
 CASING SIZE 8 5/8 DEPTH 266
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 42.18
 CEMENT LEFT IN CSG. 42.18 **CONFIDENTIAL**
 PERFS. _____
 DISPLACEMENT Fresh water MAY 19 2009
 EQUIPMENT KCC
 PUMP TRUCK CEMENTER Randy
 # 181 HELPER Gaylen
 BULK TRUCK _____
 # 341 DRIVER Bobby
 BULK TRUCK _____
 # _____ DRIVER _____

OWNER Credo
 CEMENT
 AMOUNT ORDERED 175 Sx Common
390cc 2% Gel

COMMON	<u>175</u>	@	<u>13.50</u>	<u>2362.50</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>20.25</u>	<u>60.75</u>
CHLORIDE	<u>6</u>	@	<u>51.50</u>	<u>309.00</u>
ASC		@		
RECEIVED				
MAY 22 2009				
KCC WICHITA				
HANDLING	<u>184</u>	@	<u>2.25</u>	<u>414.00</u>
MILEAGE	<u>10 1/2 mile</u>			<u>312.80</u>
				TOTAL <u>3459.05</u>

REMARKS:

On location safety meeting Rig up
Pipe on bottom broke circulation with
Rig Pumped ball through
Mixed cement
shut down released plug
Displaced with FW
shut down shut in cement did
circulate Rig down

SERVICE

DEPTH OF JOB	<u>266</u>		
PUMP TRUCK CHARGE			<u>991.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>17</u>	@	<u>7.00</u>
MANIFOLD		@	
Head test		@	
TOTAL <u>1110.00</u>			

CHARGE TO: Credo
 STREET _____
 CITY _____ STATE _____ ZIP _____

Thank you!

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Kee Brock
 SIGNATURE Kee Brock

PLUG & FLOAT EQUIPMENT

1- Texas style shoe			<u>302.00</u>
3- Centralizers	@	<u>60.00</u>	<u>180.00</u>
1- AFU insert	@		<u>367.00</u>
5/8 wood plug	@		<u>66.00</u>
TOTAL <u>920.00</u>			

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT 20% IF PAID IN 30 DAYS

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "ALLIED" shall mean Allied Cementing Co., LLC, and "CUSTOMER" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "Merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, CUSTOMER must tender full cash payment to ALLIED before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, CUSTOMER agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that CUSTOMER may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the CUSTOMER or at the option of ALLIED, refunded directly to CUSTOMER. For purposes of this paragraph, ALLIED and CUSTOMER agree that Kansas law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in ALLIED'S current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—SERVICE CONDITIONS AND LIABILITIES:

1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. CUSTOMER shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES:

1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

ALLIED CEMENTING CO., LLC. 33517

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Greensburg, KS
1-28-09

1-28-09 Bottom 7

DATE <u>1-28-09</u>	SEC <u>9</u>	TWP. <u>A</u>	RANGE <u>11</u>	CALLED OUT <u>2:00 PM</u>	ON LOCATION <u>4:00 PM</u>	JOB START <u>2:30 AM</u>	JOB FINISH <u>3:30 AM</u>
LEASE <u>Hugh's</u>		WELL # <u>CRA 2-9</u>	LOCATION <u>Ellinwood 5 N 12 1/2 S</u>		COUNTY <u>KS</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>E/into</u>				

CONTRACTOR American Eagle #1

TYPE OF JOB Long String

HOLE SIZE 7 7/8 T.D. 3380

CASING SIZE 5 1/2 DEPTH 3378

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1000 MINIMUM 100

MEAS. LINE _____ SHOE JOINT 44'

CEMENT LEFT IN CSG. 44' **CONFIDENTIAL**

PERFS. _____

DISPLACEMENT fresh water MAY 1 9 2009

EQUIPMENT KCC

OWNER Credo

CEMENT

AMOUNT ORDERED 125 SK ASC 290661
1090 salt 5# Kolo Seal

COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@		
ASC <u>125 SK</u>	@	<u>16.70</u>	<u>2,087.50</u>
<u>Kol Seal 625</u>	@	<u>.85</u>	<u>531.25</u>
	@		
RECEIVED			
	@		
MAY 22 2009			
	@		
KCC WICHITA			
	@		
HANDLING <u>125</u>	@	<u>2.25</u>	<u>281.25</u>
MILEAGE <u>17125/1.10</u>	@	<u>min</u>	<u>300.00</u>
			TOTAL <u>3200.00</u>

PUMP TRUCK CEMENTER Randy - David W.

447 HELPER Alvin

BULK TRUCK

456-198 DRIVER Jack

BULK TRUCK

_____ DRIVER _____

REMARKS:

On location safety meeting Rig up
Pipe on bottom broke circulation with R. 8
Pumped 10 bbl FW ahead mixed 125 SK of
ASC 290661 10% salt 5# Kolo seal
Shut down washed pump + lines Dropped
plug. Displaced with FW had lit pressure
at 50 bbl slowed rate at 75 bbl to 3 bbl
minute bump plug at 82 bbl float did
hold. Had 500# lit pressure. Dropped 0.9 ft
waited 5 min pumped dont throw at 350#

SERVICE

DEPTH OF JOB 3378'

PUMP TRUCK CHARGE 1,957.00

EXTRA FOOTAGE @ _____

MILEAGE 17 @ 7.00 119.00

MANIFOLD @ _____

TOTAL 2076.00

CHARGE TO: Credo

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>5 1/2'</u>			
<u>AFA Float Coller</u>	@	<u>362.00</u>	<u>362.00</u>
<u>1-Basket</u>	@	<u>330.00</u>	<u>330.00</u>
<u>6-Centralizers</u>	@	<u>55.00</u>	<u>330.00</u>
<u>D-V Tool</u>	@	<u>4,380.00</u>	<u>4,380.00</u>
<u>Guide Shoe</u>	@	<u>186.00</u>	<u>186.00</u>
<u>2 Thread Lock</u>	@	<u>33.00</u>	<u>66.00</u>
			TOTAL <u>5505.00</u>

Thank you

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Lee Brode

SIGNATURE [Signature]

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT 20% IF PAID IN 30 DAYS

Faxed 1-28-09

ALLIED CEMENTING CO., LLC. 33518

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Great Bend KS

<u>Bottom Top</u>				1-28-08		1-28-08	
DATE <u>1-28-08</u>	SEC. <u>9</u>	TWP. <u>19</u>	RANGE <u>11</u>	CALLED OUT <u>2:00PM</u>	ON LOCATION <u>4:00PM</u>	JOB START <u>4:30 AM</u>	JOB FINISH <u>5:30 AM</u>
LEASE <u>Huslis</u>		WELL # <u>CA 3-9</u>	LOCATION <u>Ellinwood 5N 1E 14S</u>			COUNTY <u>BT</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)			<u>E/into</u>				

CONTRACTOR American Eagle #1

TYPE OF JOB Loop string

HOLE SIZE 7 7/8 T.D. 3380

CASING SIZE 5 1/2 DEPTH 738'

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 DEPTH 3380

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. CONFIDENTIAL

PERFS. _____

DISPLACEMENT Fresh water MAY 19 2009

OWNER Credo

CEMENT

AMOUNT ORDERED 250 SK 60/40 99269

#1/4 Floscal

COMMON _____	@ _____
POZMIX _____	@ _____
GEL _____	@ _____
CHLORIDE _____	@ _____
ASC _____	@ _____
<u>Floscal 62</u>	@ <u>2.45</u> <u>151.90</u>
<u>Lite</u>	@ <u>250</u> <u>11.85</u> <u>2962.50</u>
HANDLING <u>250</u>	@ <u>2.25</u> <u>562.50</u>
MILEAGE <u>.10/sk/mile</u>	@ _____ <u>425.00</u>
TOTAL <u>4101.90</u>	

EQUIPMENT KCC

PUMP TRUCK CEMENTER Randy Orvidal

447 HELPER Alvin

BULK TRUCK

456 199 DRIVER Jack

BULK TRUCK

_____ DRIVER _____

RECEIVED

MAY 27 2009

KCC WICHITA

REMARKS:

Circulate 30 min between stages

Plug rd 305x

Mixed 225 SK down hole

Shut down Released plug washed pump

4 lines. Displaced with 1800L FW

2500L L.S.H. Pump primed plug at 1500'

Tool closed washed up & Rig down

Cement did Circulate

SERVICE

DEPTH OF JOB 738'

PUMP TRUCK CHARGE _____ 1159.00

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

MANHOLES _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 1159.00

CHARGE TO: Credo

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
TOTAL _____	

Thank you 6

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Lee Brodic

SIGNATURE [Signature]

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT 20% IF PAID IN 30 DAYS