

CONFIDENTIAL

KCC  
5/22/08

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

5/28/10

Operator: License # 33074  
Name: Dart Cherokee Basin Operating Co., LLC  
Address: P O Box 177  
City/State/Zip: Mason MI 48854-0177  
Purchaser: Oneok  
Operator Contact Person: Beth Oswald  
Phone: (517) 244-8716  
Contractor: Name: McPherson  
License: 5675  
Wellsite Geologist: Bill Barks

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: Dart Cherokee Basin Operating Co., LLC

Well Name: Frankenberg B4-30  
Original Comp. Date: 12-12-07 Original Total Depth: 1190'  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  

<u>5-6-08</u>	<u>11-28-07</u>	<u>5-9-08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 205-27239-00-00  
County: Wilson  
SW SE NE Sec. 30 Twp. 29 S. R. 16  East  West  
3200' FSL feet from S / N (circle one) Line of Section  
820' FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Frankenberg Well #: B4-30  
Field Name: Cherokee Basin Coal Gas Area  
Producing Formation: Penn Coals  
Elevation: Ground: 822' Kelly Bushing: \_\_\_\_\_  
Total Depth: 1190' Plug Back Total Depth: 1186'  
Amount of Surface Pipe Set and Cemented at 43 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ MAY 28 2008 sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content NA ppm Fluid volume 40 bbls  
Dewatering method used Empty w/ vac trk and air dry  
Location of fluid disposal if hauled offsite:  
Operator Name: Dart Cherokee Basin Operating Co., LLC  
Lease Name: Porter et al D1-9 SWD License No.: 33074  
Quarter SW Sec. 9 Twp. 30 S. R. 15  East  West  
County: Wilson Docket No.: D-28773

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Engr Clerk Date: 5-28-08  
Subscribed and sworn to before me this 28 day of May,  
20 08  
Notary Public: Brandy R. Allcock  
Date Commission Expires: 3-5-2011  
Acting in Engham

BRANDY R. ALLCOCK  
Notary Public - Michigan  
Jackson County  
My Commission Expires  
March 05, 2011

KCC Office Use ONLY  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received RECEIVED  
 Geologist Report Received KANSAS CORPORATION COMMISSION  
 UIC Distribution  
JUN 02 2008

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Dart Cherokee Basin Operating Co., LLC Lease Name: Frankenbery Well #: B4-30  
 Sec. 30 Twp. 29 S. R. 16 ✓ East West County: Wilson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes ✓ No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes ✓ No  Cores Taken Yes ✓ No Electric Log Run ✓ Yes No <i>(Submit Copy)</i>  List All E. Logs Run:  High Resolution Compensated Density Neutron & Dual Induction	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">Log Name</td> <td style="width:40%;">Formation (Top), Depth and Datum</td> <td style="width:30%;">✓ Sample Datum</td> </tr> </table>	Log Name	Formation (Top), Depth and Datum	✓ Sample Datum
Log Name	Formation (Top), Depth and Datum	✓ Sample Datum		

CASING RECORD							
New				Used			
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surf	11"	8 5/8"	24#	43'	Class A	8	
Prod	6 3/4"	4 1/2"	9.5#	1184'	Thick Set	125	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				CONFIDENTIAL MAY 28 2008 KCC

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
6 existing	1028' - 1029.5' / 1005' - 1006.5'	100 gal 15% HCl, 2305# sd, 10 ball sealers, 120 BBL fl	
6 existing	928.5' - 929.5' / 920' - 924.5'	100 gal 15% HCl, 10 ball sealers	
6	669' - 672' / 651.5' - 653.5'	100 gal 15% HCl, 11575# sd, 20 ball sealers, 295 BBL fl	

TUBING RECORD		Size	Set At	Packer At	Liner Run	Yes	✓ No
		2 3/8"	1113'	NA			
Date of First, Resumed Production, SWD or Enhr.		Producing Method					
5-10-08		Flowing		✓ Pumping		Gas Lift Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		
	NA	4	59	NA	NA		

Disposition of Gas:  Vented ✓ Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval: \_\_\_\_\_

**RECEIVED**  
KANSAS CORPORATION COMMISSION

JUN 02 2008