

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

For	m	M
<128111	う	
3/24/		

WICHITA, KS

Operator: License # 33074	API No. 15 - 205-27184-00-00
Name: Dart Cherokee Basin Operating Co., LLC	County: Wilson
Address: P O Box 177	
City/State/Zip: Mason MI 48854-0177	22201 501
	3300' EEI
Purchaser: Oneok	Teet from E / W (circle one) Line of Section
Operator Contact Person: Beth Oswald	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>517</u>) <u>244-8716</u>	(circle one) NE SE NW SW
Contractor: Name: McPherson	Lease Name: Frankenbery Well #: B2-25
License: 5675	Field Name: Cherokee Basin Coal Gas Area
Wellsite Geologist: Bill Barks	Producing Formation: Penn Coals
Designate Type of Completion:	Elevation: Ground: 993' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1415' Plug Back Total Depth: 1409'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 43 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	
Operator: Dart Cherokee Basin Operating Co., LLC	If Alternate II completion, cement circulated from TAL sx cmt.
Well Name: Frankenbery B2-25	<u> </u>
Original Comp. Date: 12-18-07 Original Total Depth: 1415'	Drilling Fluid Management Plan
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug Back Plug Back Total Depth	Chloride content NA ppm Fluid volume 70 bbls
	Dewatering method used Empty w/ vac trk and air dry
	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name: Dart Cherokee Basin Operating Co., LLC
Other (SWD or Enhr.?) Docket No	Lease Name: Porter et al D1-9 SWD License No.: 33074
5-6-08 12-12-07 5-12-08 Spud Date or Date Reached TD Completion Date or	Quarter_SW_Sec. 9 Twp. 30 S. R. 15 ✓ East West
Recompletion Date Recompletion Date	County: Wilson Docket No.: D-28773
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	
nerein are complete an d corre ct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature De Lay Corre	V00 6/7 5
	KCC Office Use ONLY
itle: Engr Clerk Date: 5:28:08	Letter of Confidentiality Attached
Subscribed and sworn to before me this 28 day of May	If Denied, Yes Date:
	, Wireline Log Received
o DK.	Geologist Report Received RECEIVED
lotary Public: Blandy R- allcock	UIC Distribution KANSAS CORPORATION COMMISSION
3-5-2011 BRANDY R.	ALLCOCK ILIN 0 2 2000
icting in elignam Jackson	c - Michigan JUN 0 2 2008
My Commiss March 05	ion Expires

Operator Name: Da	ort Cherokee Bas	in Oner	ating Co. 110	C .		Frankenherv		Well #: B2-	25	
Sec. 25 Twp.					ase Name: ₋ _{unty:} <u>Wils</u>			Well #:		
•					•					
INSTRUCTIONS: Stested, time tool oper temperature, fluid re Electric Wireline Log	en and closed, flowin covery, and flow rate	g and sho s if gas t	ut-in pressures, o surface test, a	whethe	r shut-in pro	essure reached s	static level, hydros	static pressure	s, botton	n hole
Drill Stem Tests Taken (Attach Additional Sheets)		Yes ✓ No			og Formatio	l Datum ✓ Sample				
·		Yes ✓ No			e	Тор	Ε	atum		
Cores Taken Electric Log Run (Submit Copy)			Yes ✓ No Yes No							
List All E. Logs Run:										
High Resolution Dual Induction	Compensated D	ensity N	Neutron &							
	•	Rep	CASING ort all strings set-c			ew Used ermediate, producti	on. etc.			
Purpose of String	Size Hole Drilled	s	ize Casing et (In O.D.)	v	Veight os. / Ft.	Setting Depth	Type of Cement	# Sacks Used		nd Percent ditives
Su	rf 11"		8 5/8"	5/8" 24		43'	Class A	8		
Pro	d 6 3/4"		4 1/2"		9.5#	1409'	Thick Set	150	150	
E_	·	T		CEMEN	ITING / SQL	JEEZE RECORD	·			
Purpose: Depth Typ — Perforate Top Bottom		pe of Cement ONF #Sacks Used			Type and Percent Additives					
Protect Casing Plug Back TD			M /	MAY 2 8 2008						
Plug Off Zone	:		1/00							
	PERFORATI	ON RECO	RD - Bridge Plugs	UNITAR 2		Acid Fract	ure Shot Cement S	Guerra Pacard		
Shots Per Foot			Each Interval Perf			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
6 existing	-			1218.5	5' - 1220.5'	100 gal 15% HCl, 3055# sd, 115 BBL fl				
6 existing				1046	5.5' - 1048'	' 100 gal 15% HCl				
6	· 1		910.5' - 913.5	5' / 892.	.5' - 893.5'	100 gal 15% HCl, 12025# sd, 20 ball sealers, 285 BBL fl				
6		801' - 803'				150 gal 15% HCl, 2315# sd, 95 BBL fl				
6		594.5' - 598'				1870# sd, 100 BBL fl				
TUBING RECORD	Size 2 3/8"									
Date of First, Resumed			Producing Metho							
	5-13-08				Flowing		-		(Explain)	
Estimated Production Per 24 Hours	Oil NA	Bbis.	Gas M	Mcf	Wate	ler Bbls. G		as-Oil Ratio NA		Gravity NA
Disposition of Gas	METHOD OF C	OMPLETIC	ON			Production Interva	al			
Used on Lease Open Hole Perf. Dually Comp. ☐ Commingled ☐ RECEIVED ☐ Commingled ☐										

JUN 0 2 2008