## CONFIDENTIAL KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

October 2008

Form Must Be Typed

## **WELL COMPLETION FORM** WELL HISTORY - DESCRIPTION OF WELL & LEASE

AMENDED

	API No. 15 - 205-27400-0000
OPERATOR: License # 33539	
Name: Cherokee Wells, LLC	Spot Description:
Address 1: P.O. Box 296	C _NE_SE_ Sec. 30 Twp. 27 S. R. 15 ✓ East West
Address 2:	
City: Fredonia State: Ks Zip: 66736 +	Feet from East / West Line of Section
Contact Person: Emily Lybarger	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>620</u> ) <u>378-3650</u>	□NE □NW ☑SE □SW
CONTRACTOR: License #_33072	County: Wilson
Name: Well Refined Drilling	Lease Name: Frisbie Well #: A-2
Wellsite Geologist: N/A	Field Name: Cherokee Basin Coal Gas Area
Purchaser: Southeastern Kansas Pipeline	Producing Formation: Unknown
Designate Type of Completion:	Elevation: Ground: N/A Kelly Bushing: N/A
New Well Re-Entry Workover	Total Depth: 1305' Plug Back Total Depth: 1288'
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set:Feet
Dry Other (Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:surface
If Workover/Re-entry: Old Well Info as follows:	feet depth to: bottom casing w/ 50 sx cmt.
Operator:	DIE SILLE IN MUTINAS
Well Name:	Drilling Fluid Management Plan AH AM 4-2-07 (Data must be collected from the Reserve/Pit)
Original Comp. Date: Original Total Capth: United States	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	, , , , , , , , , , , , , , , , , , ,
Plug Back: Plug Back Total Depth	Dewatering method used:
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
5/19/08 5/21/08 9/25/08	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requitiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confident report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and conject to the best of my knowledge.	e oil and gas industry have been fully complied with and the statements herein
Signature: Hamman Hulu	KCC Office Use ONLY
Title: Administrative Assistant Date: 2/27/09	Letter of Confidentiality Received
Subscribed and sworn to before me this 31 day of February	If Denied, Yes Date:
20 <u>Oq</u> . <u>T</u> . NOT	ARY Wireline Log Received
Notary Bublis Amily Published PUE	BLIC Geologist Report Received KANSAS CORPORATION COMMISSION
	2012   MAR 3 0 2009
Date Commission Expires: 8/81/2010 2/2	KANNERVATION DIVISION WICHITA, KS

## Side Two

Operator Name: Cherokee Wells, LLC				Lease Name: _F		Frisbie		Well #:		
	27 S. R. 15				County: Wilson					
me tool open and cl ecovery, and flow ra	now important tops a osed, flowing and sh es if gas to surface t il geological well site	ut-in pressu est, along w	res, whether s	hut-in pre	essure rea	ched static level	l, hydrostatic	pressures, bottom l	note tem	perature, fluid
Drill Stem Tests Taken				<b></b> ✓L	og Formatio	Formation (Top), Depth and Datum			☐ Sample  Datum	
			s 🗹 No		Nam Drille	ne Top rs Log - Previously Submitted				
			_							
	Compensated De reviously Submitt g - Enclosed		on Log, Du	al						
			CASING	RECORD	√ N	ew Used				
Purpose of String	Size Hole Drilled	e Hole Size Casing		t-conductor, surface, Weight Lbs. / Ft.		ermediate, produci Setting Depth	tion, etc.  Type of Cemer			and Percent Additives
Surface	12 1/4"	8 5/8"		26#		60'	Portland	N/A		
Longstring 6 3/4"		4 1/2"	4 1/2"			1295'	Thickset	140		
		<u> </u>	ADDITIONAL	CEMENT	ING / SQL	JEEZE RECORD	) ————————————————————————————————————			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре с	of Cement	#Sack	s Used		Туре	and Percent Additives		
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
	978-980'					3150# Sand				
4 889.25-892.25; 876.5-878'					13300# Sand					
830-831'					650# Sand RECEIVED KANSAS CORPORATION COMMIN					
4 802-803'				1 11 1 A A		1000# Sand				
UBING RECORD: Size: Set At: Packer At:					Liner Run:	7, , , ,	CO		0 2009	
ate of First, Resumed	Production, SWD or En	hr.	Producing Meth	od:	Flowing			No as Lift Othe	WICH er (Explain	HITA, KS
stimated Production Per 24 Hours	Oil	Bbls.	Gas 1	Mcf	Wate		bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	ETHOD O	F COMPLE	TION:		PRODUCTIO	N INTER	VAL:
☐ Vented	Used on Lease	= '	en Hole 🔽	Perf.	Dually	Comp. Cor	nmingled			