For KCC Use: Effective Date: District # SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC tive	(5) days prior to commencing well
Expected Spud Date: July 5, 2010	Spot Description:
month day year	NE NW SW NE Sec. 34 Twp. 30 S. R. 14 XE W
OPERATOR: License# 33365	(0/0/0/0/0) 1,485 feet from N / S Line of Section
Name: Layne Energy Operating, LLC	2.145 feet from X E / W Line of Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Victory H. Dyal	County: Wilson
Phone: 913-748-3960	Lease Name: Metzger Well #: 7C-34
22000	Field Name: Lafontaine
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Cattleman Sands Nearest Lease or unit boundary line (in footage): 165'
Well Drilled For: Well Class: Type Equipment:	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 914 feet MSL Water well within one-quarter mile: Tyes No
Gas Storage X Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water: 200'
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 1300'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth: RECEIVED	WellFarm Pond _X_Other:
Bottom Hole Location: KANSAS CORPORATION COMMISSION	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? ☐Yes ☒No
JUN 2 9 2010	
JUN 2 9 2010 CONSERVATION DIVISION	Will Cores be taken? Yes No If Yes, proposed zone:
JUN 2 9 2010 CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus	Will Cores be taken? Yes No If Yes, proposed zone:
JUN 2 9 2010 CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes No If Yes, proposed zone:
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq.
JUN 2 9 2010 CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set and endorsy in
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging;
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in:
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Index of circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Index of circulating cement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. If the complete is the complete to the KCC District 3 area, alternate il cementing
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: **IDAVIT* gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each. 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the before the specific plants.	Will Cores be taken? If Yes, proposed zone: **IDAVIT* gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the believes.	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Manager of Engineering Title:
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below shall be set to the surface pipe as a minimum of 20 feet into the description of the surface pipe as specified below shall be set to the surface pipe as specified below shall be set to the description of the surface pipe as specified below shall be set to the surface pipe as sp	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Fict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. East of my knowledge and belief. Title: Manager of Engineering Remember to:
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be commented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the boundaries. Signature of Operator or Agent: June 28, 2010 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Manager of Engineering Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the desired through all unconsolidated materials plus a minimum of 20 feet into the set to the set in the state of the set in the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary. Date: June 28, 2010 Signature of Operator or Agent: June 28, 2010 Signature of Oper	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Manager of Engineering Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the description of the intention of the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the complete of the spud shall be the spud shall be signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27855-00-00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set eunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Manager of Engineering Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundaries. For KCC Use ONLY API # 15 - 205 - 27855 COCO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Manager of Engineering Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the statements district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the boundaries. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27855 - Components of the production pipe required feet per ALT. Minimum surface pipe required feet per ALT. Minimum surface pipe required feet per ALT.	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Manager of Engineering Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days):
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27855 - Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In yo circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In icit office on plug length and placement is necessary prior to plugging; In it from below any usable water to surface within 120 DAYS of spud date. If from below any usable water to surface within 120 DAYS of spud date. If the completion casing is cemented in; If mall cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. It was a start of my knowledge and belief. Manager of Engineering Title: Manager of Engineering Title: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set to the set in the se	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In or circulating cement to the top; in all cases surface pipe shall be set and underlying formation. In or office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; and row any usable water to surface within 120 DAYS of spud date. If from below any usable water to surface within 120 DAYS of spud date. If or mobility any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Manager of Engineering Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
CONSERVATION DIVISION WICHITA, KS The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set to the set in the se	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In concentration of the top; in all cases surface pipe shall be set or underlying formation. In this price of plug length and placement is necessary prior to plugging; In the dor production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If from below any usable water to surface within 120 DAYS of spud date. If from below any usable water to surface within 120 DAYS of spud date. If this permit has price if the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If this permit has expired (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27855-00-00				
Operator: Layne Energy Operating, LLC	Location of Well: County: Wilson			
Lease: Metzger	1,485 feet from N / S Line of Section	on		
Well Number: 7C-34	2,145 feet from X E / W Line of Section	on		
Field: Lafontaine	Sec. 34 Twp. 30 S. R. 14 E W			
Number of Acres attributable to well:	Is Section: Regular or Irregular	r Irregular		
QTR/QTR/QTR/QTR of acreage: NE - NW - SW - NE	is Section. Pregular or Integular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



KANSAS CORPORATION COMMISSION JUN 29 2010

RECEIVED

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365	
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205	
Contact Person: Victory H. Dyal		Phone Number: 913-748-3960	
Lease Name & Well No.: Metzger	7C	-34	Pit Location (QQQQ):
Type of Pit:	Pit is:		NE NW SW NE
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 30 R. 14 East West
Settling Pit Drilling Pit	If Existing, date constructed:		1,485 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity: (bbls)		2,145 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)			Wilson
Is the pit located in a Sensitive Ground Water	ind Water Area? Yes No		Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes No	Artificial Liner? Yes No		made of clay
Pit dimensions (all but working pits): 30 Length (feet) 20 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:3(feet) No Pit			
		edures for periodic maintenance and determining ncluding any special monitoring.	
JUN 2 9 2010			
CONSERVATION DIVISION			
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh waterfeet.	
none feet Depth of water well	feet	Source of information: feet	
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:
Producing Formation: Type of material utilized in drilling/workover: fresh water mud		al utilized in drilling/workover: fresh water mud	
Number of producing wells on lease: Number of working pits to be utilized:2		king pits to be utilized: 2	
Barrels of fluid produced daily:	Abandonment procedure: Let evaporate until dry, then backfill and restore		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
11. L MIN			
June 28, 2010 Date Signature of Applicant or Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 6.29-10 Permit Number: Permit Date: 6.29-10 Lease Inspection: X Yes No			



Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

June 29, 2010

Layne Energy Operating, LLC 1900 Shawnee Mission Parkway Mission Woods, KS 66205-2001

RE: Drilling Pit Application

Metzger Lease Well No. 7C-34

NE/4 Sec. 34-30S-14E Wilson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

cc: File