For KCC Use: Effective Date: . District # SGA?

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

.....

NOTICE OF INTENT TO DRILL

expected Spud Date:	Spot Description:
month day year	SE NE SW SW Sec 21 Twp 20 S. R. 22 XE W
34014	(Q/Q/Q/Q) 800 feet from N / X S Line of Section
PERATOR: License#	leet nom In 7 5 Zine of Section
ame: Peterson Oil LLC	leet non Let 1 May the or section
ddress 1: 2530 Bayard Avenue	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity: Kansas City State: KS Zip: 66105 + 1	1112 County: Linn
contact Person: Kelly Peterson	Lease Name: Cox Well #: 9
Phone: (913) 642-7771	- · · · - · · · · · · · · · · · · · · ·
CONTRACTOR: License# 32834	Is this a Prorated / Spaced Field? Yes No
lame: JTC Oil, Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipmen	Nearest Lease or unit boundary line (in footage): 800
	- On the Control Floriday D/S OAT 29/5
XOil Enh Rec	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
DisposalWildcatCable	Depth to bottom of fresh water: 100
Seismic ; # of Holes Other	
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 600
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
Original Completion Date. Original lotal Depth.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	
· —	
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
	AFFIDAVIT KANSAS CORPORATION COMMISSION COMM
The undersigned hereby affirms that the drilling, completion and ϵ	eventual plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	JUN 3 0 2010
1. Notify the appropriate district office prior to spudding of we	sii;
2. A copy of the approved notice of intent to drill shall be post	ted on each drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below sl	hall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating the set by circulating cement to the top; in all cases surface pipe shall be set by circulating the set by circulati
the little and the state of the principle of the principle of the state of the stat	feet into the underlying formation.
through all unconsolidated materials plus a milimitum of 20	
through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator a	and the district office on plug length and placement is necessary prior to plugging ;
4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is a	and the district office on plug length and placement is necessary <i>prior to plugging;</i> either plugged or production casing is cemented in;
 If the well is dry hole, an agreement between the operator a The appropriate district office will be notified before well is a If an ALTERNATE II COMPLETION, production pipe shall be 	and the district office on plug length and placement is necessary <i>prior to plugging;</i> either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
 If the well is dry hole, an agreement between the operator a The appropriate district office will be notified before well is a If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi 	and the district office on plug length and placement is necessary <i>prior to plugging;</i> either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 If the well is dry hole, an agreement between the operator a The appropriate district office will be notified before well is a If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi 	and the district office on plug length and placement is necessary <i>prior to plugging;</i> either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
 If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the well as the completed within 30 days of the spud date. 	and the district office on plug length and placement is necessary <i>prior to plugging</i> ; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the via the reby certify that the statements made herein are true and to the statements.	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief.
4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the via the reby certify that the statements made herein are true and to the complete of the spud date.	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief.
 If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a lift an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the well. 	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief. Title: Agent
4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the via the reby certify that the statements made herein are true and to the Date: June 30, 2010 Signature of Operator or Agent: 1. Signature of	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a first an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the value of t	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a few forms of the second	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a first an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the value of the value of the spud date. Signature of Operator or Agent: For KCC Use ONLY	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the value of the certify that the statements made herein are true and to the content of the certify that the statements made herein are true and to the certify that the statements made herein are true and to the content of the certification of the certical certification of the certification of the certification of th	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a complete of the complete of the specific o	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a few forms of the second o	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the value of the spud date or the value. I hereby certify that the statements made herein are true and to the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 24305 DOOD Conductor pipe required None feet Minimum surface pipe required feet per ALT. Approved by: 10 - 9-2010 This authorization expires: 7 - 9-2011	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a few forms of the second o	and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the value of the spud date or the value of the spud date or the value. I hereby certify that the statements made herein are true and to the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 243 0 5 0000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. Approved by: 448 7 - 9 - 2010 This authorization expires: 7 - 9 - 2011	either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the value of the valu	either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is a complete district office will be notified before well is a complete of the second of the secon	either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, ling order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.

For KCC Use ONLY
API # 15 - 107-24305-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Peterson Oil LLC	,				en: County.			
Lease: Cox				800	fee	tfrom 🔲 N / 🔀	<u> </u>	on
Well Number: 9				1,120	fee	tfrom 🔲 E/∑	W Line of Section	on
Field: Goodrich-Parker				Sec. 21	Twp. <u>20</u> S	i. R. <u>22</u>	S E □ W	
Number of Acres attribut				Is Section:	Regular or	Irregular		
QTR/QTR/QTR/QTR of	acreage: _SE	_ NE / _ SW	sw			J		
				If Section is I Section corne	rregular, locate wel r used: NE	I from nearest co		
Show lease roads,	location of the v tank batteries, p	ipelines and electri	to the nearest l cal lines, as req	LAT lease or unit bound quired by the Kansa eparate plat if desii	lary line. Show the pi as Surface Owner No red.	redicted locations o otice Act (House B	of ill 2032).	
:	:	:	: :	:]				
						LEGEND		
:	.,,,,,,	:	· · · · · · · · · · · · · · · · · · ·					
:	:	:	: :	;	0	Well Location		
					L] Tank Battery L		
· ,		·				 Pipeline Locat 		
	:	:				- Electric Line L		
						 Lease Road L 	ocation	
	· · · · · · · · · · · · · · · · · · ·							
:	:	:	: :	:				
	•	1			EXAMPLE	:	:	
:	:	<u>:</u>	<u>:</u> :		:			
	:					:	:	
	:	1			:	:	:	
•••••		*				:		
					:	<u>:</u>	:	
	:			:		:		
	 					97	1980' F	SL
	[`[:	<u>:</u>	# <u></u>	<u>:</u>	
	1 :	:		:	SEWARD CO.	3390' FEL		

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Peterson Oil LLC			License Number: 34014				
Operator Address: 2530 Bayard Av	/enue	Kansas City KS 66105					
Contact Person: Kelly Peterson		Phone Number: (913) 642-7771					
Lease Name & Well No.: Cox	9		Pit Location (QQQQ):				
Type of Pit:	Pit is: X Proposed Existing		<u>SE _ NE _ SW _ SW</u>				
Emergency Pit Bum Pit			Sec. 21 Twp. 20 R. 22 X East West				
Settling Pit X Drilling Pit	If Existing, date constructed:		800 Feet from North / X South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 250	(bbls)					
Is the pit located in a Sensitive Ground Water	Area? Yes XI		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? XYes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Native clay				
Pit dimensions (all but working pits):	6 Length (fee	•	Width (feet)				
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:					
n/a feet Depth of water well	feet	measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:					
Emergency, Settling and Burn Pits ONLY: Drilling.			ng, Workover and Haul-Off Pits ONLY:				
			erial utilized in drilling/workover: drilling mud				
' ' ' '			working pits to be utilized:				
Does the slope from the tank battery allow all spilled fluids to			Abandonment procedure: Let air dry and backfill Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the be			my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISS				
June 30, 2010 Date	We	ma	JUN 3 0 2010 ignature of Applicant or Agent				
Date			CONSERVATION DIVISIO WICHITA, KS				
	KCC	OFFICE USE C					
Date Received: 6-30-10 Permit Nur	mber:	Perm	nit Date: 7-8-10 Lease Inspection: Yes No				



Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

July 08, 2010

Peterson Oil LLC 2530 Bayard Ave Kansas City, KS 66105-1112

RE: Drilling

Drilling Pit Application Cox Lease Well No. 9 SW/4 Sec. 21-20S-22E Linn County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File