For KCC Use: 7-21-10 Effective Date: 2 District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

xpected Spud Date: July 12, 2010	_ Spot Description:	
month day year	SW SW Sec. 21 Twp. 18	_s. r. <u>10</u>
PERATOR: License# 31327 V	(0/0/0/0) <u>540</u> feet from	N / X S Line of Section
lame: Pauley Oil	530 feet from	E / X W Line of Section
ddress 1: 314 5th Street	ls SECTION: ☐ Regular ☐ Irregular?	
ddress 2:	(Note: Locate well on the Section Plat o	n reverse side)
city: Claffin State: KS Zip: 67525 +	County	
Contact Person: Gary Pauley Phone: (785)252-8024		Well #: 7
	Field Name: West Orth	
CONTRACTOR: License#_ 33350	Is this a Prorated / Spaced Field?	Yes XNo
lame: Southwind Drilling INC.	- Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 53	
⊠Oil ✓ ☐ Enh Rec ☑ Infield ☑ Mud Rotary	Ground Surface Elevation: 1735 Surveyed	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes X No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180 Depth to bottom of usable water: 300	
Other:	Surface Pipe by Alternate:	-
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 320'	
On anything	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth: 3300'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
\rm	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Weil Farm Pond Other: City of Claf	iln
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	- (Note: Apply for Permit with DW	
(CC DKT #:	Will Cores be taken?	☐Yes 🔀 No
	If Yes, proposed zone:	RECEIVED
1A	FFIDAVIT	NEOFIAED
The undersigned hereby affirms that the drilling, completion and eventual p	plugging of this well will comply with K.S.A. 55 et. seq.	JUL 0 1 2010
t is agreed that the following minimum requirements will be met:		30L 0 1 2010
ere alterate and an experimental community all an account and a company of the co		
Notify the appropriate district office <i>prior</i> to spudding of well;		KCC MICHITA
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ion draining rig,	KCC WICHITA
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i>. 	ef by circulating cement to the top; in all cases surface pi	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second content of the second co	et by circulating cement to the top; in all cases surface pi the underlying formation.	pe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i>. 	et by circulating cement to the top; in all cases surface pi the underlying formation. listrict office on plug length and placement is necessary p	pe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be</i> se through all unconsolidated materials plus a minimum of 20 feet into t. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement. 	et by circulating cement to the top; in all cases surface pi the underlying formation. listrict office on plug length and placement is necessary p gged or production casing is cemented in; ited from below any usable water to surface within 120 D	pe shall be set prior to plugging; AYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be</i> se through all unconsolidated materials plus a minimum of 20 feet into t. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing orders. 	the training rights are to the top; in all cases surface piet by circulating cement to the top; in all cases surface piethe underlying formation. Istrict office on plug length and placement is necessary paged or production casing is cemented in; ted from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, at	pe shall be set prior to plugging; AYS of spud date. ternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the well is dry hole, an agreement between the operator and the displayment of the well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be completed. 	ef by circulating cement to the top; in all cases surface pithe underlying formation. It is increased by the underlying formation. It is increased by its incre	pe shall be set prior to plugging; AYS of spud date. ternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be</i> se through all unconsolidated materials plus a minimum of 20 feet into t. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing orders. 	the triming right carrier to the top; in all cases surface piet by circulating cement to the top; in all cases surface piet by circulating cement to the underlying formation. Strict office on plug length and placement is necessary rigged or production casing is cemented in; ted from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to finy knowledge and belief.	ppe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lifthe well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 	ef by circulating cement to the top; in all cases surface pithe underlying formation. It is increased by the underlying formation. It is increased by its incre	ppe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate	the triming right carrier to the top; in all cases surface piet by circulating cement to the top; in all cases surface piet by circulating cement to the underlying formation. Strict office on plug length and placement is necessary rigged or production casing is cemented in; ted from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to finy knowledge and belief.	ppe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the properties of the well shall be the plus of the spud date or the well shall be the plus of the spud date or the well shall be the plus of the spud date or the well shall be plus of the spud date. Signature of Operator or Agent: Date: June 28, 2010 Signature of Operator or Agent:	the untiling right cases surface piet by circulating cement to the top; in all cases surface piet by circulating cement to the top; in all cases surface piet by circulating formation. Illustrict office on plug length and placement is necessary in great or production casing is cemented in; ited from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the product of the knowledge and belief. Title:	ppe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the display of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is eithe	the untiling right cases surface piet by circulating cement to the top; in all cases surface piet by circulating cement to the top; in all cases surface piet the underlying formation. Illustrict office on plug length and placement is necessary pieted for production casing is cemented in; it ted from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the product of the knowledge and belief. Title:	ppe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the well is either plus of the superpopriate district office will be notified before well is either plus of the well is either pl	the untiling right cases surface pittle underlying formation. listrict office on plug length and placement is necessary pigged or production casing is cemented in; ted from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D	pe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing. ace Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through the spud is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be the plus of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the days of the spud date or the days of the spud da	the untiling right process of the underlying coment to the top; in all cases surface pithe underlying formation. Illustrict office on plug length and placement is necessary agged or production casing is cemented in; ited from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the process of the knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D. - File Completion Form ACO-1 within 120 days of spuce	pe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing. ace Owner Notification prill; d date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plus for a pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall be the hereby certify that the statements made herein are true and to the best of the control of the prior of the plus of the spud date or the well shall be the plus of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 159 - 22619 - 00 - 00 Conductor pipe required	the untiling right process of the underlying coment to the top; in all cases surface pithe underlying formation. Illustrict office on plug length and placement is necessary agged or production casing is cemented in; ited from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the process of the knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D. - File Completion Form ACO-1 within 120 days of spuce. - File acreage attribution plat according to field proration.	pe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing. ace Owner Notification prill; d date; on orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Date: June 28, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 159 - 2269 - 00 - 00 Conductor pipe required None feet Minimum surface pipe required 7 - 16 10 Feet per ALT.	the untiling right properties of the control of the underlying formation. Illistrict office on plug length and placement is necessary agged or production casing is cemented in; ited from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the first properties. Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Dill; - File completion Form ACO-1 within 120 days of spuce. - Notify appropriate district office 48 hours prior to world.	pe shall be set prior to plugging; AYS of spud date. ternate II cementing to any cementing. ace Owner Notification priil; d date; on orders; kover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order amounts be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the Date: June 28, 2010 Signature of Operator or Agent: For KCC Use ONLY API #15 - 159 - 2269 - 00 - 00 Conductor pipe required Approved by: SB 7-16-10 This authorization expires: This authorization expires:	the untiling right process of the underlying coment to the top; in all cases surface pithe underlying formation. Illustrict office on plug length and placement is necessary agged or production casing is cemented in; ited from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the process of the knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D. - File Completion Form ACO-1 within 120 days of spuce. - File acreage attribution plat according to field proration.	pe shall be set prior to plugging; AYS of spud date. ternate II cementing be any cementing. ace Owner Notification prill; d date; on orders; kover or re-entry; leted (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Date: June 28, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 159 - 2269 - 00 - 00 Conductor pipe required None feet Minimum surface pipe required 7 - 16 10 Feet per ALT.	the untility fly ef by circulating cement to the top; in all cases surface pi the underlying formation. listrict office on plug length and placement is necessary a gged or production casing is cemented in; ted from below any usable water to surface within 120 D #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to f my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D - File completion Form ACO-1 within 120 days of spuce - File acreage attribution plat according to field proration - Notify appropriate district office 48 hours prior to work - Submit plugging report (CP-4) after plugging is comp - Obtain written approval before disposing or injecting of - If well will not be drilled or permit has expired (See: au	pe shall be set prior to plugging; AYS of spud date. ternate II cementing be any cementing. ace Owner Notification prill; d date; on orders; kover or re-entry; leted (within 60 days); salt water. uthorized expiration date)
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order amounts be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the Date: June 28, 2010 Signature of Operator or Agent: For KCC Use ONLY API #15 - 159 - 2269 - 00 - 00 Conductor pipe required Approved by: SB 7-16-10 This authorization expires: This authorization expires:	the untiling rement to the top; in all cases surface pithe underlying formation. listrict office on plug length and placement is necessary pigged or production casing is cemented in; ited from below any usable water to surface within 120 D#133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the first production of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Dill; File completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to word. Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting in the completion of the completi	pe shall be set prior to plugging; AYS of spud date. ternate II cementing be any cementing. ace Owner Notification prill; d date; on orders; kover or re-entry; leted (within 60 days); salt water. uthorized expiration date)


For KCC Use ONLY API # 15 - 159 - 221 19-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Pauley Oil	Location of Well: County: Ric	
Lease: Feist	540	feet from N / X S Line of Section
Well Number: 7	530	feet from E / X W Line of Section
Field: West Orth	Sec. 21 Twp. 18	S. R. 10 🔲 E 🔀 W
Number of Acres attributable to well:	is Section: Regular or	r 🔲 Irregular
QTR/QTR/QTR/QTR of acreage:		
he		te well from nearest corner boundary.
PL	AT	
Show location of the well. Show footage to the nearest lea	ase or unit boundary line. Show	the predicted locations of
		N 41 A 4 41 B W 00001

lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

KCC WICHITA

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

perator Name: Pauley Oil		License Number: 31327				
Operator Address: 314 5th Street		Claflin KS 67525				
Contact Person: Gary Pauley		Phone Number: (785)252-8024				
Lease Name & Well No.: Feist	7		Pit Location (QQQQ):			
Type of Pit:	Pit is:		- SW SW SW			
Emergency Pit Burn Pit	X Proposed Existing		Sec. 21 Twp. 18 R. 10 East 🔀 West			
Settling Pit X Drilling Pit	If Existing, date constructed:		Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / X West Line of Section			
(If WP Supply API No. or Year Drilled)	1,200	(bbls)	Rice			
is the pit located in a Sensitive Ground Water A	Area? Yes 🔀	Nor	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? X Yes No	Artificial Liner?	ło	How is the pit lined if a plastic liner is not used? Native Mud			
Pit dimensions (all but working pits):	0 Length (fee	et) 80	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	epest point:	6 (feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	iner		dures for periodic maintenance and determining acluding any special monitoring.			
Distance to nearest water well within one-mile	of pit: Depth to shall Source of info		west fresh water 40 feet.			
2986 feet Depth of water well	195 feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:	:	Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation: Type of materia		Type of materia	al utilized in drilling/workover: fresh mud			
Number of producing wells on lease: Number of wol		king pits to be utilized:				
Barrels of fluid produced daily: Abandonment		procedure: Allow to dry and backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.		be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above staten	nents are true and cor	rect to the best of	my knowledge and belief. JUL 0 1 2010			
June 28, 2010 Date	\$	any Jan	KCC WICHITA			
	KCC	OFFICE USE O	NLY Liner X Steel Pit X RFAC RFAS			
Date Received: 7-1-10 Permit Num	ber:	Perm	it Date: 7-16-10 Lease Inspection: Yes No			

13-137-120-0

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 31327 Name: Pauley Oil	Well Location: NW SW SW SW Sec. 21 Twp. 18 S. R. 10 Eas X West
Address 1: 314 5th Street	Sec wp S. R aswest
	F_:_4 7
Address 2:	Lease Name: Vell #:
City: State: 15 Zip: 17 - 4	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Contact Person: Gary Pauley Phone: (785) 252-8024 Fax: (785) 252-3238 Email Address: G.Pauley@yahoo.com	
Email Address: C.1	
Surface Owner Information:	
Name: John R. Thomas	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: 265 Ave. K	sheet listing all of the information to the left for each surface owner. Surface
Address 2	 owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
Address 2:	
are preliminary non-binding estimates. The locations may be entered Select one of the following:	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
-	Act (House Bill 2032), I have provided the following to the surface
owner(s) of the land upon which the subject well is or will be	n being filed is a Form C-1 or Form CB-1, the plat(s) required by this
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax I have not provided this information to the surface owner(s).	n being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handli	n being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ng fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling the second option, submit payment of the \$30.00 handling the second option, submit payment of the \$30.00 handling the second option.	n being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ng fee, payable to the KCC, which is enclosed with this form. In the fee is not received with this form, the KSONA-1 P-1 will be returned.
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the forr form; and 3) my operator name, address, phone number, fax I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	n being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ng fee, payable to the KCC, which is enclosed with this form. In gree with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned. It to the best of my knowledge and belief.

KCC WICHITA

JUL 0 1 2010





July 16, 2010

Pauley Oil 314 5th St Claflin, KS 67525

RE:

Drilling Pit Application Feist Lease Well No. 7 SW/4 Sec. 21-18S-10W Rice County, Kansas

Dear Sir or Madam:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a hauloff pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

Cc: File

Kansas Corporation Commission Oil & Gas Conservation Division

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.	DISPOSAL	OF DIKE AND	PIT	CONTENTS
-----------	----------	-------------	-----	----------

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
 - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
 - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
 - (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - (B) removal and placement of the contents in an on-site disposal area approved by the commission;
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation:
 - (2) a \$2,500 penalty for the second violation; and
 - (3) a \$5,000 penalty and an operator license review for the third violation.

Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: ☐ Yes ☐ No
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: Yes No If yes, written permission from the land owner must be obtained. Attach writte permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator: Tes No If yes, written permission from the land owner must be obtained. Attace permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.