#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACC-1 October 2008 Form Must Be Typed



#### **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31980	API No. 15 - 007-23475 -0500
Name: Lotus Operating Co. LLC	Spot Description:
Address 1: 100 S. Main, Ste 420	W2 _W2 _NE _SW Sec. 19 Twp. 34 S. R. 11 ☐ East  West
Address 2:	1980 Feet from North / South Line of Section
City: Wichita State: KS Zip: 67202 +	1485 Feet from East / West Line of Section
Contact Person: _Tim Hellman	Footages Calculated from Nearest Outside Section Corner:
Phone: (316 ) 262-1077	NE □NW □SE ☑SW
CONTRACTOR: License # 5929	County: Barber
Name: Duke Drilling Co. Inc	Lease Name: Fitzgerald Well #: 5
Wellsite Geologist: Tim Hellman	Field Name: Stranathan
Purchaser: High Sierra	Producing Formation: Mississippi
Designate Type of Completion:	Elevation: Ground: 1444 Kelly Bushing: 1457
New Well Re-Entry Workover	Total Depth: 4875 Plug Back Total Depth: 4828
✓ Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 267 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other Company State Cathodia at a large Company Co	If Alternate II completion, cement circulated from:
(Core, WSW, Expl., Cathodic, etc.)	feet depth to: w/ A(F) - D(q 6/3/10
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 27,000 ppm Fluid volume: 1170 bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: Vacuum Truck
Plug Back:Plug Back Total Depth	
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.:	Operator Name: Herman Loeb
Other (SWD or Enhr.?) Docket No.:	Lease Name: Lohmann A License No.: 3273
1/6/10 1/14/10 2/12/10	Quarter SW Sec. 3 Twp.35s S. R. 12 East West
Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date	County: Barber Docket No.: 15-007-21114
Kansas 67202, within 120 days of the spud date, recompletion, workover or confiside two of this form will be held confidential for a period of 12 months if recompletion.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidence) report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate to are complete and oprrect to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements herein
Signature: 4	KCC Office Use ONLY
Title: Managing Member Date: 5/10/2010	Letter of Confidentiality Received
Subscribed and sworn to before me this 10th day of	, If Denied, Yes Date:
20 10 LOVE	Wireline Log Received
Notary Public Surberly The Property Public Surberly Public Sur	Geologist Report Received
MANO 11 -14 91 4	UIC Distribution RECEIVED  KANSAS CORPORATION COMMISSION
Date Commission Expires:	in E DANSON COMMISSION

JUN 0 1 2019

Operator Name: Lot	us Operating Co.	LLC		Lease	e Name: _	Fitzgerald		Well #: _5_		* /
Sec. 19 Twp. 3	34 S. R. 11	East	✓ West	Coun	ty: Barb	er	······································			
INSTRUCTIONS: SI time tool open and cl recovery, and flow rat surveyed. Attach fina	osed, flowing and sh tes if gas to surface	ut-in pressi est, along v	ires, whether	shut-in pre	essure rea	ched static leve	el, hydrostatic pre:	ssures, bottom	hole temp	perature, fluid
Drill Stem Tests Take (Attach Additional			es 📝 No		٧L	og Format	ion (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	ological Survey	✓ Ye	es 🗌 No		Nam Heeb			Тор 3775		Datum -2318
Cores Taken		□ Ye	es 🗸 No		кс			4278		2821
Electric Log Run					ВКС			4526	-	3066
					Mississippi			4707	-	3250
List All E. Logs Run:				ē	LTD			4874		3417
Dual Induction	on, Neutron D	ensity, I	viicro & S	onic						
			CASING	RECORD	)	ew []Used			·	· seemen · seemen · see · ·
	Size Hele	·				ermediate, produ			.1	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	14 1/4"	10 3/4"		32.75#	! 	267	60/40 poz	220	2% G,	, 3% CC
Surface	9 7/8	8 5/8		24#		1029	Class A	150 sx	2% G,	, 3% CC
Production	7 7/8"	5 1/2"		14#		4874	60/40 poz	200	latex	
,			ADDITIONA	L CEMENT	TING / SQL	JEEZE RECOR	D			
Purpose:  Perforate Protect Casing Plug Back TD  Depth Top Bottom  Type of Cen  Type of Cen  Top Bottom  Type of Cen  Type of Cen  Type of Cen  Type of Cen		of Cement	#Sacl	ks Used	Type and Percent Additives					
		Class A		100 None		None				
Plug Off Zone			······································							
	DEDEODA	ION DECOR	D - Bridge Plu	as Sat/Tun		Acid F	racture, Shot, Cemer	nt Causage Doco		
Shots Per Foot			Each Interval Pe				Amount and Kind of N			Depth
2 spf	4690-4724					Acid 2000	gal, 10% MCA	& frac 184,7	'00# sd	4690-4724
-				<u> </u>						
TUBING RECORD: 2	Size: 7/8	Set At: 4732		Packer none	At:	Liner Run:	Yes N	0		L
Date of First, Resumed 2/18/2010	Production, SWD or E	nhr.	Producing Met	thod:	[]] Flowin	g 📝 Pum	ping [] Gas L	.ift [] Oth	ner <i>(Explain</i>	1)
Estimated Production Per 24 Hours	Oil 42	Bbls.	' Gas <b>254</b>	Mcf	Wat	er <b>250</b>	Bbls.	Gas-Oil Ratio		Gravity 19
DISPOSITI	ON OF GAS:		0	METHOD C	DE GUIVIDI I	TION:		PRODUCTI	ION INTER	
Vented ✓ Sold			) Open Hole	Perf.	ilenc []		ommingled	PRODUCII	ON INTER	.vr3las
1.3	bmit ACO-18.)		Other (Specify)				ommangica			
	Mail And 16	·····	ometica Sint	nion S. W.		D. 2000	Nefishies 17	67200		
	Mail to: F	.cc - cons	ervation Divi	SION A SE	a market	- коор 20/8;	Wichita, Kansas	6/202		
				1 P. A. P.	0	aneres s				
				".	17. 3T	T3				
					- 9 (	n. e				

### ALLIEC CEMENTING C.J., LLC. 042696

MIT TO P.O. BOX 31 RUSSELL, KANSAS 67665					SERVICE POINT: <u>Medicine Lodge KS</u>				
KU331	CLL, KA	N3A3 0700	55				Medicin	e hodge Kg	
	SEC.	TWP.	RANGE	CA	ALLED OUT	ON LOCATION	JOB START	JOB FINISH	
DATE 1-21-16	19	345,	1/6		00 A.M.	12:00 P.M	COUNTY	3:00P.M.	
		# =	LOCATION 2	911	11 of Jat	165, E/inte	COUNTY	STATE	
LEASE Fitz < Pald			LOCATION	019	160 001	163,7111	Dev() e)		
OLD OR (NEW) (Cir	cle one)						J		
CONTRACTOR (	Shak	1-11/	.1/6		OWNER L	otus ope	=Patina		
TYPE OF JOB			<i></i>		OWNER AC	J.05 CT	- raing		
HOLE SIZE	PUEEZ	T.D.		<del>.</del>	CEMENT				
CASING SIZE &	-1/2	· · · · · · · · · · · · · · · · · · ·	TH 4662		AMOUNT OF	RDERED 100	SX Class	s'A"	
TUBING SIZE 2			TH 4575						
DRILL PIPE		DEF	,						
TOOL Pack	cr	DEF	TH 4575	<b>-</b>				•	
PRES. MAX 200			IIMUM		COMMON	100 3× A	<u> </u>	1545	
MEAS. LINE			DE JOINT —		POZMIX _		@		
CEMENT LEFT IN	CSG.			<del></del>	GEL	<u> </u>	@		
PERFS.					CHLORIDE _		@		
DISPLACEMENT -	Fresh	Water	26/2 BI	315,	ASC		@		
	EOU	JIPMENT	•				@ RECEIN	/ED	
							@		
PUMP TRUCK (	CEMENT	TER Dau	ial (4).			····	— @ <del>JUN 0 1</del>	2010 -	
_ 447 .		Darin					@		
BULK TRUCK	ILLI LIK	<del>Larin</del>					CONSERVATION		
	DRIVER	Ron	C				@ WICHIT	A, NO	
BULK TRUCK	DICIVER	TUTT	<u> </u>				@ <i>_</i>		
	DRIVER						@	249 00	
<u>''</u>	DIGI V DIG				HANDLING		@ <u>2.40</u>	240	
					MILEAGE _	160/ 10/ .1		- (5/d - 0°	
	RE	MARKS:				, ,		<b>7007</b>	
							TOTAI	2071	
							TOTAL	2011	
Toad Backs		JiHh 6B				SERV		2011	
Tubing With 38	SCHS E	Jith 6B Ke INJ	Rate 21/2	BB/SMi.	7				
Tubing With 38 9+1200PSI M	SSIS, E.	Jith 68 Ke INI SX Clas	Rate 21/2 5"A" Shut	BB/SMi.	DEPTH OF JO	OB 4662	/ICE	2017	
Tubing With 3P 4+1200PST M Wash Dump 4	BUS, To	Jith 68 Ke INJ SX Clas Distace	Rate 2/2 S'A' Shut With 20	BB/SMi. Down La VnBBB	DEPTH OF JO PUMP TRUC	OB <u>4662</u> K CHARGE	/ICE	2077	
Tubing with 3P at 1200PSI M wash fump & Shotin With	1400 PS	Vith GB Ke INI DEX Clos DISPLACE I Stage	Rate 21/2 55"A" Shut With 20 FOR 20min	BB/SMin Down Va MBBB PSI at	DEPTH OF JO PUMP TRUC EXTRA FOO	OB <u>4662</u> K CHARGE _ TAGE	/ICE	2077	
Tubing With 31 at 1200 PST M Wash Pump & Shot in With 900 Fump 14B	15/5, E. 15/00 10/00 10/	Jith 6B Ke INI 05X Clas Distlace IT Staye	Rate 2/2 55"A" Shut With 20 FOR 20MIN OOPSIRE	BBBMIN Down La UnBBB PST at	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE 	2077	
Tubing with 3B 4+1200PSI M Wash Pump 4 Shot in With 900 Fump 14B With 30BB1S	SUS, To IX 100 I'nes, 1400 PS BU locke water	Jith 6B Ke INI 05X Clas Distlace IT Staye	Rate 2/2 55"A" Shut With 20 FOR 20MIN OOPSIRE	BBBMIN Down La UnBBB PST at	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE 	70 00	
Tubing With 31 at 1200 PST M Wash Pump & Shot in With 900 Fump 14B	SUS, To IX 100 I'nes, 1400 PS BU locke water	Jith 6B Ke INI 05X Clas Distlace IT Staye	Rate 2/2 55"A" Shut With 20 FOR 20MIN OOPSIRE	BBBMIN Down La UnBBB PST at	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE	70 00	
Tubing With 3P 9+1200PST M Wash Pump 4 Shot in With 900 Fump 1/4B With 30BB1S Wash up Rig S	DOWS, To CX 100 CM 100 CM 100 CM CM CM 100 CM CM 100 CM CM 100 CM CM CM 100 CM CM 100 CM CM CM CM CM CM 100 CM CM 100 CM CM CM 100 CM C	Jith 68 Ke INI 05X Class Distlace I Stayce edupsion PSI Ba	Rate 2/2 SS"A" Shut With 20 FOR 20 Min OOP ST Rai CKTO 2000	BBBMIN Down La UnBBB PST at	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE 	70	
Tubing With 3P 9+1200PST M Wash Pump 4 Shot in With 900 Fump 1/4B With 30BB1S Wash up Rig S	DOWS, To CX 100 CM 100 CM 100 CM CM CM 100 CM CM 100 CM CM 100 CM CM CM 100 CM CM 100 CM CM CM CM CM CM 100 CM CM 100 CM C	Jith 68 Ke INI 05X Class Distlace I Stayce edupsion PSI Ba	Rate 2/2 SS"A" Shut With 20 FOR 20 Min OOP ST Rai CKTO 2000	BBBMIN Down La UnBBB PST at	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE	70 ==	
Tubing With 3P  9+ 1200PST M  Wash Pump A  Shot in With  900 Fump MyB  With 30 BB/S  Wash up Rig S  CHARGE TO: L	Dels, To I'N es, 1400 PS By locking Autor Down.	Jith 6B Ke INI 05X Class Displace I Staye edupace PSI Bo	Rate 21/2 SS"A" Shut With 20 FOR 20 min OOP ST Ray CK TO 2006	BBBMIN Down La UnBBB PST at	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE	70 00	
Tubing With 3P 9+1200PST M Wash Pump 4 Shot in With 900 Fump 1/4B With 30BB1S Wash up Rig S	Dels, To I'N es, 1400 PS By locking Autor Down.	Jith 6B Ke INI 05X Class Displace I Staye edupace PSI Bo	Rate 21/2 SS"A" Shut With 20 FOR 20 min OOP ST Ray CK TO 2006	BBBMIN Down La UnBBB PST at	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE	70 ==	
Tubing With 3P  9+ 1200PST M  Wash Pump A  Shot in With  900 Fump MyB  With 30 BB/S  Wash up Rig S  CHARGE TO: L	Dels, To I'X 100 I'nes, Itoops By locking Down.	Jith 6B Ke INI DISTAGE T STAGE EDUPSON PSI BON	Rate 2/2 SS"A" Shut With 20 FOR 20 MIN OOP ST RAI CK TO 2006	BB/SMINION DOWN	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE	2081 °C	
Tubing With 3P  9t 1200PST M  Wash Pump A  Shot in With  900 Fump MyB  With 30BB/S  Wish up Rig S  CHARGE TO: L  STREET	Dels, To I'X 100 I'nes, Itoops By locking Down.	Jith 6B Ke INI DISTAGE T STAGE EDUPSON PSI BON	Rate 2/2 SS"A" Shut With 20 FOR 20 MIN OOP ST RAI CK TO 2006	BB/SMINION DOWN	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE _ TAGE	/ICE	2081 °C	
Tubing With 3P  9t 1200PST M  Wash Pump A  Shot in With  900 Fump MyB  With 30BB/S  Wish up Rig S  CHARGE TO: L  STREET	Dels, To I'X 100 I'nes, Itoops By locking Down.	Jith 6B Ke INI DISTAGE T STAGE EDUPSON PSI BON	Rate 2/2 SS"A" Shut With 20 FOR 20 MIN OOP ST RAI CK TO 2006	BB/SMINION DOWN	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE	2081 °C	
Tubing With 3P  9t 1200PST M  Wash Pump A  Shot in With  900 Fump MyB  With 30BB/S  Wish up Rig S  CHARGE TO: L  STREET	Dels, To I'X 100 I'nes, Itoops By locking Down.	Jith 6B Ke INI DISTAGE T STAGE EDUPSON PSI BON	Rate 2/2 SS"A" Shut With 20 FOR 20 MIN OOP ST RAI CK TO 2006	BB/SMINION DOWN	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE  20// = 0  @ 7 = 0  @ 0  TOTAL	- 70	
Tubing With 3P  9t 1200PST M  Wash Pump A  Shot in With  900 Fump MyB  With 30BB/S  Wish up Rig S  CHARGE TO: L  STREET	Dels, To I'X 100 I'nes, I'deo PS By locking By lo	Jith 6B Ke INI DISTAGE T STAGE EDUPSON PSI BON	Rate 2/2 SS"A" Shut With 20 FOR 20 MIN OOP ST RAI CK TO 2006	BB/SMINION DOWN	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE	70 °° - 2081 °°	
Tubing With 3P  9+ 1200PST M  Wash Pump 4  Shot in With  900 Fump 4  Wish of Rig S  CHARGE TO:  STREET  CITY	ST	Jith 6B Ke INI DEX Class DESPROCE ST STayce SOPE SOPE	Rate 2/2 SS"A" Shut With 20 FOR 20 MIN OOP ST RAI CK TO 2006	BB/SMINION DOWN	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	TOTAL	70 °° - 2081 °°	
Tubing With 3B  4+ 1200 PST M  Wash Pump 4  Shot in With  900 From P 1/4B  With 30 B Bols  Wish of Rig S  CHARGE TO:  STREET  CITY  To Allied Cement	ting Co.,	Jith 6 B Ke INI Districe Districe ISI Bas S OP	Rate 21/2 Sold All Shut  With 20 FOR 20 Min  OD PST Ray  CK TO 2000	BB/SMINION DOWN	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE	2081 °C	
Tubing With 3P  9+ 1200PST M  Wash Pump 4  Shot in With  900 Fump 14B  With 30 BB15  Wish of Rig S  CHARGE TO:  STREET  CITY  To Allied Cement  You are hereby re	ting Co., equested	Jith GB Ke INI DEX Clas DESPLACE ST STAYC SOPE ST BO  SOPE TATE  LLC. to rent cen	Rate 2/2  S"A" Shut  With 20  FOR 20 min  OO PST Review  CK To 2006  ZIP  menting equipa	BB/SMINION DOWN  A VABBA  PSI at  SECONT  HEL	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	TOTAL	2081 °C	
Tubing With 3P  4+1200PST M  Wash Pump 4  Shot in With  900 Fump 14B  Wish of Rig S  CHARGE TO:  STREET  CITY  To Allied Cement  You are hereby re  and furnish cement	ting Co., equested nter and	Jith GB  Ke INI  SEX Class  Displace  T Stage  SCI PSC  SST Ba  STATE  LLC.  to rent cent  helper(s) to	Rate 2/2 Sold A Shut  With 20 FOR 20 Min  OO PST Ray  CK To 2006  TO Ting  ZIP  To assist owner	BB/SMINION DOWN  A "NBB/S  PSI at  SHEEL	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE	2081 °C	
Tobing With 3P  9t 1200 PST M  Wash Pump 4  Shot in With  900 Pump 14B  With 30 BB15  Wish of Rig S  CHARGE TO:  STREET  CITY  To Allied Cement  You are hereby re  and furnish cement  contractor to do w	ting Co., cquested nter and work as is	LLC. to rent cent helper(s) to still the still	Rate 2/2 S'A' Shut With 20 FOR 20 min OO PST Rai CK To 2006  ZIP  ZIP  nenting equipmon assist owner the above work	BB/SMINION DOWN  (a "/n BB/S  F3T aT  SF-COT  MACH	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE	2081 °C	
To Allied Cement You are hereby reand furnish cemer contractor to do we done to satisfaction.	ting Co., squested on and si	LLC. to rent cent helper(s) to slisted. The	Rate 2/2 S'A' Shut With 20 FOR 20min OO PST Reve CK To 2000  ZIP  ZIP  The above work of owner agen	BB/SMINION DOWN  A VABBA  FET AT  FEC ONT  WAS  A W	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	OB <u>4662</u> K CHARGE <u></u> TAGE <u>/O</u>	/ICE	70 °° 208/ °° NT	
To Allied Cement You are hereby re and furnish cemer contractor. I have	ting Co., squested and such an	LLC. to rent cen helper(s) to slisted. Ti pervision d understa	Rate 2/2 Sold A Shut  With 20 FOR 20 min  OD PST Rev  ck To 2000  ZIP  ZIP  ZIP  de above work of owner agen  nd the "GENE	ment or was at or ERAL	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE	PLUG & FLO	/ICE	70 °° 208/ °° NT	
To Allied Cement You are hereby reand furnish cemer contractor to do we done to satisfaction.	ting Co., squested and such an	LLC. to rent cen helper(s) to slisted. Ti pervision d understa	Rate 2/2 Sold A Shut  With 20 FOR 20 min  OD PST Rev  ck To 2000  ZIP  ZIP  ZIP  de above work of owner agen  nd the "GENE	ment or was at or ERAL	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE MANIFOLD  SALES TAX	PLUG & FLO	/ICE	70 °° 208/ °° NT	
To Allied Cement You are hereby re and furnish cemer contractor. I have	ting Co., squested and such an	LLC. to rent cen helper(s) to slisted. Ti pervision d understa	Rate 2/2 Sold A Shut  With 20 FOR 20 min  OD PST Rev  ck To 2000  ZIP  ZIP  ZIP  de above work of owner agen  nd the "GENE	ment or was at or ERAL	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE MANIFOLD	PLUG & FLO	/ICE	70 °° 208/ °° NT	
To Allied Cement You are hereby re and furnish cemer contractor. I have	ting Co., squested and such an	LLC. to rent cen helper(s) to slisted. Ti pervision d understa	Rate 2/2 Sold A Shut  With 20 FOR 20 min  OD PST Rev  ck To 2000  ZIP  ZIP  ZIP  de above work of owner agen  nd the "GENE	ment or was at or ERAL	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE MANIFOLD  SALES TAX	PLUG & FLO	TOTAL	70 °° 208/ °° NT	
To Allied Cement You are hereby re and furnish cemer contractor to do we done to satisfaction contractor. I have TERMS AND CO	ting Co., squested and such an	LLC. to rent cen helper(s) to slisted. Ti pervision d understa	Rate 2/2 Sold A Shut  With 20 FOR 20 min  OD PST Rev  ck To 2000  ZIP  ZIP  ZIP  de above work of owner agen  nd the "GENE	ment or was at or ERAL	DEPTH OF JO PUMP TRUC EXTRA FOO MILEAGE MANIFOLD  SALES TAX TOTAL CHA	PLUG & FLO	TOTAL	2087 °C	

## ALLIEC CEMENTING C)., LLC. 036960

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SIGNATURE X Palar D Ronch

SERVICE POINT:

Medicine Lodge 14

DATE 1-9-2010	SEC 9 TWP. 345	RANGE 116	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
Fix26-1911	WELL# 5				COUNTY Berber	STATE
OLD OR NEW Circl		15 South	dicin Lods	e les	1991 ber	ks
		10 300 + 4	to Dukesish		J	
CONTRACTOR TYPE OF IOR	)UKe #7		OWNER L	odus Oper	sting	
	Vrfsæ Vo T.D	16321	CEMENIC			
CASING SIZE 83		PTH 10321	CEMENT	RDERED 150 + 2% Ge1	20	- 2-
TUBING SIZE		PTH	AMOUNT OF	RDERED 130	34 C/	ess 12
DRILL PIPE		PTH	3 1000	1 7 100.01		
TOOL		PTH				
PRES. MAX	MI	NIMUM	COMMON_,	150 sx A	@ /5. 45	~23/7 <sup>5</sup>
MEAS. LINE		DE JOINT 42	POZMIX _		@	
CEMENT LEFT IN C	SG.		GEL _	3 5×	@20 80	62 40
PERFS.	12 112	2 ()	CHLORIDE _	<u>5 3x</u>	@ <b>58 2º</b>	29/ 00
DISPLACEMENT	_	1 Freshwer	ASC		_@	
	<b>EQUIPMENT</b>				_ @	EIVED
					- KANSAS CORPOR	ATION COMMISSION
(T) —	MENTER DG				-@	1 2010
# 372 HE	LPER Dove	_ <del>_</del>	······································			1 2010
	IVER MGJJ	T				TION DIVISION
BULK TRUCK	TALK JOSEF	<i>J</i>			@	HIT <del>A, KS</del>
	IVER				@	
	44		— HANDLING_	<del></del>	@ 2.40	
	REMARKS:		MILEAGE	150/.10/		3/2 -
D. 10 - 1 - 1					TOTAL	3342
Pump 3 bas	- fom a bres	K Circulary'c	رواح.			
m12 1505 0	1 Comments	Shub lake	····	SERVIC	Œ	
Min 150s, 0. Release plug	Stock	Spice Man	DEPTH OF IC	DB 10321		
Slow ren to	3 bom 4	55 bhie		K CHARGE	1019	2 00
Bump Plug	EL 63 11	15 SOU-1000 F	EXTRA FOOT		<u> </u>	5
Flogs did ho	16	· · · · · · · · · · · · · · · · · · ·	MILEAGE		@ 7.00	70 =
		1.44	— MANIFOLD _		@	
				esdrenta,	@	
			•		@	
CHARGE TO: Lod						_, 00
STREET	PA				TOTAL	1088 00
CITY	STATE	71D				
	SIAIL	ZJF	_	PLUG & FLOAT	EQUIPMEN	Т
			85/8			
			1-Rubber	9109	@	113 00
			1-DFUI		@	225
To Allied Cementing			1-500 ha	oth Shoe	@	250 20
You are hereby reque	ested to rent ceme	enting equipment		· · · · · · · · · · · · · · · · · · ·	@	
and furnish cementer	and helper(s) to	assist owner or			@	
contractor to do work						80
done to satisfaction a	nd supervision o	f owner agent or			TOTAL	588
contractor. I have rea	. : -					
	ad and understan			£ A		
TERMS AND COND	ad and understan		SALES TAX (I			
TERMS AND COND	ad and understan DITIONS" listed	on the reverse side				
	ad and understan DITIONS" listed	on the reverse side	SALES TAX (I		IF PAIR	— ————————————————————————————————————

# ALLIED CEMENTING CO., LLC. 036958

REMIT TO P.O. BO					SERVICE POINT:				
RUSSELL, KANSAS 67665				median Los					
DATE 1-7-2010	SEC. 19	TWP.	RANGE // W	1-6-2016 CALLED OUT 10:00 Pm	ON LOCATION	JOB START	JOB FINISH		
Fitzgergiz LEASE		5				COUNTY	STATE		
OLD OR NEW Cir	WELL#	<u>.</u>	1	dicin Lodge	į –	5 D9190-	KS		
OLD ORRIVEW, CIT			South to L	Duke Sign, 15	954 14 AO				
	DUKE			OWNER L	otus Oper	Sting			
	Surfac		9721	CEMENTE					
HOLE SIZE /	444 03/4	T.D	TH 269'	CEMENT	RDERED 220	en 601	411124		
CASING SIZE / CTUBING SIZE	394		PTH 267	AMOUNT OF	KDEKED PPO	3x 60.	70.20		
DRILL PIPE			PTH			<del>,</del>	······································		
TOOL			PTH				40		
PRES. MAX		MIN	NIMUM	COMMON_	A 132 5)	(@ 15.45	2039		
MEAS. LINE			DE JOINT	POZMIX	88 sx	<u> 8.00</u>	704 60		
CEMENT LEFT IN	CSG.	20'		GEL _	<u>4 sx</u>	@ <u>20.80</u>	83 20		
PERFS.	91.11	1- 60 6	0 0	CHLORIDE	フ 3×	@ <b>58</b> . 25	407 =		
DISPLACEMENT				ASC		_ @ _			
	EQUI	IPMENT				KANSAS CORPORA	TION COMMISSION		
		- 00		***************************************			1 2010		
~ ~ ~	CEMENTE	63				_	1 2010		
#352 I BULK TRUCK	HELPER	DEUR	<u> </u>	West water		@ CONSERVAT			
	ORIVER (	Par 1	2				ITA, KS		
BULK TRUCK	JKI V LIC J	CON L	2			_ @	-		
	ORIVER			HANDI MG	720	-@ <del></del>	E10 00		
				— HANDLING MILEAGE			3/2 60		
	REN	1ARKS:		MILEAGE	339.79 rc	TOTAL	4074 00		
Programa			GU CINCULGAIO	ın		TOTAL			
PUMP 3 b	bls OF	l Fres	in Weten Ghe		SERVI	CE			
Mix 220sx displacement		ement	whhle she	DEPTH OF I	00 2/61				
			15005, 300 1614	E DEPIR OF J	OB <u>269 ′                                   </u>	10(8	, 50		
THE CENTERY	<u>- Q1a \</u>	<u> </u>	1917		TAGE	<del></del>			
				MILEAGE	10	@ <u>7. 60</u>	70		
				— MANIFOLD					
					bsed usive				
ı						@			
CHARGE TO: LC	stus c	Sper	Cring				&		
STREET						TOTAL	1088		
CITY	S1A	ME	ZJP		PLUG & FLOA	T EQUIPMEN	T		
						@			
				$-\sqrt{2}$	ne	_@			
To Allied Cementi	ing Co., L	LC.		110					
You are hereby red	quested to	rent cen	nenting equipmen	t —					
and furnish cemen		-				@	<del></del>		
contractor to do w			* *			TOTAL			
done to satisfactio	•		•			IOTAL			
contractor. I have				CALECTAN	(If Any)				
TERMS AND CO	NOTTON	NS" listed	on the reverse side	ic.					
	. 1	/		TOTAL CHA	RGES	<b>Z</b> 2			
PRINTED NAME_	X Cap	lond	Kank	DISCOUNT .		IF PAII	O IN 30 DAYS		
				<b>A</b>					
SIGNATURE >	Gil.		$\mathcal{D}_{\mathcal{A}}$						