

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
October 2008  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 32710  
 Name: Laymon Oil II LLC  
 Address 1: 1998 Squirrel Road  
 Address 2: \_\_\_\_\_  
 City: Neosho Falls State: KS Zip: 66758 + \_\_\_\_\_  
 Contact Person: Michael Laymon  
 Phone: ( 620 ) 963-2495  
 CONTRACTOR: License # 32710  
 Name: company tools  
 Wellsite Geologist: none  
 Purchaser: Coffeyville Resources  
 Designate Type of Completion:  
 New Well    \_\_\_\_\_ Re-Entry    \_\_\_\_\_ Workover  
 Oil    \_\_\_\_\_ SWD    \_\_\_\_\_ SLOW  
 \_\_\_\_\_ Gas    \_\_\_\_\_ ENHR    \_\_\_\_\_ SIGW  
 \_\_\_\_\_ CM (Coal Bed Methane)    \_\_\_\_\_ Temp. Abd.  
 \_\_\_\_\_ Dry    \_\_\_\_\_ Other \_\_\_\_\_  
 (Core, WSW, Expl., Cathodic, etc.)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 \_\_\_\_\_ Deepening    \_\_\_\_\_ Re-perf.    \_\_\_\_\_ Conv. to Enhr.    \_\_\_\_\_ Conv. to SWD  
 \_\_\_\_\_ Plug Back: \_\_\_\_\_ Plug Back Total Depth  
 \_\_\_\_\_ Commingled    Docket No.: \_\_\_\_\_  
 \_\_\_\_\_ Dual Completion    Docket No.: \_\_\_\_\_  
 \_\_\_\_\_ Other (SWD or Enhr.?)    Docket No.: \_\_\_\_\_  

<u>03-15-2010</u>	<u>03-17-2010</u>	<u>04-28-2010</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27569-00-00  
 Spot Description: \_\_\_\_\_  
W2 NE SE SE Sec. 18 Twp. 25 S. R. 16  East  West  
990 Feet from  North /  South Line of Section  
495 Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: Woodson  
 Lease Name: Kee Well #: 21-10  
 Field Name: Owl Creek  
 Producing Formation: Squirrel  
 Elevation: Ground: 1000 estimated Kelly Bushing: \_\_\_\_\_  
 Total Depth: 1040 Plug Back Total Depth: 1030  
 Amount of Surface Pipe Set and Cemented at: 40 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set: \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from: 40  
 feet depth to: surface w/ 10 <sup>sq. cnt.</sup> Alta-Dig - 6/2/10


**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
 Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
 Dewatering method used: \_\_\_\_\_  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
 Title: Owner Date: 5-12-10  
 Subscribed and sworn to before me this 12 day of May,  
20 10.  
 Notary Public: Rachelle Laymon  
 Date Commission Expires: 7/11/12

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
**MAY 21 2010**



KCC WICHITA

Operator Name: Laymon Oil II LLC Lease Name: Kee Well #: 21-10  
 Sec. 18 Twp. 25 S. R. 16  East  West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <b>Gamma Ray Neutron</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum see attached log
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40'	common	10	
Production	6 1/8"	2 7/8"	6.8#	1030'	common	160	
Tubing		1"	1.8#	965'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
		Amount and Kind	Depth
2	929 - 938	75 gal HCL acid; frac w/ 25 sks sand	929-983
2	973 - 983		

TUBING RECORD: Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or Enhr. 05-01-2010 Producing Method:  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls. <u>2</u>	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	--------------------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <div style="text-align: center; border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;">                     RECEIVED                 </div>
---	--	--

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.

### CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

### NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on property which is the subject of this contract.

RECEIVED  
MAY 21 2010  
KCC WICHITA

RAYMOND OIL  
HWY 54 to PRAIRIE RD S 1/2 MI  
N SE DOUBLE GATE ROAD PL 1/2 MI  
W SOUTH  
WICHITA, KANSAS 67202

UNDESIGNED CURB LINE  
66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK	PLANT/TRANSACTION #	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED \_\_\_\_\_

X \_\_\_\_\_

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By \_\_\_\_\_

GAL X \_\_\_\_\_

WEIGHMASTER \_\_\_\_\_

*See 21-10*

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD RECEIVED BY: \_\_\_\_\_

X \_\_\_\_\_

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE

TRUCKING CHARGE

*Mike*

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
	4:28		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1 \_\_\_\_\_

ADDITIONAL CHARGE 2 \_\_\_\_\_

**GRAND TOTAL** ▶ \_\_\_\_\_

**802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588**

# Payless Concrete Products, Inc.

**CONDITIONS**

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

**NOTICE TO OWNER**

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

**RECEIVED  
MAY 21 2010**

**KCC WICHITA**

RAYMOND III  
1998

RAYMOND III  
1998  
WICHITA, KS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER

**WARNING  
IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X \_\_\_\_\_

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**

GAL X \_\_\_\_\_

WEIGHMASTER

*Ka 2110*

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD RECEIVED BY:

X \_\_\_\_\_

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE

*Mike*

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
	ARRIVED JOB	START UNLOADING		TIME DUE
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1 \_\_\_\_\_

ADDITIONAL CHARGE 2 \_\_\_\_\_

**GRAND TOTAL** ▶ \_\_\_\_\_

Iola, Kansas, OCT 5, 19 09

Received of

**THE NEW KLEIN LUMBER CO., INC.**  
**BUILDING MATERIALS**

385-2201

<u>200 sack P Cement</u>	<u>1798.00</u>
	<u>131.25</u>
	<u>1929.25</u>

*Paul*

<u>Robison 29-09</u>	<u>10 sacks</u>
<u>Robison 28-09</u>	<u>10 sacks</u>
<u>Robison 29-09</u>	<u>10 sacks</u>
<u>Robison 40-09</u>	<u>10 sacks</u>
<u>Grisier 1-09</u>	<u>10 sacks</u>
<u>Grisier 2-09</u>	<u>10 sacks</u>
<u>Grisier 3-09</u>	<u>10 sacks</u>
<u>Light C 26-09</u>	<u>10 sacks</u>
<u>Grisier 03-09</u>	<u>10 sacks</u>
<u>Light C 25-09</u>	<u>10 sacks</u>
<u>Light C 24-09</u>	<u>10 sacks</u>
<u>Grisier 11-09</u>	<u>10 sacks</u>
<u>Grisier 10-09</u>	<u>10 sacks</u>
<u>Grisier 6-09</u>	<u>10 sacks</u>
<u>Grisier 7-09</u>	<u>10 sacks</u>
<u>Grisier 4-09</u>	<u>10 sacks</u>
<u>Grisier 5-09</u>	<u>10 sacks</u>
<u>Kee 19-10</u>	<u>10 sacks</u>
<u>Kee 20-10</u>	<u>10 sacks</u>
<u>Kee 21-10</u>	<u>10 sacks</u>

RECEIVED  
MAY 21 2010

Laymon Oil II LLC  
1998 Squirrel Rd  
Neosho Falls, KS 66758

620-963-2495

fax 620-496-2921

Kee 21-10  
API: 15-207-27569-00-00  
Spud date: 03-15-2010  
Completion date: 03-17-2010  
18-25-16 WO CO

Formation	From	To
Soil	0	14
Shale	14	98
Lime	98	165
Lime & Shale	165	590
Big Shale	590	730
Lime	730	870
Black Shale	870	874
Lime	874	880
Shale	880	907
Lime	907	913
Shale	913	925
Upper Sand	925	935
Shale	935	972
Lower Sand	972	985
Shale	985	1040
Total Depth		1040

Set 40' of 8 5/8" surface, cemented w/ 10 sacks  
Ran 1030' of 2 7/8" pipe  
Seating nipple at 965'

RECEIVED  
MAY 21 2010  
KCC WICHITA