KANSAS CORPORATION COMMISSION ORIGINAL OIL & GAS CONSERVATION DIVISION



KCC WICHITA

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 207-27568-00-00				
Name: Laymon Oil II LLC	Spot Description:				
Address 1: 1998 Squirrel Road	W2 _E2 _E2 _SE _Sec. 18 _Twp. 25 _S. R. 16 _ ✓ East _ West				
Address 2:	Feet from North / _ South Line of Section				
City: Neosho Falls State: KS Zip: 66758 +					
Contact Person: Michael Laymon					
Phone: (620) 963-2495	NE NW SE SW				
CONTRACTOR: License #_32710	County: Woodson				
Name: company tools	Koo 20.10				
Wellsite Geologist: none	Field Name: Owl Creek				
Purchaser: Coffeyville Resources	Causimal				
Designate Type of Completion:	Elevation: Ground: 1000 estimated Kelly Bushing:				
New Well Re-Entry Workover	Total Depth: 1040 Plug Back Total Depth: 1035				
SIOW	Amount of Surface Pipe Set and Cemented at: Feet				
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No				
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet				
Dry Other	If Allermote II constation company disculpted from AD				
(Core, WSW, Expl., Cathodic, etc.)	feet depth to: surface w/ 10 ALF Z-Dig - 6 12 10				
If Workover/Re-entry: Old Well Info as follows:	Alt C-Dig-6/2/10				
Operator:	(Data must be collected from the Benny Bit)				
Well Name:					
Original Comp. Date: Original Total Depth: Conv. to Short Conv. to					
Plug Back: Plug Back Total Depth					
Commingled Docket No.:	Location of fluid disposal if hauled offsite:				
Dual Completion Docket No.:	Operator Name:				
Other (SWD or Enhr.?) Docket No.:	Logo Name: License No :				
03-10-2010 03-12-2010 04-28-2010	QuarterSec TwpS. R				
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:				
Kansas 67202, within 120 days of the spud date, recompletion, workov of side two of this form will be held confidential for a period of 12 month	ed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, her or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information as if requested in writing and submitted with the form (see rule 82-3-107 for confidengist well report shall be attached with this form. ALL CEMENTING TICKETS MUST 111 form with all temporarily abandoned wells.				
are complete and correct to the best of my knowledge.	gulate the oil and gas industry have been fully complied with and the statements herein				
Signature: full full full Date: 5-13-1	KCC Office Use ONLY Letter of Confidentiality Received				
Subscribed and sworn to before me this 12 day of May	, / If Denied, Yes Date:				
20_10	Wireline Log Received				
Notary Public: Rachelle Laymon	Geologist Report Received RECEIVED				
Date Commission Expires: 711112	MAY 2 1 20th				

Side Two

Operator Name: Lay	mon Oil II LLC				e wame:	Kee		_ Well #: _20-1	0
	25 S. R. 16	_ ✓ East		Cou	nty: Woo	dson	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
me tool open and clecovery, and flow ra	how important tops a losed, flowing and sh tes if gas to surface al geological well site	nut-in pressu test, along v	ires, whether s	shut-in pr	essure rea	ched static leve	l, hydrostatic pres	sures, bottom h	ole temperature, (
rill Stem Tests Take (Attach Additional		Y	es 📝 No		⊘ L	og Formati	on (Top), Depth a	nd Datum	☐ Sample
amples Sent to Geo	ological Survey	□ Ye	es 🗹 No		Nan see a			Тор	Datum
Cores Taken				see attached log					
st All E. Logs Run:									
Gamma Ray	Neutron								
			CASING	RECOR		w Used		······································	
		Repo	rt all strings set-	conductor	_	ermediate, produc	tion, etc.		
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		/eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Perce Additives
Surface	10 1/4"	8 5/8"		24#	-	40'	common	10	
Production	6 1/8"	2 7/8*	· · · · · · · · · · · · · · · · · · ·	6.8#	7	1035'	common	160	
Tubing		1"		1.8#		975'			
		T	ADDITIONAL	CEMEN	TING / SQI	JEEZE RECORD)		
Purpose: Depth Top Bottom Perforate Protect Casing		Туре	Type of Cement #Sacks Us			Type and Percent Additives			
Plug Back TD Plug Off Zone									· · · · · · · · · · · · · · · · · · ·
Shots Per Foot			D - Bridge Plug ach Interval Per		e		cture, Shot, Cemen		Depth
· · · · · · · · · · · · · · · · · · ·	Specify Footage of Each Interval Perfora						L acid; frac w		
)	981 - 986	7. 4			V \$1				
<u> </u>	988 - 991								
									
UBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes No		<u> </u>
ate of First, Resumed 04-30-2010	Production, SWD or E	nhr.	Producing Meth	nod:	Flowing	y 📝 Pumpi	ng 🔲 Gas Li	ft Dthei	r (Explain)
			Mcf	Wate			Gas-Oil Ratio	Gravity	
DISPOSITI	ON OF GAS:		N	METHOD (OF COMPLE	TION:		PRODUCTION	N INTERVAL:
Vented Sold	Used on Lease		_	Perf.	Dually		nmingled		RECEN
и усткей, 50		CC - Conse							MAY 2 s

Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

620-963-2495 fax 620-496-2921

Kee 20-10

API: 15-207-27568-00-00 Spud date: 03-10-2010

Completion date: 03-12-2010

18-25-16 WO CO

Formation	From	То
Soil	0	17
Shale	19	94
Lime	94	155
Lime & Shale	155	550
Sandy Lime	550	580
Shale	580	760
Lime	760	780
Lime & Shale	780	809
Black Shale	809	813
Lime & Shale	813	855
Lime	855	920
Black Shale	920	925
5' Lime	925	930
Shale	930	932
Upper Sand	932	942
Shale	942	980
Lower Sand	980	995
Shale	995	1040

Total Depth 1040

Set 40' of 8 5/8" surface, cemented w/ 10 sacks Ran 1035' of 2 7/8" pipe Seating nipple at 975'

RECEIVED
MAY 2 1 2010
KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Cone rete Products. Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

acm'r. SYMON OH. L.L.L. 2003 SOMERREL REC

MCOSHO FALLS 135

FETSA

1 A3/19 LAYMON OIL THAY 54 to PRATRE RD 5 H SD DOUBLE GATE STAY BY DO SOUTH TATES CENTER, KS 46783 a

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLENT TRANSACTION #
			T I	1,	Eff	% ATE	0/
•	<u>.</u> ! '.	A Company of the Company	er with yet	\$	2 3	6. ØØ	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLÜMP	TICKET NUMBER
	. '1 4		7(1)				
1 Biggs of	h des		1 000 Vil	* * * * * * * * * * * * * * * * * * *		4.00° in	116 (114 1)

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

QUANTITY

LEFT PLANT

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

CODE

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this our wish to help you in every way, that we can, but in order to do this the driver is, requesting that you sign this RELEASE relieving him and this supplied from any responsibility from any damage that may occur to the premises and/or adjacent properly, buildings, sidewalks, driveways, curbs etc. by the digivery citties meetrial, and that you also agree to help him remove gott from the wheels of his vehicle or that he will not litter the public steel. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

UNIT PRICE

GAL X

WEIGHMASTER \$

NOTICE: MY SIGNATURE BELOW INDICATES (HAT) IN NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE WHEN DELIVERING INSIDE CURB LINE.

HEALTH WARNING / DAMAGE CAUSED

EXTENDED PRICE

EE #20-10

RECEIVED MAY 2 1 2010

KCC WICHITA

DESCRIPTION

D 1487 (3

76. BM 1 MB HW

RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 6.00.00 1. JOB NOT READY 6. TRUCK BROKE DOWN .38, 30 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION 646,30 4. CONTRACTOR BROKE DOWN 9. OTHER START UNLOADING TIME DUE ARRIVED JOB 5. ADDED WATER 27/97. BØ ADDITIONAL CHARGE 1 _ **DELAY TIME** TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME ADDITIONAL GHARGE 2 GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request NOTICE TO OWNER

Failure of this contract ro pay those persons the failure of this contract can result in the filing of a member of the property which is the subject of this contract.

MAY 2 1 2010

AYMON OH. WY 54 to PRHIRE RD 5 t/2 MCC WICHITA A SD DOUBLE GATE STAY BY FENCE

SIO SOUTH

37.19

COTES CEDIFR MS. EAVAR

ាច់ល់។ ប HYMONE BOLL I TUD. 908 SMILPELL RD.

NEOSHO FALLS KO

Co. Tak

TIME	, FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
					F117	THEF	
	da 11	the state of the s	the table year	1 3 1 m	N.	: 1914	
DATE	:	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	والمنطق والمنطق		17 MG 53				
3 - 13 10	100 30		া পর্য জা	\$ 100°		7.00 an	1 1 1 1

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By .

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 1. OA F.6074, 1915 ាក់ ម៉ាប់ 430 061

RETURNED TO PLANT	LEFT JOB FINISH UNLOADING		DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
ı			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB READY TRUCK AHEAD ON JOB READY READY READY TATTON		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE]
11.50					ADDITIONAL CHA
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHA
					CRAND TOTA

SECTION OF RGE 1

49.1 EMM ा ८३ Solve Self

RGE 2

Received of

THE NEW KLEIN LUMBER CO., INC. BUILDING MATERIALS

365-2201

200 Sacl P Cement	1798.00
	13125
	1929.25
	11-1,-2
	,
Tan	
V /	10.0
Robinon 29-09	10 Dacks
Robison 28-09	10 pks
Pobison 40-09	ID DACKD
Robison 40-09 Grisier 1-09	10 vacho
Grisier 2-09	10 0K5
Grisier 3-09	10 Dals
Light a6-09	ID Sacts
Grisier 03-09	10 pta.
tighte 25-129	10 Dacks
light C 24-D9	10 Docks.
Ų	10 Dacker
Grisier 11-09	10 XXXXXX

RECEIVED

MAY 2 1 2010

Grisier Grisier Grisier

7-09 4-09 5-09 19-10 20-10

10-09

6-09

10 Dacks

10 Racksi

10 DED

10 Dacks