
KANSAS CORPORATION COMMISSION RIGINAL OIL & GAS CONSERVATION DIVISION

Form ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 207-27554-00-00
Name: Laymon Oil II LLC	Spot Description:
Address 1: 1998 Squirrel Road	N2 _S2 _N2 _SW _Sec. 8 _ Twp. 25 _S. R. \(\frac{1}{25} \) East \(\text{ West} \)
Address 2:	1815 Feet from North / South Line of Section
City: Neosho Falls State: KS Zip: 66758 +	3960 Feet from East / West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	□ NE □ NW □ SE □ SW
CONTRACTOR: License # 32710	County: Woodson
Name: Laymon Oil II LLC	Lease Name: Grisier Well #: 7-09
Wellsite Geologist: None	Field Name: Owl Creek
Purchaser: Coffeyville Resources	Producing Formation: squirrel
Designate Type of Completion:	Elevation: Ground: 1000 est Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1060 Plug Back Total Depth: 1034
SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set:Feet
Dry Other(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: 40
• • • • • • •	feet depth to: surface w/ 10 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	Alt 2 - Da - 6/2/10
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Well Name: Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
Deepening Re-perf. Conv. to Enhr. Conv. to SWD	
Plug Back:Plug Back Total Depth	Dewatering method used:
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.:	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
01-12-2010 01-14-2010 05-10-2010	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information puested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and regrect to the best of my knowledge.	he oil and gas industry have been fully complied with and the statements herein
Signature: Aller fyndru	KCC Office Use ONLY
Title: <u>owner</u> <u>Date:</u> <u>05-14-2010</u>	Letter of Confidentiality Received
Subscribed and sworn to before me this 14 day of May	If Denied, Yes Date:
20 10 .	Wireline Log Received
Notary Public: Pachelly Preymon	Geologist Report Received RECEIVED
711.0	UIC Distribution MAY 2 1 2010
Date Commission Expires: 11112	



Operator Name: Lay	mon Oil II LLC			Lease	Name: _	Grisier		Well #: _7-09	
Sec. 8 Twp. 2		✓ East [West	Count	y: <u>Woo</u>	dson			
me tool open and cle ecovery, and flow rat	now important tops at osed, flowing and sho les if gas to surface to al geological well site	ut-in pressure est, along with	s, whether si	hut-in pre	ssure rea	ched static level,	hydrostatic	pressures, bottom h	ole temperature, fluid
Orill Stem Tests Taker (Attach Additional		☐ Yes	☑ No		٧L	og Formatio	n (Top), Dep	oth and Datum	Sample
Samples Sent to Geo	logical Survey	☐ Yes	 ✓ No		Nam see a	e ttached log		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ Yes	☑ No	No Contract leg					
ist All E. Logs Run: Gamma Ray	Neutron								
Gaillilla Nay	146011011								
		D		RECORD	Nie				
Purpose of String	Size Hole Drilled	Size (all strings set-c Casing 1 O.D.)	We	ight / Ft.	ermediate, producti Setting Depth	on, etc. Type o Cemer		Type and Percent Additives
Surface	10 1/4"	8 5/8"		24#		40'	common	10	
Production	6 1/8"	2 7/8"		6.7#	,,	1034'	common	160	
Tubing		1"		1.8#		950'			
		r	ADDITIONAL	CEMENT	ING / SQL	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of	Cement	# Sack	S Used	Sed Type and Percent Additives			
Shots Per Foot		ON RECORD Footage of Eac						ement Squeeze Record of Material Used)	Depth
2	959 - 969					75 gal HCl	_ acid; fra	ic w 53 sacks s	and 914-978
TUBING RECORD:	Size:	Set At:		Packer A	At:	Liner Run:] Yes [No	·
Date of First, Resumed 05-10-2010	Production, SWD or En	hr. P	roducing Meth		Flowing) V Pumpin	g 🗌 G	Sas Lift Othe	r (Explain)
Estimated Production Per 24 Hours	Oil 1	Bbls.	Gas I	Mcf	Wate	er Bt	ols.	Gas-Oil Ratio	Gravity
DISPOSITIO	_			ETHOD OI	COMPLE Dually	_	nmingled	PRODUCTIO	N INTERVAL:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

620-963-2495 fax 620-496-2921

Grisier 07-09

API: 15-207-27554-00-00 Spud date: 1-12-2010

Completion date: 1-14-2010

8-25-16 WO CO

Formation	From	То
Soil	0	22
Shale	22	85
Lime	85	140
Shale	140	165
Lime	165	360
Shale	360	420
Lime	420	509
Black Shale	509	512
Lime	512	573
Shale	573	750
Lime & Shale	750	840
Lime	840	850
Shale	850	853
Lime	853	857
Shale	857	890
Lime	890	898
Shale	898	900
Lime	900	905
Shale	905	908
Upper Sand	908	915
Shale	915	954
Lower Sand	954	962
Shale	962	1060

Total Depth 1060

Set 40' of 8 5/8" surface, cemented w/ 10 sacks Ran 1034' of 2 7/8" pipe Seating nipple at 950'

RECEIVED
MAY 2 1 2010

KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated, We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the properly which is the subject of this contract.

٠ŧ.	* +							
į	:-: `	, s - }						
4	41	111	ŧţ	ř	\$: t :	N	È	M i

LOAD RECEIVED BY

MINI TEMMINIST YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # TIME **FORMULA** LOAD SIZE SLUMP DATE LOAD # YARDS DEL. BATCH# WATER TRIM TICKET NUMBER **Excessive Water is Detrimental to Concrete Performance** PROPERTY DAMAGE RELEASE WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) H₂0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical WEIGHMASTER Attention, KEEP CHILDREN AWAY. our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so TELEPHONED to the OFFICE BEFORE LOADING STARTS. that he will not litter the public street. Further, as additional considera-NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting tion, the undersigned agrees to indemnify and hold harmless the driver any sums owed of this truck and this supplier for any and all damage to the premises All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. and/or adjacent property which may be claimed by anyone to have

arisin out of delivery of this order.

RECEIVED MAY 2 1 2010

DESCRIPTION

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

CODE

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Material is Delivered

Excess Delay Time Charged @ \$50/HR
QUANTITY

anthann tagail ad

KCC WICHITA

						<u></u>
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	
						ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
						GRAND TOTAL

UNIT PRICE

EXTENDED PRICE

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

> Settler and explain the



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road. Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc. which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

- A () HAYMON CILL Grain Content RD 0 ; Mi

推销法的 百种主义 核医

		6.6.777.0		TATES	CENTER KS 66	ZB3			
TIME	FORMULA	. LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #		
		·		4 J. s.	.:	5 6 1			
		1		14 th					
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER		
		:		~					
				18		ogy villadilija	11.0		
					Funnanius Water	is Detrimental to Cons	unto Doutoumonos		

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

TOTAL AT JOB

TOTAL ROUND TRIP

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where your desire it. It is out wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE miswing him and this supplier from any responsibility from any damagit that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X "

WEIGHMASTER *

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE GEAD THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE

EXTENDED PRICE

QUANTITY CODE DESCRIPTION

						٦
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	1
		1/1/6	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	A
	3					A

UNLOADING TIME

DELAY TIME

ADDITIONAL CHARGE 1 ADDITIONAL CHARGE 2

GRAND TOTAL

THE NEW KLEIN LUMBER CO., INC. BUILDING MATERIALS

365-2201

365-2201	
200 Sach P Cement	1798.00
	13125
	1929.25
- / up	
Robison 29-09	10 00.60.
Robison 28-09	10 Dacks
Pobision 27-09	10 pps
	DARD.
Kobison 40-09	1D Dacks
Grisie 1-09	10 Dacho
Grisier 2-09	10 ors
Grisier 3-09	10 Dacks
Light 26-09	10 Sacrs
Grisier 03-09	10 pks.
Dighte 25-19	1) Sacks
light C 24-09	10 Dacks.
, O	la o lo -
Grisier 11-09	10 Dacker
Grisier 10.09	10 Backs
Cousier 6-09	10 Docks
Grisier 7.09	10 Dacks

RECEIVED
MAY 2 1 2010
KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 . Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, oreadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for hodding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED			* * * * * * * * * * * * * * * * * * *		
				7 873	DRIVER/TRUCK		PLANT/TRANSACTION	
		<u> </u>	16 65 m	An in the St An in the St An in the St	V 1	\$ 430 T		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	11 144		
er er er e	C Park	7.	200 CE 900		WATER TRIM	SLUMP	TICKET NUMBER	
	#2 DAT		16.03 96	0.684.23		7 4 25 1		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.			PROPERTY DAMA (TO BE SIGNED IF DELIVERY TO I Dear Customer-The driver of this trucl you for your signature is of the opinio truck may possibly cause damage to properly if it places the material in thi our wish to help you in every-way that the driver is requised.	BE MADE INSIDE CURB LINE) k in presenting this RELEASE to in that the size and weight of his to the premises and/or adjacent is load where you desire it. It is	GAL X			
TELEPHONED to the OF The undersigned promisi any sums owed. All accounts not paid withi Not Responsible for Rea Material is Delivered.	ABLE COMMODITY and BECOMES the PR NY CHANGES OR CANCELLATION of OF FICE BEFORE LOADING STARTS. Es to pay all costs, including reasonable a in 30 days of delivery will bear interest at the re active Aggregate or Color Quality. No Cla and Loss of the Cash Discount will be coil	ttomeys' fees, incurred in collecting tale of 24% per annum.	the driver is requesting that you sign this supplier from any responsibility for to the premises and/or adjacent driveways, curbs, etc., by the definery also agree to help him remove mud from that he will not litter the public street. I tion, the undersigned agrees to indemn of this truck and this supplier for any a and/or adjacent properly which may be arisin out of delivery of this order. SIGNED	nis RELEASE relieving him and om any damage that may occur property, buildings, sidewalks, y of this material, and that you om the wheels of his vehicle so Further, as additional considera- ity and hold harmless the driver	WEIGHMASTER NOTICE: MY SIGNATURE E NOTICE AND SUPPLIER WHEN DELIVERING INSIDE	ELOW INDICATES THAT I HAVE WILL NOT BE RESPONSIBLE I CURB LINE.	READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED	
Excess Delay Time Charge	20 @ \$20/HR.	ected on all Returned Checks.	X	<u> </u>	x Milli	t Karan		
dozatiii	CODE	DESCRIPTION				UNIT PRICE	EVITAIDED ODIO	
	MARKETER MILI	1100 mm (1769) 1100 mm (1769)	4.000 4.000		242, 820 18. 62	070 (6.5) \$16 (60)	EXTENDED PRICE	
ETURNED TO PLANT								
TOT DAIVE	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLIN	DER TEST TAKEN	TIME ALLOWED	1		
LEFT PLANT		1199	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	Ş.	olala alektika 19 Najara 1900 olaka		
22 O C	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	[문항 시 : ### ## ## ## 1항공기 시 : 1		
TAL POLAD TELE	19.43	1600				ADDITIONAL CHARGE 1		
OTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME			
1. 5. 3					DELAT TIME	ADDITIONAL CHARGE 2		
		1					13- 13- 1 () V ()	

RECEIVED MAY 2 1 2010 KCC WICHITA

802 N: Industrial Rd. .P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength, test when water is added at customer's request.

NOTICE TO OWNER

Failure-of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

	18 0		:	•				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	\$ - # ¹ .	DRIVER/TRUCK		PLANT/TRANSACTION #	
		31 1 N N 1 440	sign for which	64 (198) 2010 (198)	1. V 12. v	9 (2) 5 (2)		
DATE	1	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
	14 - 839 A 25		MALES YOU					
A All Cycles	of Alman		11.1000 0001	1921A	;	A. 1866 6 11	\$15.00 GB	
Contains Portland Cemer CAUSE BURNS, Avoid C	WARNING TING TO THE SKIN A It. Wear Rubber Boots and Gloves. F Contact With Eyes and Prolonged C Is, Flush Thoroughly With Water, If I NAWAY.	ROLONGED CONTACT MAY ontact With Skin. In Case of	PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this		Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X			
CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.			the driver is requesting that you sign this supplier from any responsibility to to the premises and/or adjacent driveways, curbs, etc., by the delive also agree to help him remove mud that he will not litter the public street	from any damage that may occur property, buildings, sidewalks, ry of this material, and that you from the wheels of his vehicle so	Grisin #6-09			
any sums owed.	o pay all costs, including reasonable atto D days of delivery will bear interest at the rat		tion, the undersigned agrees to Inden of this truck and this supplier for any and/or adjacent property which may	nnify and hold harmless the driver and all damage to the premises	NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.			
Not Responsible for Reactiv Material is Delivered.	re Aggregate or Color Quality. No Claim	Allowed Unless Made at Time	arisin out of delivery of this order. SIGNED		LOAD RECEIVED BY:			
A \$25 Service Charge and Excess Delay Time Charged (Loss of the Cash Discount will be colle	cted on all Returned Checks.	X		Χ	•		
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE	
(5.4)	Ma, Jr	1044 380 0	61 88 5 1881, 1131	;	X	\$(s, 5.5).	C.B. KrA	
						i,		
	·							
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CY	LINDER TEST TAKEN	TIME ALLOWED			
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	Ş		694 66 20. 33	
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN S. ADDED WATER	9. OTHER	TIME DUE	Justina 6	60% 369	
. A						ADDITIONAL CHARGE 1	\$164. a \$101 	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	_		DELAY TIME	ADDITIONAL CHARGE 2		
(f) (i)		I .	ı		1			

RECEIVED KCC WICHTA

GRAND TOTAL