

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

ORIGINAL

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210
Name: Edward E. Birk
Address 1: 302 So. 16th St.
Address 2: _____
City: Burlington State: Ks Zip: 66839 + _____
Contact Person: Edward E. Birk
Phone: (620) 364-1311 - office
CONTRACTOR: License # 8210
Name: Edward E. Birk
Wellsite Geologist: None
Purchaser: Coffeyville Resources

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
04/23/2010 04/27/2010 04/28/2010
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 031-22567-00-00
Spot Description: _____
NE NE NE NE Sec. 22 Twp. 22 S. R. 16 East West
5,115 Feet from North / South Line of Section
165 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Coffey
Lease Name: Whiteley Well #: 16
Field Name: Neosho Falls-LeRoy
Producing Formation: Squirrel
Elevation: Ground: 1039 est. Kelly Bushing: _____
Total Depth: 1029 Plug Back Total Depth: 1029
Amount of Surface Pipe Set and Cemented at: 61' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 1015
feet depth to: surface w/ 120 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Sandra Birk
Title: Agent Date: 6/11/10

KCC Office Use ONLY

Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: DJG Date: 6/17/10

Operator Name: Edward E. Birk Lease Name: Whiteley Well #: 16
 Sec. 22 Twp. 22 S. R. 16 East West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

| | |
|--|--|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample Name Top Datum see attached drill log |
|--|--|

| CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 9 7/8" | 7" | 17# | 61' | Portland | 26 | Calcium |
| Long String | 6" | 2 7/8" | 6.5# | 1015' | Portland | 120 | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|---|---|---|-----------|
| None | Open hole completion 1015-1029' | Frac w/42 sx sand | 1015-1029 |
| RECEIVED JUN 14 2010 KCC WICHITA | | | |
| | | | |

| | | | |
|---|----------------|--|------------------|
| TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ | | Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No | |
| Date of First, Resumed Production, SWD or ENHR. 05/04/2010 | | Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____ | |
| Estimated Production Per 24 Hours | Oil Bbls. 5 | Gas Mcf | Water Bbls. 2 |
| | | | |

| | | |
|---|--|--|
| DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____ | PRODUCTION INTERVAL: _____ _____ |
|---|--|--|

**EDWARD E BIRK
900 SOUTH 4TH ST
BURLINGTON, KS 66839
OP: #8210**

| | |
|--|---|
| DATE: 04/28/2010 | LEASE: Whiteley |
| Edward E Birk | WELL: 16 |
| 302 South 16 th | Description: 5115' FSL; 165' FEL; 22-22-16E |
| Burlington, Ks 66839 | County: Coffey |
| Spud: 04/23/10 T.D.: 04/27/10 Complete: 04/28/10 | API: 15-031-22567 |

| FORMATIONS | FROM | TO | FORMATIONS | FROM | TO |
|-----------------|------|-----|---------------|------|------|
| Top Soil | 0 | 4 | Shale | 980 | 1014 |
| Clay | 4 | 38 | Cap | 1014 | |
| Sand & Gravel | 38 | 55 | Good Oil Sand | 1015 | 1021 |
| Shale | 55 | 225 | Broken Sand | 1021 | 1023 |
| Lime | 225 | 278 | Shale | 1023 | 1029 |
| Shale | 278 | 381 | T.D. 1029' | | |
| Lime | 381 | 395 | | | |
| Black Shale | 395 | 416 | | | |
| Lime | 416 | 431 | | | |
| Shale | 431 | 433 | | | |
| Lime | 433 | 482 | | | |
| Shale | 482 | 494 | | | |
| Lime | 494 | 497 | | | |
| Red Shale/Shale | 497 | 526 | | | |
| Lime | 526 | 628 | | | |
| Shale | 628 | 631 | | | |
| Lime | 631 | 652 | | | |
| Shale | 652 | 782 | | | |
| Lime | 782 | 784 | | | |
| Shale | 784 | 808 | | | |
| Shale/Lime | 808 | 822 | | | |
| Lime | 822 | 840 | | | |
| Shale | 840 | 896 | | | |
| Lime | 896 | 905 | | | |
| Shale | 905 | 924 | | | |
| Lime | 924 | 927 | | | |
| Shale | 927 | 931 | | | |
| Black Shale | 931 | 935 | | | |
| Shale | 935 | 944 | | | |
| Lime | 944 | 948 | | | |
| Shale | 948 | 967 | | | |
| Lime | 967 | 970 | | | |
| Shale | 970 | 977 | | | |
| Lime | 977 | 980 | | | |

RECEIVED

JUN 14 2010

KCC WICHITA

| | | | |
|---------------------|----------------------------|--------------------|------------------------|
| Surface bit: 9 7/8" | Surface Casing Length: 61' | Size: 7" | Cement: 26 sx Portland |
| Drill bit: 6" | T.D.: 1029' | Long String: 1015' | Size: 2 7/8" |



Meier's Ready Mix, Inc.

Plant
(785) 233-9900

P.O. Box 8477 • 1105 N.W. Lower Silver Lk. Rd. • Topeka, Kansas 66608
FAX # 233-9947

Office
(785) 233-2423

| | | | | | | |
|---------------------------|------|-----------------|---------|--------------------------------------|--------|--------|
| PLANT | TIME | DATE 4/28/10 | ACCOUNT | TRUCK | DRIVER | TICKET |
| CUSTOMER NAME Bank Oil | | | | DELIVERY ADDRESS Pick up at Plant | | |
| PURCHASE ORDER | | ORDER # | TAX | | | SLUMP |

| LOAD QTY | PRODUCT | DESCRIPTION | ORDERED | DELIVERED | UNIT PRICE | AMOUNT |
|----------|---------|-------------|---------|-----------|------------|--------|
|----------|---------|-------------|---------|-----------|------------|--------|

| | | | | | | |
|-----|------------|--|--|--|--|--------|
| 100 | Bag Cement | | | | | 112.80 |
| | | | | | | 94.00 |

| | | | | |
|-------------|-----------------|-----------------|------------------|--------------|
| LEAVE PLANT | ARRIVE JOB SITE | START DISCHARGE | FINISH DISCHARGE | ARRIVE PLANT |
|-------------|-----------------|-----------------|------------------|--------------|

DRIVER Note here if water has been added and how much.

NOTE

We are not responsible for concrete freezing after placement.

280102

IMPORTANT

We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.

SUBTOTAL

TAX

TOTAL

PREVIOUS TOTAL

GRAND TOTAL

112.80
94.00
1128.00
59.78
1187.78

**Caution:
FRESH CONCRETE**
Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

Received By _____

RECEIVED

JUN 14 2010

KCC WICHITA