

KANSAS CORPORATION COMMISSION **ORIGINAL**
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210
Name: Edward E. Birk
Address 1: 302 South 16th St.
Address 2: _____
City: Burlington State: Ks Zip: 66839 + _____
Contact Person: Edward E. Birk
Phone: (620) 364-1311 - office
CONTRACTOR: License # 8210
Name: Edward E. Birk
Wellsite Geologist: None
Purchaser: Coffeyville Resources

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
04/19/2010 04/22/2010 04/23/2010
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 031-22569-00-00
Spot Description: _____
NE SE NE NE Sec. 22 Twp. 22 S. R. 16 East West
4,455 Feet from North / South Line of Section
165 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Coffey
Lease Name: Whiteley Well #: 18
Field Name: Neosho Falls-LeRoy
Producing Formation: Squirrel
Elevation: Ground: 1040 est. Kelly Bushing: _____
Total Depth: 1032 Plug Back Total Depth: 1032
Amount of Surface Pipe Set and Cemented at: 59 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 1015
feet depth to: surface w/ 120 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Sandra Birk
Title: Agent Date: 6/11/10

KCC Office Use ONLY

Letter of Confidentiality Received RECEIVED
Date: _____ JUN 14 2010
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Dg Date: 6/17/10
KCC WICHITA

Operator Name: Edward E. Birk Lease Name: Whiteley Well #: 18
 Sec. 22 Twp. 22 S. R. 16 East West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample Name Top Datum see attached drill log
--	--

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8"	7"	17#	59'	Portland	24	Calcium
Long String	6"	2 7/8"	6.5#	1015'	Portland	120	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
None	Open hole completion 1015-1032'	Frac w/42 sx sand	1015-1032

RECEIVED
 JUN 14 2010

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No		KCC WICHITA
Date of First, Resumed Production, SWD or ENHR. 05/04/2010		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls. 5	Gas Mcf	Water Bbls. 3	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	---

**EDWARD E BIRK
900 SOUTH 4TH ST
BURLINGTON, KS 66839
OP: #8210**

DATE: 04/23/2010	LEASE: Whiteley
Edward E Birk	WELL: 18
302 South 16 th	Description: 4455' FSL; 165' FEL; 22-22-16E
Burlington, Ks 66839	County: Coffey
Spud: 04/19/10 T.D.: 04/22/10 Complete: 04/23/10	API: 15-031-22569

FORMATIONS	FROM	TO	FORMATIONS	FROM	TO
Top Soil	0	3	Lime	952	978
Clay	3	37	Little Show/Cap	1015	
River Gravel	37	48	Good Oil Sand	1016	1029
Shale	48	226	Broken Sand/Sandy Shale	1029	1032
Lime	226	231	T.D. 1032'		
Shale	231	232			
Lime	232	279			
Shale	279	381			
Lime	381	396			
Black Shale/Shale	396	417			
Lime	417	488			
Shale	488	496			
Lime	496	499			
Red Shale/Shale	499	521			
Lime	521	598			
Shale	598	601			
Lime	601	605			
Shale	605	609			
Broken Lime	609	611			
Lime	611	654			
Lime/Shale	654	659			
Shale	659	795			
Lime	795	798			
Shale	798	812			
Lime	812	825			
Shale	825	832			
Lime	832	846			
Lime/Shale	846	863			
Shale	863	899			
Lime	899	907			
Shale	907	927			
Lime	927	931			
Shale	931	948			
Lime	948	952			

RECEIVED

JUN 14 2010

KCC WICHITA

Surface bit: 9 7/8"	Surface Casing Length: 59'	Size: 7"	Cement: 24 sx Portland
Drill bit: 6"	T.D.: 1032'	Long String: 1015'	Size: 2 7/8"



Meier's Ready Mix, Inc.

Plant
(785) 233-9900

P.O. Box 8477 • 1105 N.W. Lower Silver Lk. Rd. • Topeka, Kansas 66608
FAX # 233-9947

Office
(785) 233-2423

PLANT 12	TIME	DATE 7-2-10	ACCOUNT	TRUCK	DRIVER	TICKET
CUSTOMER NAME BICK OIL				DELIVERY ADDRESS Wichita, #15		
PURCHASE ORDER		ORDER #	TAX			SLUMP

LOAD QTY	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
120	concrete					1128.00

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
-------------	-----------------	-----------------	------------------	--------------

DRIVER Note here if water has been added and how much.

NOTE

We are not responsible for concrete freezing after placement.

287893

IMPORTANT

We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.

Caution:
FRESH CONCRETE
Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

SUBTOTAL

TAX

TOTAL

PREVIOUS TOTAL

GRAND TOTAL

1128.00
59.78
1187.78

Received By _____

RECEIVED

JUN 18 2010

KCC WICHITA