

STATE OF KANSAS  
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

OR  
FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

Russell County. Sec. 9 Twp. 13 Rge. (E) 11 (W)  
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines E  $\frac{1}{2}$  Sec S.W.  $\frac{1}{4}$   
Lease Owner The Century Oil Co  
Lease Name Shepper Well No. 1  
Office Address Commerce Bld Kansas City Mo. 6  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed 9-5 1943  
Application for plugging filed 9-13 19    
Application for plugging approved 9-13 19    
Plugging commenced 9-13 19    
Plugging completed 9-17 19    
Reason for abandonment of well or producing formation Dry



Locate well correctly on above Section Plat


If a producing well is abandoned, date of last production    19    
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well A. T. Alexander  
Producing formation none Depth to top 3 Bottom    Total Depth of Well 332 3 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				5 $\frac{1}{2}$	425	425
				7	2690	2690
				8	1690	1690
				10	650	650
				12 $\frac{1}{2}$	350	350
				15 $\frac{1}{2}$	45	48



Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from    feet to    feet for each plug set.

Cement 332 3 to 3290 mud to 230  
Cement 230 - 200 mud to 20ft  
Cement 20 to 5ft. full to top



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to     
Address 2039 - Random Rd Wichita Kans


STATE OF   , COUNTY OF   , ss.    (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Ted Spencer

(Address)

SUBSCRIBED AND SWORN to before me this 28 day of September, 19  

My commission expires 11-4-46



15-167-00477-00 01

R. SHAFFER  
Shaffer No. 1.

SEC. 9  
NEc SW

T. 13

R. 11 W

DEEPENING RECORD

County. Russell

Total Depth. 3323'


Comm. 10-11-39

Comp. 6-19-40

Shot or Treated.

Contractor.

Issued. 10-2-43



CASING:


12 1/2" 227'  
10" 565'

Elevation.

Production. Dry

Figures Indicate Bottom of Formations.

cellar	10	<u>DEEPENING RECORD:</u>	lime	2940	
sand	40	Comm. 7-1-43	shale D.	2960	
shale	55	Comp. 9-3-43	red rock	2970	
red rock	65	Century Oil Co.	lime	2973	
shale	130	Contractor -	shale	2985	
sand	140	Ted Spencer	lime	2998	
shale	205	8" 1690' P 7" 2690' P	shale v.o.	3005	
red rock	245	5 1/2" liner 3065	lime	3020	
no log	250	Cable -	shale v.o.	3025	
anhydrite	285	shale	lime	3040	
red rock	535	1315-20	shale	3045	
shale	550	lime	1450	lime	3192
red rock	560	red bed	1460	lime wh	3275
shale	585	lime	1470	shale green	3300
red rock	635	red rock	1475	lime	3310
shale	735	lime	1635	shale green	3320
lime	745	shale	1645	lime	3323
salt	955	red rock	1675	HEW	
shale	965	lime	1750	Total Depth.	
lime	985	slate	1775		
shale & shells	1020	lime	1825		
lime	1030	shale	1855		
shale	1035	lime	1865		
lime	1043	shale	1950		
shale	1055	sand brkn (5EW 1960)	1960		
lime	1070	shale	2025		
shale & shells	1115	lime	2050		
limo	1135	shale	2108		
red rock	1140	lime	2115		
lime	1160	slate	2200		
shale	1165	shale	2255		
lime	1190	lime brkn	2275		
shale	1195	slate	2300		
red rock	1205	lime	2330		
shale	1225	shale	2335		
lime	1250	lime	2410		
shale	1255	shale	2430		
red rock	1265	lime (4EW 2540-50)	2555		
no log	1315	shale B.	2570		
Total Depth.		shale brown	2575		
		red rock	2590		
		shale blue	2610		
		slate	2630		
		shale var.col.	2640		
		lime	2644		
		shale	2650		
		lime	2680		
		shale	2685		
		lime	2712		
		shale blk	2716		
		lime (2BW 2780)	2782		
		shale blk	2790		
		lime	2895		
		shale	2898		
		lime	2905		
		lime brkn	2925		
		shale blk	2935		



**PLUGGING**  
FILE REC-9-13R.11.0  
BOOK PAGE-91-LINE-23