
## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #_32710	API No. 15 - 207-27552-00-00
Name: Laymon Oil II LLC	Spot Description:
Address 1: 1998 Squirrel RD	NE_SW_NW_SW Sec. 5 Twp. 25 S. R. 16 V East West
Address 2:	
City: Neosho Falls State: KS Zip: 66758 +	4785 Feet from 📝 East / 🗌 West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620 ) 963-2495 RECEIVED	□ NE □ NW □ SE □ SW
CONTRACTOR: License # 32710	County: Woodson
Name: company tools JUL 0.9.2010	Lease Name: Grisier Well #: _5-09
Name. Sampany sala	Field Name: Owl Creek
Wellsite Geologist: none KCC WICHIT	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 989 est Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1060 Plug Back Total Depth: 1050
	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other	If Alternate II completion, cement circulated from: 1050
(Core, WSW, Expl., Cathodic, etc.)	feet depth to:
If Workover/Re-entry: Old Well Info as follows:	ox one
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	Onombor Namo
Dual Completion Docket No.:	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
01-19-2010 03-05-2010 06-07-2010	QuarterSecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or coperate two of this form will be held confidential for a period of 12 months if requitably in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information wested in writing and submitted with the form (see rule 82-3-107 for confiden- I report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the complete and correct to the best of my knowledge.	e oil and gas industry have been fully complied with and the statements herein
Signature: MM Tyru	KCC Office Use ONLY
itle: Owner Date: 7-2-10	Letter of Confidentiality Received
Subscribed and sworn to before me this 2 day of July	ff Denied, Yes Date:
10 <u>10</u> .	Wireline Log Received
lotary Public: Pachelle Laymon	Geologist Report Received
Date Commission Expires: 7/11/12	Alt 2 - Da - 7/12/10
ato commoder Express.	



#### Side Two

Operator Name: Lay	mon Oil II LLC		Lease Name:	Grisier		Well #: _5-09	9	
Sec. 5 Twp. 2		☑ East ☐ West	County: Woo	odson				
time tool open and cl	osed, flowing and shi tes if gas to surface to	nd base of formations per ut-in pressures, whether s est, along with final chart report.	shut-in pressure re	ached static level	hydrostatic pr	ressures, bottom h	nole temperature, fluid	
Drill Stem Tests Take (Attach Additional		☐ Yes ☑ No	7	Log Formatio	n (Top), Depth	n and Datum	Sample	
Samples Sent to Geological Survey			Name See attached log		Тор	Datum		
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☑ Yes ☐ No						
List All E. Logs Run:								
Gamma Ray	Neutron							
			i ij					
		CASING Report all strings set-		New Used	ion etc			
Purpose of String	Size Hole	Size Casing	Weight	Setting	Type of	# Sacks	Type and Percent	
Surface	10 1/4"	Set (In O.D.) 8 5/8"	Lbs. / Ft.	Depth 40'	common	Used 10	Additives	
Production	6 1/8"	2 7/8"	6.7#	1050	common	160		
Tubing		1"	1.8#	956'				
		ADDITIONAL	L CEMENTING / SC	UEEZE RECORD	<u> </u>			
Purpose: Perforate	Depth Top Bottom	Type of Cement	#Sacks Used			e and Percent Additives		
Protect Casing Plug Back TD Plug Off Zone								
Plug Oil Zoile			<u></u>					
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/ Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
2	922 - 929	IVED	125 gal HCL acid; frac w 67 sacks sand 922-98			s sand 922-980		
2	964 - 980 JUL 0 9 2010							
		KCC W	ICHIIA :					
				<u> </u>				
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes	No		
Date of First, Resumed 06-07-2010	Production, SWD or En	hr. Producing Met	hód:	ng 🗸 Pumpir	ng Gas	s Lift Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil 2	Bbis. Gas	Mcf Wa	iter B	bls.	Gas-Oil Ratio	Gravity	
DISPOSITI	ON OF GAS:		METHOD OF COMPL	ETION:	T	PRUDI IUTIU	ON INTERVAL:	
Vented Sold	Name of the last o	Open Hole		_	nmingled .			
(If vented, Submit ACO-18.) Other (Specify)				<u> </u>	-			

## Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

#### 620-963-2495

fax 620-496-2921

Grisier 5-09

API: 15-207-27552-00-00 Spud date: 1-19-2010

Completion date: 03-05-2010

5-25-16 WO CO

			•
Formation	From	То	)
Soil	0	19	
Shale	19	85	
Lime	85	165	
Shale	165	180	•
Lime	180	195	,
Shale	195	225	
Lime	225	380	!
Shale	380	480	e.
Lime	480	570	
Shale	570	730	
Lime	730	765	
Shale	765	825	i
Lime	825	831	II
Shale	831	863	
Black Shale	863	866	
Lime	866	901	
Black Shale	901	904	
5' Lime	904	908	
Shale	908	914	į g
Upper Sand	914	924	Dron.
Shale	924	954	MECEIVED
Cap Rock	954	955	111 00000
Shale	955	<del>9</del> 57	20r n 3 5010
Cap Rock	957	958	RECEIVED JUL 0 9 2010 KCC WICHITA
Lower Sand	958	978	WICHITA
Shale	978	1060	P
Total Depth		1060	

Set 40' of 8 5/8" surface, cemented w/ 10 sacks Ran 1050' of 2 7/8" pipe
Seating nipple at 956'

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLD TO:

### Payless Concre te Products. Inc.

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction. seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, treas, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for

strength test when water is added at customer's request. Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO

LA005 LAYMON DIL, L.L.C. 1998 SQUIRREL RD.

LAYMON OIL 54 W TO OTTER RD N 1 MI

NEOSHO FALLS KS

66758

		Contract Market					
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
	,			* CAL	WK	% AIR	744
12:38:040	WELL	8.00 yd	16.00 yd	0.00	35	0.00	4
DATE		LOAD #	YARDS DEL:	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
2	To Date	3	24.00 yd				
03-05-10	Today	1	8,00 vd	12477		4.00 in	26189
	WARNING		PROPERTY DAN	MAGE RELEASE		er is Detrimental to Con	

LA1/22

E

IRRITATING TO THE SKIN AND EYES

Contains Portland Cernent. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON

LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR CODE

LEFT JOB

ARRIVED 40B

TOTAL AT JOB

QUANTITY

RETURNED TO PLANT

LEFT PLANT

TOTAL ROUND TRIP

truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to

you for your-signature is of the opinion that the size and weight of his

to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

WELL (10 SACKS PER UNIT) 8.00 WELL TRUCKING CHARGEECEIVED 2.00 TRUCKING

DESCRIPTION

FINISH UNLOADING

START UNLOADING

UNLOADING TIME

JUL 0 9 2016

1. JOB NOT READY

5: ADDED WATER

2. SLOW POUR OR PUMP

3. TRUCK AHEAD ON JOB

4. CONTRACTOR BROKE DOWN

DELAY EXPLANATION/CYLINDER TEST TAKEN

6. TRUCK BROKE DOWN

7. ACCIDENT

8. CITATION

9 OTHER

YATES CENTER.KS 66783

TIME ALLOWED

t: TIME DUE

DELAY TIME

UNIT PRICE

**EXTENDED PRICE** 

608.00

708.00

44.60 752.60

752.60

GRAND TOTAL

Tlax % 6.300


SubTotal \$

Total \$

⊡rder \$

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2



Received of

# THE NEW KLEIN LUMBER CO., INC. BUILDING MATERIALS

BUILDING MATERIAI 965-2201	LS
200 Sacl P Cement	1798.00
	13125
	102025
· · · · · · · · · · · · · · · · · · ·	1929.25
- 7 ap	
Robision 29-D9	10 Dacks
Robison 28-09	10 DRS
Robinson 37-09	ID DRD.
Robison 40-09	1D Dacks
Grisier 1-09	10 Dacko
Grisier 2-09	10 015
(srisier 3-09 Light ab-09	10 Dacks
Grisier 03-09	10 pps
Tighte 25-109	1D Dacks
light C 24-09	10 Dacks.
Grisier 11-09	10 Dacks
Grisier 10-09	10 Racksi
Grisier 6-09	10 Dacks
Grisier 7-09	10 Nacks
Dusier 4.09	10 sko
Trisier 5-09	10 XX
Y V	, =

RECEIVED
RECEIVED
RECEIVED
RECEIVED
RECEIVED
RECEIVED