Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

Lease Operator: Chesar	eake Operating, Inc.		API Number: 15 - 007-22477				
Address: P.O., Box 18496, Oklahoma City, OK 73154-0496					Lease Name: Wheat A		
Phone: (405) 935 - 3906 Operator License #: 32334					2-34 Well Number:		
					Spot Location (QQQQ): NW - SW - SE		
Type of Well: Ooket #: Ooket #: (If SWD or ENHR)					800 Feet from North / South Section Line		
The plugging proposal was approved on: November 20, 2009 (Date)					2,190 Feet from East / West Section Line		
by: Steve Bond (KCC District Agent's Name)					Sec. 34 Twp. 33		
Is ACO-1 filed? Yes No If not, is well log attached? Yes No					County: Barber		
Producing Formation(s): List All (If needed attach another sheet)					Date Well Completed:		
Depth to top: -7 Bottom: -7 1.D7 Plugging Commonant							
Dopur to rop. Dottorn. 1.b							
	Depth to Top: _	Botto	m:	T.D	Plugging Completed:		
Show depth and thickness	of all water, oil and g	as formations.					
Oil, Gas or V	Vater Records			Casing Record (Surface Conductor & Produc	ction)	
Formation	Content	From	То	Size	Put In	Pulled Out	
Douglas Sand	O&G	0	1,099'	8 5/8"	1009'	0,	
Mississippi	O&G	0	5,243'	5 1/2"	5243'	3000'	
BAKOTA Sd	WATER	-0-	1801				
See attachment.	lugs were used, state t	The Character of	same depth p	naced irom (bott	om, to (top) for each plu		RECEIVED
Makota 5	1-01-1	801)					CORPORATION COMMISSION
	Allied Cementing	Co. Inc.				NX mio	UN 0 9 2010
Name of Plugging Contrac					License #:	CONS	SERVATION DIVISION
Address: P.O. Box 31,							WICHITA, KS
Name of Party Responsible	e for Plugging Fees: C	hesapeake	Operating,	inc.			
State of Oklahoma	County,	Oklahoma		, ss.	f Operator) or (Operator) o	an above described week	all being firet duly
sworn on oath, says: That	I have knowledge of th	e facts stateme	ents, and matte				
same are true and correct,	so help me God.	•		2.2-6		and the same of th	MANTHUMANIAN COLOR
		(Signature)				137	TOTAL C
	$\int \int $	(Address) P	.O. Box 18496	6, Oklahoma Ci	ity, OK 73154-0496	- (g(s	# 08001994 \ \times \ \ \times \ \ \times \ \ \times \ \t
	subscribe pland	SWORN TOL	affre maninis	day of_	3NNE		OF OKLAND
My Commission Expires: 2 26 20 30 30 30 30 30 30 30 30 30 30 30 30 30							
	•	Notary Pu	buffe)			ţ 1	/
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202							

Wheat A 2-34 Plugging Daily Activity Report

03/02/2010

ROAD CLARKS TO LOCATION, HSM, RIG UP LOG-TECH, RIH W/5 1/2 CIBP & SET @ 3915', RDMO LOG-TECH, DUMP 2 SX CMT ON TOP, LOAD CSG & PRESSURE TO 200 PSI (OK), FREEPOINT & CUT CSG @ 3000', PULL & LAY DOWN 30 JTS 5 1/2 CSG, SDFN.

03/03/2010

CREW TO LOCATION, HSM, FINISH LAYING DOWN CSG, RIG UP ALLIED, RIHW TBG & PUMP PLUGS @ 1120' W/15SX GEL & 50 SX CMT, 300' W/ 50 SX CMT, 60' TO SURFACE W/ 20 SX CMT. WAIT ON CMT TO FALL, RDMO UNIT.

03/04/2010

BACKFILLED PIT, CEMENT FELL 156' IN CSG, KCC WANTS TO TOP OFF WITH READYMIX, WILL TOP OFF TOMORROW. SDFN

03/05/2010

HSM, FILL CSG./W READYMIX TO SURFACE, WELD ON CAP & FILL CELLAR. LOAD PUMPING UNIT & METER RUN & HAUL TO YARD, TEAR OUT LINES. SDFN

03/06/2010

HPJSAM, LOAD TRUCKS W/ TBG, CSG & RODS. CLEAN LOCATION. FINAL160 - 2 3/8 TBG (4783'), 191 - 3/4 RODS (4775'), 69 - 5 1/2 CSG (3008')

RECEIVED KANSAS CORPORATION COMMISSION


JUN 09 2010

CONSERVATION DIVISION WICHITA, KS

ALLIED CEMENTING CO., LLC. 042706

SERVICE POINT: REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 Medicin JOB FINISH JOB START /2いらん.M CALLED OUT RANGE ON LOCATION DATE 3-8-10 COUNTY WELL# A-2-34 LOCATION 28/4/60 JCT 3 W. 105 LEASE Whoof <u>ት</u> የአት የ OLD OR NEW (Circle one) HU/N:1TC OWNER ChesaPeake CONTRACTOR (/as/ce TYPE OF JOB OH? CEMENT HOLE SIZE T.D. AMOUNT ORDERED 1205x 60:40:4% (DEPTH CASING SIZE 155x Gel TUBING SIZE 23/8 DEPTH //20 FT DRILL PIPE DEPTH TOOL DEPTH 2.5x@ PRES. MAX 200 PSI MINIMUM COMMON MEAS. LINE POZMIX *-*3X_@_ SHOE JOINT 19 3x @ CEMENT LEFT IN CSG GEL **CHLORIDE** PERFS. **@** DISPLACEMENT resh ASC_ @ **EQUIPMENT** @ @ CEMENTER Davidus PUMP TRUCK @ #3lp/265 HELPER 500T @ **BULK TRUCK** @ #353/250 DRIVER @ **BULK TRUCK** @ DRIVER HANDLING. @, MILEAGE _

REMARKS: TOTAL, 151 Plug at 1/20 Mix 155x (-e) Mix 505x **SERVICE** :40:4% Gd Displace WiTh 3.BBB Water Plug at 300 FT land Hole Mix 505X DEPTH OF JOB 1/20 FT 40:4% Gel Displace with 1/2 BBY quoter PUMP TRUCK CHARGE at 60 FT load Hole CIPE COMENTEXTRA FOOTAGE WITH 205x 60:40:4%64 **MILEAGE** @ Kig Down @ MANIFOLD @ @ CHARGETO: ChesaPeake OPen TOTAL _ STREET. STATE_ ZIP_ PLUG & FLOAT EQUIPMENT RECEIVED KANSAS CORPORATION COMMISSION @ @ JUN 09 2010 @ To Allied Cementing Co., LLC. @ You are hereby requested to rent cementing equipment CONSERVATION DIVISION @ and furnish cementer and helper(s) to assist owner or WICHITA, KS contractor to do work as is listed. The above work was TOTAL done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL SALES TAX (If Any). TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGES. PRINTED NAME DISCOUNT IF PAID IN 30 DAYS





June 8, 2010

VIA UNITED PARCEL SERVICE

Kansas Corporation Commission Conservation Division Finney State Office Building 130 S. Market, Room 2078 Wichita, Kansas 67202

Re:

Wheat A 2-34

34-33S-14W

Barber Co., Kansas

Dear Sir or Madam:

Enclosed are the original and one copy of the CP-4 for the referenced well.

Please direct all correspondence regarding this well, or any regulatory compliance matter, to my attention at the address below.

Thank you for your assistance in this matter.

Sincerely,

Chesapeake Operating, Inc.

Sarah Rodriguez

Enclosures

RECEIVED KANSAS CORPORATION COMMISSION

JUN 09 2010

CONSERVATION DIVISION WICHITA, KS