Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CP-4 March 2009 Type or Print on this Form. Form must be Signed All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:5. Name: AmericanE Address 1: 155 North Address 2: Suite 710 City: Wichita Contact Person: Mindy W Phone: (316) 201-113 Type of Well: (Check one) Co Water Supply Well Co ENHR Permit #: ENHR Permit #: Depth to Depth to Depth to	ic	Spot Descr N/2 _SE_ S 	Feet from Feet from Feet from Calculated from Neare NE NW Ness De: Freidenberg Completed: 06/09 Deg proposal was apprive Bond	SE SE NE Wp. 17 S. R. 22 Wp. North / Source SE Seast / Wested SE SW Ber Well #: 1/82 Oved on: 02/24/10 (KCC Dis	East West th Line of Section st Line of Section orner: 1 (Date) strict Agent's Name)			
		NAMES.						
Show depth and thickness of a		nations.	Oi D-		Conductor & Dradu	otion)		
Oil, Gas or Water	Content	Casing	Size	cora (Suna	ce, Conductor & Produ Setting Depth	Pulled Out		
Formation	Content	Casing			<u> </u>		RECE	VED
	Water/Sands	Surface	8 5/8"		248	None	, LOL	VED
	Water/Sands	Production	5 1/2"		4332	None	JUN_0	4 2010
							1/00 141	
			ļ				KCC W	CHITA
sx sand down casing a settle over night. 5/18/10 - Tagged sand to 70,000# before they 3/4". Free point of casi	eed, state the character beyenne Well Servind let settle for 2 him and 14150'. Went in came out. Let casing is 250' to 275'. up to 700#. Hooke	of same depth placed from (bo ce. Ran swab bar to bot s. Ran in swab bar and with bailer and dumped ing down and marked it. Not enough to recover. d up to surface and pum	ttom), to (to ttom @ 4. I tagged s 4 sx cem Took to Perforate ped 60 s	p) for each 282'. Flu sand @ 4 ment on s 30,000, ed casing x, pressu	plug set. uid level was 800 1280'. Dropped a and. Put on sub 40,000, 50,000, g @ 800' and pur ured up to 500#.	' from surface. Cadditional 12 sx s to get slips out a 60,000 and got a nped 130 sx 60/4	propped 13 and and let and it took up total of 2	
Plugging Contractor License #	± <u>5399</u>		Name:	Americ	an Energies Co	orporation		
Address 1: 155 North N	Market		Address 2	Suite	710			
City: Wichita				State: KS	3	zip: 67202	+	
Phone: (316) 263-57	785							
Name of Party Responsible for	r Plugging Fees: Ala	n L. DeGood, Preside	ent					
State of Kansas		, ss.						
Alan L. DeGood, Pre		Emp	oloyee of Operator or	Operator on abo	ove-described well,			
being first duly sworn on oath.	(Print Name) says: That I have knowl	edge of the facts statements, a	and matters	herein con	tained, and the log of	the above-described	well is as filed, and	
the same are true and correct		7			J			
Signature:	LH How							

CHEYENNE WELL SERVICE

pom Americas m Facileuscapea		NES	S CITY,	Kanbab 67	7560			
many American Truitenburger						•	Nº	9005
FRUILENBURGER	V TAISER	ies Co	RP.		May	<u> </u>		2011
	*	Well No	s. <u> </u>				L'a_	_ *_ <i>2R</i>
S. PULLE	ED FROM WELL		EQU	IPMENT	./T8.		RAN IN WELL	
			POLIS	HED ROO			NAME OF TAXABLE	
				2006	<u> </u>			
				Y RODS	`- -		<u></u>	
	~~		~	DING		~~~		
				NG SUBS				
				CHOR				
	RECORE	OR RO	D BREA	KS			New()	USED (
ZE & TYPE OF ROD	KMD	F BREAK		NO. OF	RODS DEEP	8128	& TYPE REPL	
			1					CONTA :
und Hole () Replaced With	9pH() Naw ())		UBING FAI r Leak () } 8	ir 	n. Jt. ()	Length (
	Ì		\$128	GOOD	PITTED	BADLY		PRESENT
Condition of:	R	ode		300	PITTED	PITTED	BCALE	PARAFFIN
•		ode						
	Tut	olng]	ļ	
					<u> </u>			
						HR8.	PER HRE	AMOUNT
				UNIT ,		HR8.		TOUND AND A SECOND AND A SECOND A SECON
ORA//	ik Tha		•		~ 3.R			TOUOMA SEE SEE
	GENTA			UNIT OPERATO	± λ Ω DA	HR8.		
	Pruito			OPERATO	± λ Ω DA	HR8.		
1110 Ken 4	Pruito	LARJE		OPERATO	T A R	HR8.		
AND KEW 4	Pruito	LARJE		OPERATO	T A R	HR8.		
6WAB CUPS	Pruito	LARJE		OPERATO	T A R	HR8.		
SAVEN RUBBERS	Pruito	LARJE		OPERATO	T A R	HR8.		
SAVEN RUBBERS	Pruito	LA ASED	045	FLOOR H	부 및 유 DR ANDS YPE	HR8.		
SAVEN RUBBERS	Arwya NO	LALIE USED	ASEP	OPERATO FLOOR H T	PE VOICE	MRS.		
KIRLO KKUS 4	Arwya NO	LALIE USED	ASEP	OPERATO FLOOR H T	부 및 유 DR ANDS YPE	MRS.		
SAVEN RUBBERS O PUMP GS /ER SUB	Arwya NO	LALIE USED	ASEP	OPERATO FLOOR H T	PE VOICE	MRS.		
SAVEN RUBBERS D PUMP GS /ER SUB ERSE CIRCULATOR LING MEAD LING HEAD RUBBES	NO NO	LALIE USED	ASEP	OPERATO FLOOR H T	PE VOICE	MRS.		पुत्र राष्ट
SAVER RUBBERS D PUMP G5 ER SUB ERSE CIRCULATOR LING MEAD	NO NO	LALIE USED	ASEP	OPERATO FLOOR H T	PE VOICE	MRS.		

KCC WICHITA

CHEYENNE WELL SERVICE P.O. Box 884 Phone 785-788-2282 Nº .. 4067 F NESS CITY, KANSAS 67560 ENERGIES CORP. Well No. 1 JTS. PULLED FROM WELL EQUIPMENT RAN IN WELL POLIBHED ROD RODS BOOR YMOR PUMP TUBING PRUB DAIRU MARREL. RECORD OR ROD BREAKS New () USED (BIZE & TYPE OF ROD KIND OF BREAK NO. OF AODS DEEP BIZE & TYPE REPLACEMENT RECORD OF TUBING FAILURE Found Hole () Split () Coller Lask () In. Jt. () Length () Replaced With New () B Grade () Size Length () MILDLY BADLY CHECK IF PRESENT BIZE GOOD PITTER BCALE Roda Visual Condition of: Rode Tubing Remarks 6:30-7:00 Picked UP Chord The CAFW TO locations TICK- L'30 SERVICED & STARTED the Righ RADIN THE SWALL BUTTON SAND & WED, METRIAS OUT. Rig HP TOR CANIAGE AN PUBLICA THE WELL HEAD SLIPS A MANKED THE SASTING TENEDIT To be 2 staged Put the slips OACK in Macked off. Alixed conjust a Ken the desage Railed, Minte 2 Rues & Sumfed 4 5HS, OF CENTENT. Rig dewal Excelenter & Rigar PERFORMENTING SHOT THE CATING. RIG UP GUSIFY & got A KATE. THEY MIXED CEMERIT & ARIMPED INTO THE CASING, The W PRIMITED INTO THE MINETERS AIRE Landrel We Equilment advalled the guplines. Rigged down a docted Y'S RIG TO THE HARD

RECEIVED JUN 04 2010 KCC WICHITA

			23		
			HRG.	PER HRS	AMOUNT
		UNIT	11/2	18500	4255.00
BRASILY MASONER	,	OPERATOR	14 1/2	-	
SERARJO XUMA A BENITO		FLOOR HANDS	11/2-	<u> </u>	
SWAB CUPS	NO. UBED	TYPE			L
			L		
					RECEIV
OIL SAVER RUBBERS			<u> </u>		VECEIA
SAND PUMP			<u> </u>		n a
TONGS					<u>jun</u> 0 4
POWER SUB	PLEAS	SE PAY BY INVOICE			
REVERSE CIRCULATOR	NOSTATE	EMENTWILLBESENT			KCC-WIC
DRILLING HEAD					
DRILLING HEAD RUBBER			<u> </u>		
DIESEL FUEL and PAINT		Wash solvino	-		20.00
		TOTAL TAX			226.58
An	provid by			•	150158



P. O. Box 466

Ness City, KS 67560

Off: 785-798-2300



Invoice

DATE	INVOICE#
5/18/2010	17942

BILL TO

American Energies Corporation 155 North Market Street 710 Market Centre Building Wichita, KS 67202

- Acidizing
- Cement
- Tool Rental

TERMS	Well No	o. Lease	County	Contractor	We	І Туре	We	ell Category	Job Purpose	Operator
Net 30	#1	Freidenberger	Ness	Cheyenne Well Se		Oil		Workover	PTA	Jason
PRICE	RICE REF. DESCRIPTION					QT	Y	UM	UNIT PRICE	AMOUNT
575W 576W-P 290 275 328-4 581W 582W		Mileage - 1 Way Pump Charge - PTA D-Air Cotton Seed Hulls 60/40 Pozmix (4% G Service Charge Ceme Minimum Drayage C Subtotal Sales Tax Ness Cour	ent 'harge nty	NED 14 2010 NICHITA			1 1 2 190	Miles Job Gallon(s) Sack(s) Sacks Each	5.00 750.00 35.00 25.00 9.75 1.50 250.00	75.00T 750.00T 35.00T 50.00T 1,852.50T 420.00T 250.00T 3,432.50 181.92
We A	nnre	ciate Your	Rucinos	ci		<u> </u>		T -4-		<u> </u>

We Appreciate Your Business!

Total

\$3,614.42



CHARGE TO:	March 2000 I don't
	AMERICAN EVERGIES
ADDRESS	
	ir P
CITY, STATE, 2	CIRCODE

TICKET 1794	20102
PAGE 1	OF CO

Serv	nces, Inc.	Ì				į		1	
SERVICE LOCATIONS 1. NESS GET U	WELL/PROJECT NO.		ENBERGER #/	COUNTY/PARISH	STATE KS	Wess Gary		DATE OWN	IER S
3.		NTRACTOR WEYENNE	WELL SERV	RIG NAME/NO.	SHIPPED VIA	LOCATION		ORDER NO.	SEC.
4. REFERRAL LOCATION	WELL TYPE		DODN JOBP	PIA		WELL PERMIT NO.		TE, G W. U	J Duro _
	The solution of the state of th				· .				
PRICE REFERENCE	SECONDARY REFERENCE/ PART NUMBER	LOC ACCT DF		DESCRIPTION		QTY. U/M	QTY. U/M	UNIT PRICE	AMOUNT
075] [] []	# 110			100		- 00	77 00

PRICE	SECONDARY REFERENCE/	L	ACCOUNTING	<u> </u>			1			1	UNIT	
REFERENCE	PART NUMBER	LOC	ACCT	DF	DESCRIPTION	<	QTY.	U/M	QTY.	U/M	PRICE	AMOUNT
575		1		!	MILEAGE \$ 1/0		15	m/L			Sign	75
_576P		1		1 е	Pump CHARGE \$ =	€	•	逐			750	7500
290		1			DAIR SIZ	>	7	944			3519	35 00
275		11	 	!	COTTON SEED HULLS & = 5	3	Z	SKS			2512	50 00
		┦										
		-										
_328-4		11		1	60/40 POZMIX 49/6EL		190	SXS			9 75	1852 50
_581					SERVICE CHARGE CEMENT		280	SKS			1 50	420P
582		1	i		MIVIMUM DRAYAGE		23496	<u>lbs.</u>	17622	Tm	250	250 0
				1	•				<u> </u>		Ì	
												İ
LEGAL TERMS: (Customer hereby acknowledge	es and	anrees to			SURV	/EY	AG	REE UN-	DIS-		

LEGAL TERMS: Customer hereby acknowledges and agrees to the terms and conditions on the reverse side hereof which include, but are not limited to, PAYMENT, RELEASE, INDEMNITY, and LIMITED WARRANTY provisions.

MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO

DATE SIGNED TIME SIGNED

REMIT PAYMENT TO:

SWIFT SERVICES, INC. P.O. BOX 466 NESS CITY, KS 67560 785-798-2300

			i	•					i
SURVEY		EE	UN- DECIDED	DIS-	ΕĪ			_	<u> </u>
OUR EQUIPMENT PERFORMED WITHOUT BREAKDOWN?					\neg	PAGE TOTA	AL	3432	50
WE UNDERSTOOD AND MET YOUR NEEDS?									İ
OUR SERVICE WAS PERFORMED WITHOUT DELAY?					7				<u> </u>
WE OPERATED THE EQUIPMENT AND PERFORMED JOB CALCULATIONS SATISFACTORILY?						TAX .	To	181	92
ARE YOU SATISFIED WITH OUR SE	RVICE		NO		1	TOTAL		2/014	1112

CUSTOMER DID NOT WISH TO RESPOND

CUSTOMER ACCEPTANCE OF MATERIALS AND SERVICES The customer hereby acknowledges receipt of the materials and services listed on this ticket.

SWIFT OPERATOR SMITH AND HOLDER

APPROVAL

A.M.

Thank You!

SWIFT Services, Inc. DATE /8 may/0 PAGE NO. **JOB LOG** FREIDENBERGER B/ JOB TYPE CUSTOMER AMERICAN EUFRGIËS WELL NO. PRESSURE (PSI) VOLUME (BBL) (GAL) PUMPS DESCRIPTION OF (PERATION AND MATERIALS CASING TUBING ON LOCATION 1415 1450 TAKE LUTECTION RATE. 300 1457 MIX CEMENT 80 SKS- Dunp 100 HULLS +13 Bbl cm7 1000 SHUT CASING IN. 34 HEOR TO AUNULUS. MIX CEMETT. (20:KS. 6 2 1527 500 SANT ANNULUS IN WASA TRUCK UP. 1600 JIB Complete 1630 THAUKS #110 JASON, ROGER, WAYNE RECEIVED JUN 0 4 2010 KCC WICHITA RECT MAY 20 2010