

Operator Name: Murfin Drilling Company, Inc. Lease Name: Morgan Trust Well #: 1-21
 Sec. 21 Twp. 5 S. R. 29 East West County: Decatur

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Attach Additional Sheets) Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy) List All E. Logs Run: Dual Induction, Compensated Porosity, Microresistivity	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum SEE ATTACHED LIST
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		8 5/8	24#	242 300	Common	175	3% cc, 2% gel
		CONFIDENTIAL JUN 17 2008		Per CP-23 2/26/08			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

RECEIVED
KANSAS CORPORATION COMMISSION
JUN 18 2008
CONSERVATION DIVISION
WICHITA, KS

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

Morgan Trust #1-21 1100 FNL 1950 FEL Sec. 21-T5S-R29W Decatur County, Kansas 2784' KB							Mumm Brothers #1-26 990 FNL 330 FWL Sec. 26-T5S-R29W 2797' KB	
Formation	Sample top	Datum	Ref	Log tops	Datum	Ref	Log tops	Datum
Anhydrite	2535	+249	-2	2537	+247	-4	2546	+251
B/Anhydrite	2569	+215	-1	2570	+214	-2	2581	+216
Topeka	3678	-894	+5	3674	-890	+9	3696	-899
Heebner	3850	-1066	+7	3853	-1069	+4	3870	-1073
Toronto	3880	-1096	+7	3886	-1102	+1	3900	-1103
Lansing	3895	-1111	+8	3899	-1115	+4	3916	-1119
Stark	4048	-1264	+11	4056	-1272	+3	4072	-1275
BKC	4103	-1319	+4	4106	-1322	+1	4120	-1323
RTD	4175						4220	
LTD				4177			4219	-1422

CONFIDENTIAL

JUN 17 2008

KCC

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 18 2008

CONSERVATION DIVISION
WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

*Jim
Adet*

INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

Invoice Number: 112571
Invoice Date: Feb 25, 2008
Page: 1

Bill To:
Murfin Drg. Co., Inc. 250 N. Water STE #300 Wichita, KS 67202

PRODCOPY

Customer ID	Well Name/# or Customer P.O.	Payment Terms	
Murfin	Morgan Trust #1-21	Net 30 Days	
Sales Rep ID	Camp Location	Service Date	Due Date
	Oakley	Feb 25, 2008	3/26/08

Quantity	Item	Description	Unit Price	Amount
175.00	MAT	Class A Common	14.20	2,485.00
3.00	MAT	Gel	18.75	56.25
6.00	MAT	Chloride	52.45	314.70
184.00	SER	Handling	2.15	395.60
45.00	SER	Mileage 184 sx @ .09 per sk per mi	16.56	745.20
1.00	SER	Surface	917.00	917.00
45.00	SER	Mileage Pump Truck	7.00	315.00
1.00	SER	Manifold & Head Rental	113.00	113.00
1.00	EQP	Plug	68.00	68.00

Account	Unit Rig	NO.	Amount	Description
03600	00840	3090	5593.96 (540.99)	Cement S. Csg.

(OK)

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 540.99

ONLY IF PAID ON OR BEFORE

Mar 26, 2008

Subtotal	5,409.75
Sales Tax	184.21
Total Invoice Amount	5,593.96
Payment/Credit Applied	
TOTAL	5,593.96

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 18 2008

CONSERVATION DIVISION
WICHITA, KS

(540.99)
5052.99

ALLIED CEMENTING CO., INC.

32130

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley, KS
9:00am 9:30pm

DATE 2-19-08	SEC. 21	TWP. S3	RANGE 29W	CALLED OUT	ON LOCATION 9:00pm	JOB START 9:00pm	JOB FINISH 9:30pm
MORGAN Trust LEASE		WELL# 1-21	LOCATION Selden 1st Rd S. 4W		COUNTY Dodge	STATE KS	
OLD OR <u>NEW</u> (Circle one)			1" 2 1/2" - 5' + E. W				

CONTRACTOR Murphy Dals #8 OWNER same

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 242' CEMENT AMOUNT ORDERED 175 com 390cc

CASING SIZE 8 1/8 DEPTH 242' 290cc

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM COMMON 175 @ 14²⁰ 2485⁰⁰

MEAS. LINE SHOE JOINT POZMIX @

CEMENT LEFT IN CSG. 15' GEL 3 @ 18²⁵ 56²⁵

PERFS. CHLORIDE 6 @ 52⁴⁵ 314²⁰

DISPLACEMENT 14.4 bags ASC @

EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy

431 HELPER Kelly

BULK TRUCK

373 DRIVER Darrin

BULK TRUCK DRIVER

CONFIDENTIAL

JUN 17 2008

REMARKS:

Cement did circulate

Plus down @ 9:15pm

Thanks Fuzzy + Crew

CHARGE TO: Murphy Dals Inc

STREET

CITY STATE ZIP

SERVICE

DEPTH OF JOB 242'

PUMP TRUCK CHARGE 917⁰⁰

EXTRA FOOTAGE @

MILEAGE 45 @ 7⁰⁰ 315⁰⁰

MANIFOLD + head @ 113⁰⁰

TOTAL 1345⁰⁰

PLUG & FLOAT EQUIPMENT

1-8 1/8 plug @ 68⁰⁰

TOTAL 68⁰⁰

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Larry Pickner

LARRY PICKNER
PRINTED NAME

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 18 2008

CONSERVATION DIVISION
WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

Fin acct

INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

Invoice Number: 112640
Invoice Date: Feb 27, 2008
Page: 1

Bill To:
Murfin Drig. Co., Inc. 250 N. Water STE #300 Wichita, KS 67202

LPKUU WUT Y

Customer ID	Well Name/# or Customer P.O.	Payment Terms	
Murfin	Morgan Trust #1-21	Net 30 Days	
Sales Rep ID	Camp Location	Service Date	Due Date
	Oakley	Feb 27, 2008	3/28/08

Quantity	Item	Description	Unit Price	Amount
120.00	MAT	Class A Common	14.20	1,704.00
80.00	MAT	Pozmix	7.20	576.00
7.00	MAT	Gel	18.75	131.25
50.00	MAT	Flo Seal	2.25	112.50
209.00	SER	Handling	2.15	449.35
45.00	SER	Mileage 209 sx @.09 per sk per mi	18.81	846.45
1.00	SER	Plug to Abandon	1,075.00	1,075.00
45.00	SER	Mileage Pump Truck	7.00	315.00
1.00	EQP	Dry Hole Plug	40.00	40.00

Account	Fig	No	QTY	AMT	
03600	008	W 3090	5580.27	(524.95)	PTA

OK

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 524.95

ONLY IF PAID ON OR BEFORE

Mar 28, 2008

Subtotal	5,249.55
Sales Tax	330.72
Total Invoice Amount	5,580.27
Payment/Credit Applied	
TOTAL	5,580.27

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 18 2008

CONSERVATION DIVISION
WICHITA, KS

5055.32

ALLIED CEMENTING CO., INC.

32106

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley, Ks

DATE <u>2-26-08</u>	SEC <u>21</u>	TWP <u>5S</u>	RANGE <u>29W</u>	CALLED OUT	ON LOCATION <u>6:30 AM</u>	JOB START <u>9:45 AM</u>	JOB FINISH <u>10:45 AM</u>
LEASE <u>Morgan - Faust</u>	WELL# <u>1-21</u>	LOCATION <u>Seldon 1/2 E - 4N - 1 1/2 W</u>	COUNTY <u>Decatur</u>	STATE <u>Ks</u>			
OLD OR NEW (Circle one) <u>NEW</u>				<u>1/4 S</u>			

CONTRACTOR MurFin Dels Co # 8

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 4175'

CASING SIZE DEPTH

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 X 11 DEPTH 2550'

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER Same

CEMENT AMOUNT ORDERED 200 SKs 6 3/4 per

4% Gel, 1/4# Flo-Seal

EQUIPMENT

PUMP TRUCK CEMENTER Walt

422 HELPER

BULK TRUCK

347 DRIVER Jerry

BULK TRUCK DRIVER

COMMON	<u>120-SKs @ 14.20</u>	<u>1,704.00</u>
POZMIX	<u>80-SKs @ 7.20</u>	<u>576.00</u>
GEL	<u>7-SKs @ 18.25</u>	<u>131.25</u>
CHLORIDE	@	
ASC	@	
<u>Flo-Seal 50#</u>	<u>@ 2.25</u>	<u>112.50</u>
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	<u>209-SKs @ 2.15</u>	<u>449.35</u>
MILEAGE	<u>9¢ per SK mile</u>	<u>846.95</u>
TOTAL		<u>3819.55</u>

CONFIDENTIAL
REMARKS: JUN 17 2008

<u>25 SKs @ 2550'</u>	<u>KCC</u>
<u>100 SKs @ 1800'</u>	
<u>40 SKs @ 300'</u>	
<u>10 SKs @ 40'</u>	
<u>15 SKs in R.H.</u>	
<u>10 SKs in M.H.</u>	

Thank You

SERVICE

DEPTH OF JOB	<u>2550'</u>	
PUMP TRUCK CHARGE		<u>1,075.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>45 miles</u>	<u>@ 7.00</u>	<u>315.00</u>
MANIFOLD	@	
	@	
	@	
TOTAL		<u>1,390.00</u>

CHARGE TO: MurFin Dels Co

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>		
<u>1-DH Plug</u>	@	<u>40.00</u>
	@	
	@	
	@	
	@	
TOTAL		<u>40.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Larry Pickner

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

LARRY PICKNER
PRINTED NAME

RECEIVED
KANSAS CORPORATION COMMISSION
JUN 18 2008
CONSERVATION DIVISION
WICHITA, KS