WELL PLUGGING RECORD

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division

NORTH						•••••
	Lease Owner	The	varter 0	il Co.		<u>-</u>
	Lease Name	U. U.	Eulert	- t D - 3 T-		Well No1
	i i			at Bend, Ka	······	•••••••••••
		_	•			C
i	Date well compl				miamy 5	19.5 19.5
						19.5
						19.5
1 1 1						19.5
						19.9
			ar or product	ag ioimanon	•	••••••
- 1	If a producing	well is abandone	ed, date of la	st productionN	one	19
	Was permission			-		ore plugging was co
Locate well correctly on above Section Plat	menced?			Ye	S	
Tame of Conservation Agent who	supervised plugging of this	s w ell	••••••••••••	Mr	. Eldon Pet	ty
roducing formation OU	hole Dept		Botto	m	Total Depth of V	_{Vell} 33/0' _F
how depth and thickness of all wa	ater, oil and gas formation	ıs.				7
OIL, GAS OR WATER RECO	RDS					CASING RECORD
					<u> </u>	CASING RECORD
Formation	Content	From	То	Size	Put In	Pulled Out
	Dry hall					
	//		-	0.56	3	7.7
				8 5/8"	1731	None
			·			
			-		·-	
	8 5/8"	with mud	fpom from		310° to 171 171° to 170	
	Filled 8 5/8" Reg. B Mud fr	l with mud wood plug ulk Cement	f po m ; from ; (15 sac	33 ks) from	310' to 171 171' to 170 170' to 120 120' to 35	1
	Filled 8 5/8" Reg. B Mud fr	with mud wood plugulk Cement	f po m ; from ; (15 sac	ks) from	310' to 171 171' to 170 170' to 120 120' to 35	
	Filled 8 5/8" Reg. B Mud fr	with mud wood plugulk Cement	f po m ; from ; (15 sac	ks) from	310' to 171 171' to 170 170' to 120 120' to 35	
	Filled 8 5/8" Reg. B Mud fr	with mud wood plugulk Cement om ment (20 s	fpom from (15 sac acks) fr	ks) from	310' to 171 171' to 170 170' to 120 120' to 35	
	Filled 8 5/8" Reg. B Mud fr Reg ce	with mud wood plugulk Cement	fpom ; from ; (15 sac acks) fr	ks) from om	310° to 171 171° to 170 170° to 120 120° to 35 35° to Base	
	Filled 8 5/8" Reg. B Mud fr Reg ce	with mud wood plugulk Cement om ment (20 s	fpom from (15 sac acks) fr	ks) from om this sheet)	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CORREST CONSTITUTE CONS	e of cellar. 4 1951 A 1951 R. Keneze
Correspondence regarding this	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed	with mud wood plugulk Cement com ment (20 s	fpom ; (15 sac acks) fr	ks) from om this sheet)	310° to 171 171° to 170 170° to 120 120° to 35 35° to Base	e of cellar. 4 1951 A 1951 A 1951
Correspondence regarding this	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed	with mud wood plugulk Cement com ment (20 s	fpom ; (15 sac acks) fr acks) fr	ks) from om this sheet)	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CORREST CONSTITUTE CONS	e of cellar. 4 1951 A 1951 A 1951
Correspondence regarding this	Filled 8 5/8" Reg. B Mud fr Reg ce	with mud wood plug ulk Cement com ment (20 s ment (2n s	from (15 sac acks) fr acks) fr	ks) from om this sheet)	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CORREST CONSTITUTE CONS	e of cellar. 4 1951 A 1951 A 1951
Correspondence regarding this	Filled 8 5/8" Reg. B Mud fr Reg ce	with mud wood plug ulk Cement com ment (20 s ment (2n s	from from (15 sac acks) fr acks) fr Acks) fr Backs) fr grusse BACK of arter Oil Backs Barton	ks) from om this sheet)	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONCENT	e of cellar. 4 1951 A 1951 Kanaza
Correspondence regarding this dress. ATE OF Kansas	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed de la countre de l	with mud wood plugulk Cement com ement (20 sement (20 s	from (15 sac acks) fr acks) fr y, use BACK of arter Oil 86 Bend, Ka	ks) from om this sheet) Company ansas	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONCENT CONCENT STATE	e of cellar. A 1951 A 1951 CHASION A shove-described we
Correspondence regarding this ldress. ATE OF Kansas On Maxing first duly sworn on oath, says	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed well should be	with mud wood plug ulk Cement om ment (20 s ment (20 s ment (20 s ment (20 s	from from (15 sac acks) fr acks) fr y, use BACK of arter Oil 66 Bend, Ka Barton bloyee of own atements, an	ks) from om this sheet) Company ansas	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONCENT CONCENT STATE	e of cellar. A 1951 A 1951 CHASION A shove-described we
Correspondence regarding this	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed well well and the should be addressed well well and the should be a	with mud wood plug ulk Cement om ment (20 s	from (15 sac acks) fr acks) fr y, use BACK of arter Oil B6 Bend, Ka Barton cloyee of own satements, an	ks) from om this sheet) Company ansas er) or (owner or of d matters herein	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONTENT CONTENT SINGLE CONTENT CONTENT SINGLE CONTENT CONT	above-described we she log of the above
Correspondence regarding this ldress. ATE OF Kansas On Maxing first duly sworn on oath, says	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed well well and the should be addressed well well and the should be a	with mud wood plug ulk Cement com ment (20 sement (20 s	from (15 sac acks) fr acks) fr y, use BACK of arter Oil B6 Bend, Ka Barton cloyee of own satements, an	this sheet) I Company ansas er) or (owner or d matters herein	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONTINUE ST	e of cellar. A 1951 A 1951 Canaza
Correspondence regarding this ldress. ATE OF Kansas On Maxing first duly sworn on oath, says	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed well well and the should be addressed well well and the should be a	with mud wood plug ulk Cement com ment (20 sement (20 s	from (15 sac acks) fr acks) fr y, use BACK of arter Oil B6 Bend, Ka Barton cloyee of own satements, an	this sheet) I Company ansas er) or (owner or d matters herein	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONCENTE STATE STATE CONCENTE S	e of cellar. 4 1951 A 1951 Canozo above-described welche log of the above
Correspondence regarding this ldress. ATE OF Kansas Do Maxing first duly sworn on oath, says scribed well as filed and that the	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed well well well well well well well we	with mud wood plug ulk Cement om ment (20 s	from (15 sac acks) fr acks) fr y, use BACK of arter Oil B6 Bend, Ka Barton cloyee of own satements, an	this sheet) Company ansas er) or (owner or of matters herein Makau Freat Bend,	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONCENT CONCENT STATE	e of cellar. 4 1951 A 1951 above-described we she log of the above
Correspondence regarding this ldress. ATE OF Kansas On Maxing first duly sworn on oath, says	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed well well well well well well well we	with mud wood plug ulk Cement com ment (20 sement (20 s	from (15 sac acks) fr acks) fr y, use BACK of arter Oil B6 Bend, Ka Barton cloyee of own satements, an	this sheet) Company ansas er) or (owner or of matters herein Makau Freat Bend,	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONCENTE STATE STATE CONCENTE S	e of cellar. 4 1951 A 1951 above-described we the log of the above. Supt.
Correspondence regarding this dress. ATE OF Kansas D. Maxing first duly sworn on oath, says cribed well as filed and that the	Filled 8 5/8" Reg. B Mud fr Reg ce (If additional de well should be addressed well well well well well well well we	with mud wood plug ulk Cement om ment (20 s	from (15 sac acks) fr acks) fr y, use BACK of arter Oil B6 Bend, Ka Barton cloyee of own satements, an	this sheet) Company ansas er) or (owner or of matters herein Makau Freat Bend,	310' to 171 171' to 170 170' to 120 120' to 35 35' to Base STATE CONCENT CONCENT STATE	e of cellar. 4 1951 A 1951 A noneze above-described we the log of the above

THE CARTER OIL COMPANY

O. C. EULERT #1 SE/4 NE/4 SE/4 Sec. 34-11S-15W Russell County, Kansas

WELL LOG

Contractor: J. D. Ferrell Drlg. Co., Inc.

Rotary: 0 - 3310: Elevation: 1776:

Casing Recrod: 173: 8-5/8" 24# casing cemented w/125 sacks bulk cement by HOWCO

Great Bend, Kansas Date Commenced: 12-20-50 Date Completed: 1-6-51


Cellar
Post Rock and Shal
Sand and Shale
Shale and Shells
Sand and Shale
Shale and Shells
Anhydrite
Shale and Shells
Lime
Lime and Shale
Iime
Lime and Shale
Ii.me
Shale
Lime
Shale
Lime and Shale

Total Depth

Geologica	al	T	pe	3		
Anhydrite Lansing Arbuckle Topeka . Heebner. Dodge . Ks. City Arbuckle	e. - I	(s.		iid		 840: 2938: 3260: 2632: 2885: 2907: 2938: 3260:

REGULATION IN	
Q0U288A73	
POPPORTO N	
	SUPPLEMENTAL PROPERTY AND ADDRESS.
THE PLANT OF	The Property of the Park St.
	51
	SELECTION ASSESSMENT OF THE PARTY OF
	CONTRACTOR OF THE PARTY OF THE
	STATISTICS OF THE PARTY OF
	DESCRIPTION OF THE PARTY NAMED IN
	451
	Contract of the Contract of th
	WHEN END LIE
	720
	1301
	of Contract of Contract
	THE RESERVE OF THE PROPERTY.
	The second second
	THE RESERVE THE PARTY OF THE PA
	4251
	The second second
	6001
2 WEST 1	- CALLET # 2
C. STOP 11	STATE OF THE PARTY
	THE RESERVE OF THE PARTY OF
	131 15 W.
	8401
	Whole have
	THE RESIDENCE
	O/ Wa
	8651
	- 1 ma
	16701
	1536173
	The second second
	The state of the s
	18401
ACM/TELEPINE	1-6001111
Jan. 1997 7 (1)	The Cart Control
	19251
	I U U L
	ala / E) *
CONTRACTOR OF THE PARTY OF THE	20851
	10 3 3 C L 4
	F (103)
	The second second
	THE PERSON NAMED IN
	25901
Section Section	75011
	4110
	26601
SEASON DE	200011
CARRY OF THE	2000.
3.50年の大山から	
P. Strong Street	2100
	26701
	26721
	THE PERSON NAMED IN
METAL ASSESSMENT	Control of the last of the last
	29301
	25/5112
	had will
	29401
SECURITY OF STREET	2011111
	6/40
D11795-6446	SECTION SECTION
N. Oak Control	2222
	CALL SECTION OF SECTION
	33101
	MARKET AND THE STREET
1000 MP 12	22200
	33101
	1110
21 Sept 1995	A CONTRACTOR OF THE PARTY OF
DE 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Production Dry Hole Date Commenced 12-30-50 Date Completed 1-6-51





15-167-03873

THE CARTER OIL COMPANY

TULSA 2, OKLAHOMA".

DATE Jan 17, 1951

NAME

SHOW THIS NUMBER ON INVOICE

No. A-124-B

. State of Kansas State Corporation Commission Cons. Div.

• 800 Bitting Building Wichita, Kansas

RENDER ONLY ONE INVOICE IN DUPLICATE FOR EACH ORDER AND MAIL TO:

THE CARTER OIL CO. BOX 801, TULSA 2, OKLA.

AT Box 786 Great Bend, Kan

CARE OF

W. D. Maxwell

F. O. B.

THIS ORDER ACCEPTED BY VENDOR SUBJECT TO INSTRUCTIONS AND CONDITIONS ON REVERSE SIDE.

•			
	QUANTITY	DESCRIPTION OF MATERIAL OR OTHER SERVICE	PRICE:
	QUANTITY	CHARGE: AFR 1357 O. C. Eulert #1 - Aband Invoice # - dated 1-10-51 For services rendered in plugging above location, SE NE SE 34-11-15W, Russell County - File #54-5 FILE 35 7 1/2 55 7	25.00
		STATE CONTOUR 2 3 1951 JAN 2 3 1951 COMPANY AND	

THE CARTER OIL COMPANY
MATERIAL AND TRAFFIC DEPARTMENT
L. E. PATTEN
TULSA 2. OKLAHOMA

MATERIAL AND/OR SERVICES RECEIVED

REPRESENTATIVE

INSTRUCTIONS

- 1. Advise receipt and acceptance of order promptly, stating when shipment will be made.
- 2. Show this order number on Tag, Box, Bill of Lading, Express Receipt and Invoice.
- 3. Transportation charges invoiced must be supported by carrier's original receipted bill.
- 4. Indicate on your invoice Cash Discount Terms.

CONDITIONS

A. WHERE ORDER COVERS PURCHASE OF MATERIAL:

- 1. Carter reserves the right to cancel all or any part of this order if not shipped promptly.
- 2. All material will be subject to our inspection and approval. If rejected, same will be held subject to your instructions, at your risk, and returned at your expense.
- 3. No charge for packing and cartage will be allowed unless agreed to in advance.
- 4. On freight shipments routing specified by Carter shall be used. Otherwise, any extra expense will be charged to shipper. If not otherwise specified ship via cheapest way.
- 5. This order must not be filled without authority from Carter at a higher price than last quoted.
- Carter assumes no responsibility in respect of verbal orders given by employees outside of its Purchasing Department.
- 7: Seller represents and warrants that applicable provisions of the Fair Labor Standards Act of 1938, as amended, have been complied with in respect to the material listed hereon.
- 8. Seller warrants that the use or sale by Carter of materials specified herein will not subject it to charges for patent infringement! it further agrees to hold Carter harmless from any and all claims arising from such charges.
- B. WHERE THIS ORDER COVERS LABOR OR SERVICES TO BE PERFORMED RECIPIENT AGREES AS FOLLOWS:
 - 1. To perform the work specified herein with due diligence according to its own method and at its own risk, it alone having charge and control of all men engaged in carrying out said project, recipient being accountable to Carter only for the completed job.
 - 2. To carry adequate Workmen's Compensation and Liability Insurance sufficient to protect and save both parties harmless and to furnish Carter satisfactory evidence of compliance herewith prior to the commencement of the work provided for in said order.
 - 3. To furnish Carter full and complete release of all labor and materialmen's claims upon completion of the work provided for in said order upon forms to be furnished by Carter.
 - 4. Not to sublet the work covered hereby without the written consent of Carter.
 - 5. To comply with the applicable provisions of the Fair Labor Standards Act of 1938 in performance of work provided for in said order; to comply with and fully accept both State and Federal Unemployment and Social Security Acts and to furnish its number of numbers given pursuant thereto; to pay all contributions or payroll taxes (State or Federal) as to all employees performing work hereunder; and to otherwise comply with the requirements of said Acts and regulations promulgated pursuant thereto, to furnish Carter Certificate or other evidence of compliance with State and Federal laws covering contributions and payment of taxes on payrolls arising in convection with the performance of work hereunder.