ORIGINAL

Form ACO-1 October 2008 Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #33718	API No. 15 - 207-27595-00-00
Name: John C. Mears	Spot Description:
Address 1: 4100 240th Road	NE_SW_NE_SE_Sec. 34 Twp. 26 S. R. 16 East West
Address 2:	1,783 Feet from North / South Line of Section
City: Chanute State: KS Zip: 66720-5399 +	795 Feet from 🗸 East / 🗌 West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-2129	□NE □NW ☑SE □SW
CONTRACTOR: License #_33977	County: Woodson
Name: E.K. Energy, LLC	Lease Name: Shockley-Sizemore Well #: 25
Wellsite Geologist: n/a	Field Name: Buffalo-Vilas
Purchaser: n/a	Producing Formation: Wiser-Squirrel
	Elevation: Ground: 974 ft. Kelly Bushing: n/a
Designate Type of Completion.	Total Depth: 938 ft. Plug Back Total Depth: 913.8 ft.
New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at: 40.4 Feet
✓ Oil SWD SIOW	Multiple Stage Cementing Collar Used? Yes No
Gas ENHR SIGW	If yes, show depth set: Feet
CM (Coal Bed Methane) Temp. Abd.	If Alternate II completion, cement circulated from:surface
Dry Other (Core, WSW, Expl., Cathodic, etc.)	feet depth to: 913.8' w/ 10 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 913.0 W/ 13 3X 3/11.
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: n/a ppm Fluid volume: n/a bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: Drilled with fresh water - air dry
Plug Back:Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
April 13, 2010 April 14, 2010 April 14, 2010	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed will Kansas 67202, within 120 days of the spud date, recompletion, workover or	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information equested in writing and submitted with the form (see rule 82-3-107 for confidenwell report shall be attached with this form. ALL CEMENTING TICKETS MUST form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements herein
Signature: Reg. V) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	KCC Office Use ONLY
Title: Agent for John C. Mears Date: June 2, 2010	Letter of Confidentiality Received
Subscribed and sworn to before me this 2nd pay of June MANN	If Denied, Yes Date:
20 //O	If Denied, Yes Date: Wireline Log Received Geologist Report Received UIC Distribution AH 2 DC 715 0
Notary Public: (anna Manda	UIC Distribution
Date Commission Expires: Thank 162011	AH 2-Dig - 1115/10 400

Operator Name: John C. Mears					Lease Name: Shockley-Sizemore Well #: 25					
Sec. 34 Twp. 26	st 🗌 West	Cou	nty: Woo	dson						
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rates surveyed. Attach final	sed, flowing and shu s if gas to surface te	t-in pres st, along	sures, whether s	hut-in pr	ressure rea	ched static level	, hydrostatic	pressures, bottom h	ole temperature, fluid	
Drill Stem Tests Taken (Attach Additional St	heets)		Yes 📝 No		٧L	og Formatio	on (Top), De _l	pth and Datum	☐ Sample	
Samples Sent to Geolo	ogical Survey		Yes ☑ No		Nam See a	ne attached log		Тор	Datum	
			Yes No Yes No							
List All E. Logs Run:										
Drillers Log										
		Rei	CASING port all strings set-c				tion etc			
Purpose of String	Size Hole Drilled	S	Size Casing let (In O.D.)	V	Veight os. / Ft.	Setting Depth	Type o		Type and Percent Additives	
Surface	9-7/8"	7"	· · · · · · · · · · · · · · · · · · ·			40.4 ft.	Come	8 sxs	Addiaves	
Production	5-5/8"					913.8 ft.		10 sxs		
Purpose			ADDITIONAL	CEMEN	TING / SQL	EEZE RECORD				
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Тур	pe of Cement #Sac		ks Used	Type and Percent Additives				
—— Plug Off Zone										
Shots Per Foot	PERFORATION Specify F	ON RECO	RD - Bridge Plugs Each Interval Perfo	Set/Typorated	e	Acid, Fra	cture, Shot, Ce	ement Squeeze Record	Depth	
		-								
TUBING RECORD:	Size:	Set At	:	Packer	At:	Liner Run:	Yes [] No	· · · · · · · · · · · · · · · · · · ·	
Date of First, Resumed Pr	oduction, SWD or Enh	г.	Producing Metho	od:	Flowing	Pumpir	ıg 🗌 G	as Lift	(Explain)	
Estimated Production Per 24 Hours	Oil B	bis.	Gas M	Acf	Wate	r BI	ols.	Gas-Oil Ratio	Gravity	
DISPOSITION	OF GAS:	T	M	ETHOD C	OF COMPLE	TION:		PRODUCTION	N INTEDVAL.	
Vented Sold	Used on Lease		Open Hole	Perf.	Dually	· · · ·	nmingled		THE I ERVAL:	
(If vented, Submi	it ACO-18.)	1 4	Other (Specify)							

Drillers Log

Company: John Mears

Farm Shockley-sizemore

Well No: 25

API: 15-207-27595-0000

Surface Pipe: 40.4'

Contractor EK Energy LLC

License# 33977

County: Woodson

Twp: 26 Range: 19E Sec 34

1

Location: 1783 FSL

795 FEL Location: Spot: NE-SW-NE-SE

Soil & clay 9 Drilled 9 7/8 Hole set 40.4' 7" cemented 8 sx	Thickness	Formation	Depth	Remarks
115 Shale 161 93 Lime 254 80 Shale 334 Started 4-13-10 188 Lime 522 Finished 4-14-10 86 Shale 608 4 Lime 612 T.D. Hole 938' 20 Shale 632 T.D. Pipe 913.8' 13 Lime 645 3 Sandy sh 661 Bottom jt. 2 7/8 31.4' 63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912		Soil & day	9	Drilled 9 7/8 Hole set 40.4' 7" cemented 8 sx
93 Lime 254 80 Shale 334 Started 4-13-10 188 Lime 522 Fnished 4-14-10 86 Shale 608 4 Lime 612 T.D. Hole 938' 20 Shale 632 T.D. Pipe 913.8' 13 Lime 645 Started 4-14-10 3 Shale 632 T.D. Pipe 913.8' 3 Sandy sh 661 Bottom jt. 2 7/8 31.4' 63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	37	Lime	46	Drilled 5 5/8 Hole
80 Shale 334 Started 4-13-10 188 Lime 522 Finished 4-14-10 86 Shale 608 4 Lime 612 T.D. Hole 938' 20 Shale 632 T.D. Pipe 913.8' 13 Lime 645 Bottom jt. 2 7/8 31.4' 63 Shale 724 759 21 Shale 780 780 20 Lime 800 700 7 Shale 807 700 5 Lime 812 812 49 Shale 861 861 6 Sand 867 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	115	Shale	161	
188 Lime 522 Finished 4-14-10 86 Shale 608 4 Lime 612 T.D. Hole 938' 20 Shale 632 T.D. Pipe 913.8' 13 Lime 645 3 Sandy sh 661 Bottom jt. 27/8 31.4' 63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	93	Lime	254	
86 Shale 608	80	Shale	334	Started 4-13-10
4 Lime 612 T.D. Hole 938' 20 Shale 632 T.D. Pipe 913.8' 13 Lime 645 3 Sandy sh 661 Bottom jt. 2 7/8 31.4' 63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	188	Lime	522	Finished 4-14-10
20 Shale 632 T.D. Pipe 913.8′ 13 Lime 645 3 Sandy sh 661 Bottom jt. 2 7/8 31.4′ 63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	86	Shale	608	
13 Lime 645 3 Sandy sh 661 Bottom jt. 2 7/8 31.4' 63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	4	Lime	612	T.D. Hole 938'
3 Sandy sh 661 Bottom jt. 2 7/8 31.4′ 63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	20	Shale	632	T.D. Pipe 913.8'
63 Shale 724 35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	13	Lime	645	
35 Lime 759 21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	3	Sandy sh	661	Bottom jt. 2 7/8 31.4'
21 Shale 780 20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	63	Shale	724	
20 Lime 800 7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	35	Lime	759	
7 Shale 807 5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	21	Shale	780	
5 Lime 812 49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	20	Lime	800	
49 Shale 861 6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	7	Shale	807	
6 Sand 867 14 Oil sand 881 Best 870-879 11 Sand sh 912	5	Lime	812	
14 Oil sand 881 Best 870-879 11 Sand sh 912	49	Shale	861	
11 Sand sh 912	6	Sand	867	
	14	Oil sand	881	Best 870-879
Shale T.D.	11	Sand sh	912	
		Shale	T.D.	

RECEIVED
JUN 0 3 2010
KCC WICHITA

N. Industrial Rd. Payless Concrete Products, Inc. 9. Box 664 > ola. Kansas 66749 Phone: (620) 365-5588 H-15-10 Woll # 25

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, conclete to be elemented to the featest accessible point over passable foat, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Fallure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

JOHN MEARS 2100 240TH RD./39W TO THOMAS. N 3 MI TO 10TH W 3/4 MI N SD 2 RED GATES/BUFFALO

	· ·			, I.BERWA	E, KS BRIZE		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
(5 A ET . 49 ET)			·	% CAL	- JM	% AIR	
00:17:07n	JEI L	5.25 yd	10.50 vr	<u>0.09</u>	36	0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	€.	34.75 yd.			4	
D4-15-10	Inday	1	5.25 vd	12790		4.00 in	26412
l .	MATERIALO			105 PE 5105	Evenesive Water is Detrimental to Constate Performance		

WARNING

13

ان: زد.

IRRITATING TO THE SKIN AND EYES . Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY

CAUSE BURNS, Avoid Contact With Eves and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON

LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Appreciate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer The driver of this truck in presenting this RELEASE to

you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so

that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED. WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY:

WEIGHMASTER

QUANTITY	CODE	DESCRIPTION					UNIT PRICE	EXTENDED PRICE
			. •	J		4 1	terri	
5. 25	WELL	WELL (10 S	icks	PER UNITY		5.25.	76.60	. 399, 00
2.00	TRUCKING	TRUCKENB C	inne		22	2.00	50.00	1.60,00
		, : : : : : : : : : : : : : : : : : : :		ful.				

. 2	RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED		
	415	2/10	~ ~/_	JOB NOT READY 6. TRUCK BROKE DOWN		ubTotal \$ 499.00	
		27/	·) ·)	2. SLOW POUR OR PINSECENT ACCIDENT 3. TRUCK AHEAD ON THE CENTRE THE N 4. CONTRACTOR BROKE DOWN	T	ax % 6.300 31.44	,
	LEFT PLANT	ARRIVEÓ JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	otal \$ 530.44	. [
	2:32	3.15	320	JUN 0 3 2010		der S 530, 44 Additional Charge 1	
	000		the state of the s	and surprise was the to the second that the second to the second the second to the second the second to the second the second the second to the second the second the second to the second		Promise and September of the second of the s	V
	TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	KCC MICHITA	DELAY TIME	ADDITIONAL CHARGE 2	_
	0.00			NUC WICHITA			
	SHIF		9 - 1		~	GRAND TOTAL	·
	2+1R	·.·				GRAND TOTAL	

802 N. Industrial Rd. P.O. Box 664 Iola. Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road. under truck's own power. Due to delivery at owner's or intermediarys direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for

strength test when water is added at customer's request NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CAMAR CASH CUSTOMER

40000

å

QUANTITY

5.25

JOHN MEARS

ME2/25

4100 240TH RD. /39W TO THOMAS. N 3 MI TO 10TH W 3/4 MI N SD

2 RED GATES/BUFFALO CHANLITE. KS 66720

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	,	DRIVER/TRUCK	.	PLANT/TRANSACTION #
				% CAL	MI.	% AIR	
02:23:22p	MELL 1-4	5. 25 yd	10.50 yd	0.00	32	Ø. 80	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	. 7	40.00 yd				
04-15-10	Today		10.50 yd	12791		4.00 in	25413
WARNING				MAGE RELEASE TO BE MADE INSIDE CURB LINE)	Excessive Water is Detrimental to Concrete Performance		

Dear Customer-The driver of this truck in presenting this RELEASE to

you for your signature is of the opinion that the size and weight of his

you have possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this

the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur

to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so

that he will not litter the public street. Further, as additional considera-

IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be

TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

DESCRIPTION

tion, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

WEIGHMASTER

H₂0 Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY:

GRAND TOTAL

UNIT PRICE EXTENDED PRICE 10.50 399.00 76.00

WELL (10 SACKS PER UNIT)

t25

						_	
Ĺ	RETURNED TO PLANT	/LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED		
1	475.	349	336	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD PROSE 4. PROPRENTION 1. TRUCK AHEAD PROSE 5. TRUCK AHEAD PROSE 6. TRUCK BROKE DOWN 7. ACCIDENT 7. ACCIDENT 7. ACCIDENT 7. ACCIDENT 7. ACCIDENT 8. TRUCK AHEAD PROSE 8. TRUCK BROKE DOWN 9. TRUC		ubTotal \$ ax % 6.300	399. 00 25. 14
	LEFT PLANT	ARRIVED JOB	START UNLOADING	3. TRUCK AHEAD TO THE THE TIMER 4. CONTRACTOR PROTECTION THE	TIME DUE	otal s	484.14
	234	315	320	JUN 13 2010	a de la companya de l	ಗಡೆಲ್ 0 ADDITIONAL CHARGE 1	954.58
- 1	TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
				KCC WICHIA			