	RECEIVED
	DRATION COMMISSION AUG 0 2 2010 Form C-1 March 2010  NSERVATION DIVISION Form must be Typed
SGA? Yes NOTICE OF I  Must be approved by KCC five	NTENT TO DRILL KCC WICH Form must be Signed ve (5) days prior to commencing well as Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date: 08 08 2010	Spot Description:
	N/2 - SE - NE - NW Sec. 28 Twp. 21 S. R. 23 ☐ E ₩W
OPERATOR: License# 31652	feet from N / S Line of Section
Name: Norstar Petroleum Inc. Address 1: 6855 S. Havana St., Suite 250	2,306 feet from E / W Line of Section Is SECTION: Regular Irregular?
Address 1: 6855 S. Havana St., Suite 250 Address 2:	
City: Centennial State: CO Zip; 80112 +	(Note: Locate well on the Section Plat on reverse side)  County: Hodgeman
Contact Person: Clark D. Parrott	Lease Name: Norton Well #: 1-28
Phone: (303) 925-0696	Field Name: Wildcat
CONTRACTOR: License#_ 33575 V	Is this a Prorated / Spaced Field?
Name: WW Drilling, LLC	Target Formation(s). Charokée/Mississippi
Well Drijled For. Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 336
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2354
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Public water supply well within one mile:  Yes  No
Disposal Wildcat Cable  Seismic : # of Holes Other	Depth to bottom of fresh water:180
Other:	Depth to bottom of usable water: _686 700
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I III
	Length of Surface Pipe Planned to be set: 200 ft
Operator:	Length of Conductor Pipe (if any): Projected Total Depth: 4700 ft
Well Name:Original Total Depth:	
Directional, Deviated or Horizontal wellbore?  Yes No f Yes. true vertical depth:	Water Source for Drilling Operations:  Well Searm Pond Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR
(CC DKT #:	─ Will Cores be taken? Yes No
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
t is agreed that the following minimum requirements will be met:	
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each	ch drilling rig;
<ol> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	t by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.
<ol> <li>If the well is dry hole, an agreement between the operator and the dis</li> </ol>	strict office on plug length and placement is necessary prior to plugging:
5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production nine shall be coment	gged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	#133,891-C, which applies to the KCC District 3 area, atternate II cementing
must be completed within 30 days of the spud date or the well shall b	pe plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Date: 7/25/10 Signature of Operator or Agent:	Title: President
	Remember to:
FOR KCC Use ONLY API # 15 - 137-20524-00-00	
741110	Act (KSONA-1) with Intent to Drill;
Conductor pipe requiredfeet	- File Drill Pit Application (form CDP-1) with Intent to Drill;
Minimum surface pipe requiredfeet per ALT I	File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Approved by: 448-6-2010	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>
This authorization expires: 8-6-2011	<ul> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> </ul>
(This authorization void if drilling not started within 12 months of approval date.)	Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)
Soud date: Agent:	please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

\_ Agent: \_

Spud date: \_

For KCC Use ONLY
API # 15 - 137-20524-00-00

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Noisiar Fetroleum Inc.	Location of Well: County: nodgerial
ease: Norton	feet from N / S Line of Section
Vell Number: 1-28	
ield: Wildcat	Sec. 28 Twp. 21 S. R. 23 E 🔀 W
lumber of Acres attributable to well:  2TR/QTR/QTR/QTR of acreage: N/2 - SE - NE - NW	ls Section: X Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
Show location of the well. Show footage to the neares lease roads, tank batteries, pipelines and electrical lines, as n You may attach a	PLAT  st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032), a separate plat if desired.
838 FNL	
	LEGEND
33c	O Well Location Tank Battery Location
	Pipeline Location Electric Line Location Lease Road Location
	EXAMPLE
	1980' FSL
	SEWARD CO. 3390' FFI

## In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# RECEIVED

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 9 2 2010

Form CDP-1 May 2010 Form must be Typed

# APPLICATION FOR SURFACE PIT KCC WICHITA


Submit in Duplicate

Operator Name: Norstar Petroleum Inc.		License Number: 31652		
Operator Address: 6855 S. Havana St., Suite 250		Centennial CO 80112		
Contact Person: Clark D. Parrott			Phone Number: (303) 925-0696	
Lease Name & Well No.: Norton	1-2	28	Pit Location (QQQQ):	
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Eviating	N/2 . SE . NE . NW  Sec. 28 Twp. 21 R. 23 East X West	
Settling Pit X Drilling Pit	X Proposed Existing  If Existing, date constructed:		000	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from North / South Line of Section  2,306 Feet from East / West Line of Section  Hodgeman	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  XYes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?  Natural clays and drilling mud	
Pit dimensions (all but working pits): 80 Length (feet) 80 Width (feet) N/A: Steel Pits				
	om ground level to dea	· · · · · · · · · · · · · · · · · · ·	5 (feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		edures for periodic maintenance and determining ncluding any special monitoring.	
Visual insp		ection, monitor fluid level		
l · · · · · · · · · · · · · · · · · · ·		west fresh water 23 feet.		
1200 feet Depth of water well	Source of infor  feet Depth of water well 42 feet measured		well owner electric log KDWR  over and Haul-Oft Pits ONLY: al utilized in drilling/workover:  Air dry and back fill	
Emergency, Settling and Burn Pits ONLY: Drilling			over and Haul-Off Pits ONLY:	
Producing Formation: Ty		Type of materia	Type of material utilized in drilling/workover: Drilling mud	
Number of producing wells on lease:		Number of working pits to be utilized: 3		
Barrels of fluid produced daily: Abandon		Abandonment i	procedure: Air dry and back fill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must t	pe closed within 365 days of spud date.  my knowledge and belief.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
7/28/10 Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY Liner Steel Pit X RFAC RFAS				
Date Received: 8-2-10 Permit Number: Permit Date: 5-6-10 Lease Inspection: Yes No				



### Pro-Stake LLC

Oil Field & Construction Site Staking P.O. Box 2324



33

<u>с072710-е</u> PLAT NO. Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499

**Norton #1-28** Norstar Petroleum, Inc. LEASE NAME OPERATOR 838' FNL - 2306' FWL Hodgeman County, KS <u> 28</u> <u>23w</u> LOCATION SPOT COUNTY Twp. 2354.3 GR. ELEVATION: 1" =1000' SCALE:\_ **Directions:** From the North side of Jetmore, Ks at the July 27<sup>th</sup>, 2010 intersection of Hwy 156 & Hwy 283 - Now go 6 miles North on DATE STAKED: Hwy 283 - Now go 3 miles East on NE S RD HG - Now go 2 Ben R. MEASURED BY: miles North on NE 221 RD HG to the NE corner of section 28-21s-Gabe Q. DRAWN BY: 23w - Now go 0.5 mile West on NE U RD HG to ingress stake AUTHORIZED BY: Clark P. South into - Now go 838' South through CRP along fence - Now go 335' West through CRP into staked location. This drawing does not constitute a monumented survey or a Final ingress must be verified with land owner or land survey plat This drawing is for construction purposes only Operator ingress stake 20 South into 21 NE U RD HG (gravel) 29 28 27 CRP Norton #1-28 N-S fence is 335.6' (moved loc. 22.0' West of original X-Y's East of staked loc. due to N-S fence & property line East) 838' FNL - 2306' FWL 2354.3' = gr. elev. at staked loc.property line is 335.9 East of staked loc. US NAD 27 KS-S US NAD 83 Lat. = N 38' 12' 06.152208" X = 1610817Y = 561757 $Long = W 99^{\circ} 51' 17.163983"$ ingress stake West into I staked location with 7' wood (painted orange & blue) and t-post Minerals & Surface: Location falls in CRP Gail Norton 620-885-4587 = Home While standing at staked loc, looking 150' 620-253-9876 = Cell North has 0.3' of drop East has 2.7' of drop Tenant: South has 2.0' of rise Dong Ewy 620-623-4987 = phone West has 6.5' of rise NE 221 RD HG (gravel) RECEIVED AUG 6 2 2010 KCC WICHITA 29 28 28

NETRD HG (dirt)

32 | 33

15137-20524-0000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 31652 Name: Norstar Petroleum Inc.	Well Location:  N/2 SE NE NW Sec. 28 Twp. 21 S. R. 23 Eas West
Address 1: 6855 S. Havana St., Suite 250	County: Hodgeman
Address 2:	Lease Name: Norton Well #: 1-28
City Centennial State: CO 7in: 80112	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person: Patsy Botts	
Contact Person: Patsy Botts  Phone: ( 303 ) 925-0696	
Email Address:	
Surface Owner Information: Name: Gail Norton Address 1: 266 Cr E #5  Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, and	cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form leing filed is a Form C-1 or Form CB-1, the plat(s) required by this
	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
I hereby certify that the statements made herein are true and correct to  Date: 7/28// 5 Signature of Operator or Agent:	the best of my knowledge and belief.  Title: President
Date: Signature of Operator of Agent: Signature of Operator of Agent:	RECEIVED

KCC WICHITA

AUG 0 2 2010

Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

August 6, 2010

Norstar Petroleum, Inc. 6855 S. Havana St. Ste 250 Centennial, CO 80112

RE: Drilling Pit Application

Norton Lease Well No. 1-28 NW/4 Sec. 28-21S-23W Hodgeman County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File