

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 8914  
Name: H & C Oil Operating, Inc.  
Address 1: P.O. Box 86  
Address 2: \_\_\_\_\_  
City: Plainville State: KS Zip: 67663 + \_\_\_\_\_  
Contact Person: Charles R. Ramsay  
Phone: (785) 434-7434  
CONTRACTOR: License # 33493  
Name: American Eagle Drilling, LLC  
Wellsite Geologist: Marc Downing  
Purchaser: Coffeyville Resources

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_

<u>1/22/10</u>	<u>1/30/10</u>	<u>4-8-10</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-23609-00-00

Spot Description: \_\_\_\_\_  
NW SE SE SE Sec. 4 Twp. 6 S. R. 24  East  West  
500 Feet from  North /  South Line of Section  
500 Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE     NW     SE     SW

County: Graham

Lease Name: Jamison Well #: 4-1

Field Name: Wildcat

Producing Formation: LKC

Elevation: Ground: 2494 Kelly Bushing: 2499

Total Depth: 3900 Plug Back Total Depth: 3876

Amount of Surface Pipe Set and Cemented at: 274 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: 2064 Feet

If Alternate II completion, cement circulated from: 750

feet depth to: surface w/ 1010 sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Charles R. Ramsay  
Title: President Date: 7-22-10

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: 7/22/10 - 7/22/12
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: Dlg Date: 7/29/10

RECEIVED

JUL 26 2010

KCC WICHITA

Operator Name: H & C Oil Operating, Inc. Lease Name: Jamison Well #: 4-1  
 Sec. 4 Twp. 6 S. R. 24  East  West County: Graham

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run: Borehole compensated sonic log, Dual induction log, microresistivity log, dual compensated porosity, sonic cement bond log, Temperature survey.	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Top Anhydrite</td> <td>2127</td> <td>+372</td> </tr> <tr> <td>Base Anhydrite</td> <td>2160</td> <td>+339</td> </tr> <tr> <td>Topeka</td> <td>3428</td> <td>-929</td> </tr> <tr> <td>Heebner</td> <td>3629</td> <td>-1130</td> </tr> <tr> <td>Toronto</td> <td>3654</td> <td>-1155</td> </tr> <tr> <td>LKC</td> <td>3670</td> <td>-1171</td> </tr> <tr> <td>BKC</td> <td>3856</td> <td>-1357</td> </tr> </table>	Name	Top	Datum	Top Anhydrite	2127	+372	Base Anhydrite	2160	+339	Topeka	3428	-929	Heebner	3629	-1130	Toronto	3654	-1155	LKC	3670	-1171	BKC	3856	-1357
Name	Top	Datum																							
Top Anhydrite	2127	+372																							
Base Anhydrite	2160	+339																							
Topeka	3428	-929																							
Heebner	3629	-1130																							
Toronto	3654	-1155																							
LKC	3670	-1171																							
BKC	3856	-1357																							

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	23#	262	60/40	180	3%CC, 2%GEL
production	7 7/8"	5 1/2"	14#	3897	common	210	10%salt, 2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate	1650-1651	60/40 Posmix	780	60/40 Posmix, 4%gel, 1/4# floseal, 3%c.c.
<input checked="" type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD	750-751	60/40 Posmix	230	60/40 Posmix, 4%gel, 1/4# floseal, 3%c.c.
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 SPF	3784-3787	1300 Gal NE FE	3787
1 SPF	1650	squeeze 780 sacks 60/40	
1 SPF	750	squeeze 230 sacks 60/40	

TUBING RECORD: Size: <u>2 3/8"</u> Set At: <u>3871</u> Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. <u>4/9/10</u>		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____
Estimated Production Per 24 Hours	Oil Bbls. <u>16</u>	Gas Mcf <u>70</u> Water Bbls. _____ Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>3784-3787</u>
---	---	--

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

**RECEIVED**  
**JUL 26 2010**  
**KCC WICHITA**

# ALLIED CEMENTING CO., LLC. 33802

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>1-30-10</u>	SEC. <u>4</u>	TWP. <u>6</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION	JOB START <u>5:00pm</u>	JOB FINISH <u>5:30pm</u>
LEASE <u>Samison</u>	WELL # <u>4-1</u>		LOCATION <u>Hill City 12th Cir</u>	COUNTY <u>Grant</u>	STATE <u>KS</u>		
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>SW 12 W 110</u>				

CONTRACTOR American Eagle  
 TYPE OF JOB Production String  
 HOLE SIZE 7 7/8 T.D.  
 CASING SIZE 5 1/2 DEPTH  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL Port Collar #244 DEPTH 2102  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT 22.02  
 CEMENT LEFT IN CSG. 22.02  
 PERFS.  
 DISPLACEMENT 94 1/2 B/L

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED	<u>210 Cum 10% Salt</u>	
	<u>500 gal WFR-2</u>	<u>206 gal</u>

COMMON	<u>210</u>	@	<u>13.50</u>	<u>2835.00</u>
POZMIX		@		
GEL	<u>4</u>	@	<u>20.25</u>	<u>81.00</u>
CHLORIDE		@		
ASC		@		
	<u>Salt 9</u>	@	<u>21.25</u>	<u>191.25</u>
	<u>WFR-2 500</u>	@	<u>1.10</u>	<u>550.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>210</u>	@	<u>2.25</u>	<u>472.50</u>
MILEAGE	<u>1.0 / 16 mile</u>			<u>945.00</u>
TOTAL				<u>5074.75</u>

EQUIPMENT

PUMP TRUCK CEMENTER Craig  
 # 398 HELPER Glenn  
 BULK TRUCK  
 # 378 DRIVER Alvin  
 BULK TRUCK  
 # DRIVER

REMARKS:  
5 1/2 SET @ 3897  
Insert set @ 3874.98  
Batch 30 SIC - 500 gal WFR-2 - Start  
Cement down casing - clear lines - Displace Plug  
Plug landed 21500 ps. Release pressure by

CHARGE TO: HLC THANKS!  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Rob Wagoner  
 SIGNATURE Rob Wagoner

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>1159.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>45</u>	@ <u>7.00</u> <u>315.00</u>
MANIFOLD	@	
	@	
	@	
TOTAL		<u>1474.00</u>

PLUG & FLOAT EQUIPMENT

<u>5 1/2</u>		
<u>AFV Flow shoe</u>	@	<u>309.00</u>
<u>Port Collar</u>	@	<u>1750.00</u>
<u>2 Baskets</u>	@	<u>166.00</u> <u>332.00</u>
<u>8 Centralizers</u>	@	<u>46.00</u> <u>368.00</u>
<u>Catch Down Assembly</u>	@	<u>238.00</u>
TOTAL		<u>2987.00</u>

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES [scribble]  
 DISCOUNT [scribble] IF PAID IN 30 DAYS

RECEIVED  
 JUL 26 2010  
 KCC WICHITA

# ALLIED CEMENTING CO., LLC. 33757

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell  
~~Greensburg~~

DATE <u>1-22-10</u>	SEC. <u>4</u>	TWP. <u>6</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION	JOB START <u>5:30 pm</u>	JOB FINISH <u>6:00 pm</u>
LEASE <u>Jamison</u>	WELL.# <u>4-1</u>		LOCATION <u>Hill City KS 12 North 7 West</u>			COUNTY <u>Graham</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>1 North 1 West North &amp; West into Rig</u>				

CONTRACTOR American Eagle Rig #3

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 277'

CASING SIZE 8 5/8 23" DEPTH 277'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 16.68 Bbl

OWNER \_\_\_\_\_

CEMENT 180

AMOUNT ORDERED ~~180~~ w/40 3/4 cc 2 1/2 Gal

EQUIPMENT \_\_\_\_\_

PUMP TRUCK CEMENTER John Roberts

# 181 HELPER Galen

BULK TRUCK \_\_\_\_\_

# 410 DRIVER Bon

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>108</u>	@	<u>13.50</u>	<u>1458.00</u>
POZMIX	<u>22</u>	@	<u>7.55</u>	<u>543.60</u>
GEL	<u>3</u>	@	<u>20.25</u>	<u>60.75</u>
CHLORIDE	<u>6</u>	@	<u>51.50</u>	<u>309.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>90</u>	@	<u>2.25</u>	<u>202.50</u>
MILEAGE	<u>110/1k/mile</u>			<u>405.00</u>
TOTAL				<u>2978.85</u>

REMARKS:

Est. Circulation

Mix 180 sk Cement

Displace w/ 16.68 Bbl H2O

Cement Did Circulate!

Thank You!

CHARGE TO: H&C Oil

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB _____			
PUMP TRUCK CHARGE _____			<u>991.00</u>
EXTRA FOOTAGE _____ @ _____			
MILEAGE <u>45</u> @ <u>7.00</u>			<u>315.00</u>
MANIFOLD _____ @ _____			
_____ @ _____			
TOTAL <u>1306.00</u>			

PLUG & FLOAT EQUIPMENT

_____ @ _____		
_____ @ _____		
_____ @ _____		
_____ @ _____		
_____ @ _____		
TOTAL _____		

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_

SIGNATURE Todd P. Munn

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES ~~2978.85~~ \_\_\_\_\_

DISCOUNT ~~\_\_\_\_\_~~ IF PAID IN 30 DAYS

RECEIVED  
JUL 26 2010  
KCC WICHITA

# ALLIED CEMENTING CO., LLC. 041801

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>7/16/10</u>	SEC. <u>1</u>	TWP. <u>1</u>	RANGE <u>11</u>	CALLED OUT	ON LOCATION	JOB START <u>12:30</u>	JOB FINISH <u>1:00pm</u>
LEASE		WELL # <u>1</u>	LOCATION <u>Hickory St. 200' SW 1/4</u>		COUNTY <u>Cherokee</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)			<u>WELLS</u>				

CONTRACTOR Ch...  
 TYPE OF JOB Well Cement  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 5 1/2 DEPTH \_\_\_\_\_  
 TUBING SIZE 2 3/8 DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL Annular DEPTH 2064  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE 1500 SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED 3500 LBS 44# 1/2  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Paul  
 # 518 HELPER Paul  
 BULK TRUCK \_\_\_\_\_  
 # 413 DRIVER Paul  
 BULK TRUCK \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**  
Run cement 2064 feet to 160' depth  
1500' depth to 160' depth  
Displace cement to 160' depth  
Shoe joint pressure in 100' hole run  
on 2 3/8" casing  
WELLS

CHARGE TO: H&C  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

PRINTED NAME \_\_\_\_\_  
 SIGNATURE \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

**RECEIVED**  
**JUL 26 2010**  
**KCC WICHITA**

# ALLIED CEMENTING CO., LLC. 041805

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>7-7-10</u>	SEC <u>4</u>	TWP. <u>14</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION	JOB START <u>5:30 am</u>	JOB FINISH <u>6:00 am</u>
LEASE <u>500000</u>	WELL # <u>41</u>		LOCATION <u>Hilltop 1 1/2 mi. W. Russ 14</u>			COUNTY <u>Wichita</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)			<u>NEW</u>				

CONTRACTOR AKC

TYPE OF JOB 5" 1/2" Cement Plug

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5" DEPTH \_\_\_\_\_

TUBING SIZE 1 1/2" DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 500

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Ken

# 538 HELPER John

BULK TRUCK \_\_\_\_\_

# 423 DRIVER Ken

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

5" 1/2" Cement Plug on 5" casing -  
1 1/2" tubing 150 ft. Sankey 50  
500000 lease 5" 1/2" Sankey 50  
1 1/2" tubing 150 ft. Sankey 50  
1 1/2" tubing 150 ft. Sankey 50

THUDS

CHARGE TO: AKC

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_

SIGNATURE [Signature]

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

**RECEIVED**  
**JUL 26 2010**  
**KCC WICHITA**

# ALLIED CEMENTING CO., LLC. 041806

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>7/20/10</u>	SEC. <u>4</u>	TWP. <u>6</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION	JOB START <u>12:00</u>	JOB FINISH <u>12:30</u>
LEASE <u>Joneson</u>		WELL # <u>4</u>		LOCATION <u>Hill City to COPD 8w 1w</u>		COUNTY <u>Cochran</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>WELL</u>							

CONTRACTOR Ph...us  
 TYPE OF JOB Sp...ce  
 HOLE SIZE 7 1/2 T.D. \_\_\_\_\_  
 CASING SIZE 5 1/2 DEPTH \_\_\_\_\_  
 TUBING SIZE 2 3/8 DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL Jans packer Fire DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT T-6000 C-3RC

OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED 1025 sacks 30% C  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Ph...  
 # 578 HELPER Paul  
 BULK TRUCK \_\_\_\_\_  
 # 410 DRIVER R...  
 BULK TRUCK \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Put in 16,500 lbs. of cement in 5000s tank  
Rice 1 1/2" @ 1200 ft. plus 1000 ft.  
Drill pipe 2 3/8" to 1500 ft. Polaris pressure

**SERVICE**

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

CHARGE TO: HCC  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_  
 SIGNATURE [Signature]

SALES TAX (if Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

**RECEIVED**  
**JUL 26 2010**  
**KCC WICHITA**

# ALLIED CEMENTING CO., LLC. 041809

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 1501

DATE	SEC. <u>4</u>	TWP. <u>6</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Jan 11</u>	WELL# <u>41</u>		LOCATION <u>Hilbert road Bu 12 11110</u>			COUNTY <u>Sevier</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR A

TYPE OF JOB Cementing

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 1/2 DEPTH 1121

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. 50

DISPLACEMENT T. 11110

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 230 6/2004 4/2004 4/2004

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER \_\_\_\_\_

# 50 HELPER \_\_\_\_\_

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Put 200 lbs of cement in 200 lbs bag

How to 200 lbs of cement in 200 lbs bag

open 200 lbs bag of cement and

pour it into 200 lbs bag

Sevier Co. 11110 Bu 12 11110

\_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: 11110

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_

SIGNATURE \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

**RECEIVED**  
**JUL 26 2010**  
**KCC WICHITA**



**H & C Oil Operating, Inc.**  
**P.O. Box 86**  
**Plainville, KS 67663**  
**785-434-7434**

July 22, 2010

Kansas Corporation Commission  
Conservation Division  
130 S. Market-Room 2078  
Wichita, KS 67202


RE: Jamison 4-1  
Sec. 4-6S-24W  
Graham County, KS

Dear Sir/Ms.

In accordance with KCC rules, please keep the enclosed information confidential for one year.

Thank you for your cooperation.

Sincerely,

  
Charles R. Ramsay  
President  
H & C Oil Operating, Inc.

RECEIVED  
JUL 26 2010  
KCC WICHITA

**Deanna Garrison**

---

**From:** Linda Rohr  
**Sent:** Wednesday, July 28, 2010 4:22 PM  
**To:** Deanna Garrison  
**Cc:** Case Morris  
**Subject:** RE: Long string

Hello Deanna,

According to the records I have, the Alternate II date is **07/21/2010**. A worksheet submitted by Pat B. states that on 07/16/2010 160 bbls of drilling mud were pumped in followed by 350 sks cement. NEVER GOT CIRC.  
On 07/19/2010 operator perforated at 1650'. Pumped 80 bbls. of drilling mud, followed by 350 sks. 60/40 pox 4% gel. NEVER GOT CIRC. Allied ticket #41805.  
On 07/21 2010 perforated at 750'. CIRCULATED w/130 sks 60/40 pox 4% gel 3% cc. Allied ticket # 41809.

Hope that this clears it up for you. Linda

P. S. Spud date was 01/22/2010

Ran pipe - 01/29/2010

Case talked to Charlie Ramsey on 06/01/2010; " will file for extension if they need more than 2 weeks for Alt II"

-----Original Message-----

**From:** Deanna Garrison  
**Sent:** Wednesday, July 28, 2010 2:43 PM  
**To:** Linda Rohr  
**Subject:** Long string

Hi Linda,

Can you double check the Long string date on the following well? I just received an aco-1 says it was completed 3 months before the long string was called in.

API# 15-065-23609-00-00  
LEASE NAME: JAMISON 4-1  
LOCATION: 4-6-24W  
GRAHAM COUNTY

THANK YOU!

*Deanna Garrison,  
Research Analyst  
Kansas Corporation Commission  
Conservation Division  
130 S. Market, room 2078  
Wichita, Kansas 67202-3802  
316-337-6209 - Fax - 316-337-6211  
[d.garrison@kcc.ks.gov](mailto:d.garrison@kcc.ks.gov).*

7/29/2010