

CONFIDENTIAL

ORIGINAL

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION**

Form ACO-1
September 1999
Form Must Be Typed

**WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

7/16/10

Operator: License # 33168
Name: WOOLSEY OPERATING COMPANY, LLC
Address: 125 N. Market, Suite 1000
City/State/Zip: Wichita, Kansas 67202
Purchaser: ONEOK / Plains Marketing
Operator Contact Person: Dean Pattison, Operations Manager
Phone: (316) 267-4379 (ext 107)
Contractor: Name: TERRA DRILLING
License: 33843
Wellsite Geologist: Billy G. Klaver

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Exp., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

03/22/2008 04/05/2008 04/30/2008
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 033-21514 0000
County: COMANCHE
NW SE NW NE Sec. 27 Twp. 31 S. R. 17 East West
925 FNL feet from S / (N) (circle one) Line of Section
1895 FEL feet from (E) / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: YOST B, Betty Well #: 1
Field Name: WILMORE
Producing Formation: MISSISSIPPIAN
Elevation: Ground: 1969 Kelly Bushing: 1977
Total Depth: 5080 Plug Back Total Depth: 5058
Amount of Surface Pipe Set and Cemented at 218 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from n/a
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan AIT I NH 9-2-08
(Data must be collected from the Reserve Pit)
Chloride content 26,000 ppm Fluid volume 1800 bbls
Dewatering method used Haul free fluids and allow pits to dry
Location of fluid disposal if hauled offsite:
Operator Name: OIL PRODUCERS INC
Lease Name: RICH C-9 SWD License No.: 8061
Quarter _____ Sec. 22 Twp. 32 S. R. 19 East West
County: COMANCHE Docket No.: D - 28,178

CONFIDENTIAL
JUL 16 2008
KCC

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge

Signature: _____
Title: Dean Pattison, Operations Manager Date: July 16, 2008
Subscribed and sworn to before me this 16th day of July
20 08
Notary Public: Debra K. Clingan
Date Commission Expires: March 27, 2010

DEBRA K. CLINGAN
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 3-27-10

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received **RECEIVED**
UIC Distribution **KANSAS CORPORATION COMMISSION**

JUL 17 2008
CONSERVATION DIVISION
WICHITA, KS

ORIGINAL

CONFIDENTIAL

Side Two

Operator Name: WOOLSEY OPERATING COMPANY, LLC Lease Name: YOST B, Betty Well #: 1
Sec. 27 Twp. 31 S. R. 17 East West County: COMANCHE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
Samples Sent to Geological Survey Yes No
Cores Taken Yes No
Electric Log Run Yes No

List All E. Logs Run:

Compensated Neutron Density PE
Dual Induction
Cement Bond

Table with columns: Log, Formation (Top), Depth and Datum, Sample. Rows include Chase, Toronto, Douglas, Swope, Hertha, Mississippian, RTD with corresponding depths and datums.


CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set, Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Includes Surface and Production rows.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD table with columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth. Includes rows for Mississippiian formations.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run, Date of First Resumerd Production, Producing Method, Estimated Production Per 24 Hours.

Disposition of Gas METHOD OF COMPLETION Production Interval
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other (Specify) 4916' - 4977' OA



ALLIED CEMENTING CO., LLC. 31242

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
MEDICINE LODGE
SAT. SUN.

| DATE | SEC. | TWP. | RANGE | CALLED OUT | ON LOCATION | JOB START | JOB FINISH |
|---|--------|----------------------------------|-------|------------|-------------|-----------|------------|
| 3-22-08 | 22 | 31 S | 17 W | 5:30 pm | 7:30 pm | 1:00 am | 1:45 am |
| LEASE | WELL # | LOCATION | | COUNTY | STATE | | |
| BETTY POST | D-1 | 1604 OLD WILMORE RD, 3 NORTH | | COMANCHE | KS | | |
| OLD OR <input checked="" type="checkbox"/> NEW (Circle one) | | 2 1/2 EAST THRU C.G., SOUTH INTO | | | | | |

| | | |
|---|-------------------------|--|
| CONTRACTOR <u>TERNA #1</u> | | OWNER <u>WOODSET OPERATING</u> |
| TYPE OF JOB <u>SURFACE CASING</u> | | CEMENT |
| HOLE SIZE <u>14 3/4"</u> | T.D. <u>220'</u> | AMOUNT ORDERED <u>250 SK CLASS A + 39 cc + 2% GEL.</u> |
| CASING SIZE <u>10 3/4"</u> | DEPTH <u>218'</u> | |
| TUBING SIZE | DEPTH | |
| DRILL PIPE <u>4 1/2"</u> | DEPTH | |
| TOOL | DEPTH | |
| PRES. MAX <u>500</u> | MINIMUM <u>100</u> | COMMON <u>250 A</u> @ <u>14.20</u> <u>3550.00</u> |
| MEAS. LINE | SHOE JOINT <u>15'</u> | POZMIX @ |
| CEMENT LEFT IN CSG. <u>15'</u> | | GEL <u>5</u> @ <u>18.75</u> <u>93.75</u> |
| PERFS. | | CHLORIDE <u>9</u> @ <u>52.45</u> <u>472.05</u> |
| DISPLACEMENT <u>20 gal. FRESH WATER</u> | | ASC @ |
| EQUIPMENT | | |
| PUMP TRUCK | CEMENTER <u>BILL M.</u> | |
| # <u>360</u> | HELPER <u>GREG K.</u> | |
| BULK TRUCK | | |
| # <u>364</u> | DRIVER <u>HEATH M.</u> | |
| BULK TRUCK | | |
| # | DRIVER | |

CONFIDENTIAL
JUL 16 2008

REMARKS: **KCC**
PIPE ON BOTTOM, BREAK CIRCULATION, PUMP PRE-FLUSH, PUMP 250 SK CLASS A + 39 cc + 2% GEL, SWITCH TO DISPLACEMENT, DISPLACE WITH 20 gal. FRESH WATER, STOP PUMPS, SHUT IN, CIRCULATE CEMENT.

| | | |
|--------------------------------|---------------|----------------|
| HANDLING <u>264</u> | @ <u>2.15</u> | <u>567.60</u> |
| MILEAGE <u>35 x 264 x 1.09</u> | | <u>831.60</u> |
| TOTAL | | <u>5515.00</u> |

CHARGE TO: WOODSET OPERATING

STREET _____

CITY _____ STATE _____ ZIP _____

| SERVICE | | |
|---------------------------------|--|----------------|
| DEPTH OF JOB <u>218'</u> | | |
| PUMP TRUCK CHARGE | | <u>917.00</u> |
| EXTRA FOOTAGE @ | | |
| MILEAGE <u>35</u> @ <u>7.00</u> | | <u>245.00</u> |
| MANIFOLD @ | | |
| | | |
| TOTAL | | <u>1162.00</u> |

RECEIVED
KANSAS CORPORATION COMMISSION

To Allied Cementing Co., LLC. **JUL 17 2008**
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist contractor to do work as is listed. The work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

| PLUG & FLOAT EQUIPMENT | | |
|------------------------|---|--|
| | @ | |
| | @ | |
| | @ | |
| | @ | |
| TOTAL | | |

PRINTED NAME MIKE THALP

SIGNATURE [Signature]

SALES TAX (If Any) _____

TOTAL CHARGES [Crossed out]

DISCOUNT [Crossed out] IF PAID IN 30 DAYS

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING

ALLIED CEMENTING CO., LLC. 31438

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Medicine Lodge, KS

| | | | | | | | |
|------------------------------------|-------------------|---|------------------------|--------------------------|---------------------------|--------------------------|---------------------------|
| DATE <u>26 APR 08</u> | SEC <u>22</u> | TWP <u>31s</u> | RANGE <u>17w</u> | CALLED OUT <u>5:00PM</u> | ON LOCATION <u>7:30PM</u> | JOB START <u>4:00 AM</u> | JOB FINISH <u>4:40 AM</u> |
| LEASE <u>Betty Yost</u> | WELL # <u>B-1</u> | LOCATION <u>1604 Wilmore Rd., 3N, 2 1/2</u> | COUNTY <u>Comanche</u> | STATE <u>KS</u> | | | |
| OLD OR NEW (Circle one) <u>NEW</u> | | | <u>E, S into</u> | | | | |

CONTRACTOR Terra #1 OWNER Woolsey

TYPE OF JOB Production casing

| | |
|---|-----------------------|
| HOLE SIZE <u>7 7/8</u> | T.D. <u>5080</u> |
| CASING SIZE <u>4 1/2</u> | DEPTH <u>5089</u> |
| TUBING SIZE | DEPTH |
| DRILL PIPE | DEPTH |
| TOOL | DEPTH |
| PRES. MAX <u>1400</u> | MINIMUM <u>—</u> |
| MEAS. LINE | SHOE JOINT <u>20'</u> |
| CEMENT LEFT IN CSG. <u>20'</u> | |
| PERFS. | |
| DISPLACEMENT <u>80% Bbls 2% KCL Water</u> | |

CEMENT

AMOUNT ORDERED 75sx60:40:4 + 1/4" Fb- Seal AND 100sx"4" + 10% gyp + 10% salt + 6" Kalscal + 1/4" Floscal + 8% FC-160 AND 8 gals Clapro

| | | | | |
|-----------------------|-----------------------|---|--------------|----------------|
| COMMON | <u>45 A</u> | @ | <u>14.20</u> | <u>639.00</u> |
| POZMIX | <u>30</u> | @ | <u>7.20</u> | <u>216.00</u> |
| GEL | <u>3</u> | @ | <u>18.75</u> | <u>56.25</u> |
| CHLORIDE | | @ | | |
| ASC | | @ | | |
| <u>100 H</u> | | @ | <u>15.10</u> | <u>1510.00</u> |
| <u>Flo seal 44 #</u> | | @ | <u>2.25</u> | <u>99.00</u> |
| <u>Salt 11</u> | | @ | <u>10.80</u> | <u>118.80</u> |
| <u>Kal Seal 600 #</u> | | @ | <u>.80</u> | <u>480.00</u> |
| <u>Gyp seal 6 10</u> | | @ | <u>26.30</u> | <u>263.00</u> |
| <u>FL-160 75 #</u> | | @ | <u>12.00</u> | <u>900.00</u> |
| <u>Clapro 8 gal</u> | | @ | <u>28.15</u> | <u>225.20</u> |
| HANDLING | <u>215</u> | @ | <u>2.15</u> | <u>462.25</u> |
| MILEAGE | <u>35 x 215 x .09</u> | | | <u>677.25</u> |
| TOTAL | | | | <u>5646.75</u> |

EQUIPMENT

| | |
|-------------------------|--------------------------|
| PUMP TRUCK # <u>352</u> | CEMENTER <u>D. Felix</u> |
| | HELPER <u>M. Becker</u> |
| BULK TRUCK # <u>364</u> | DRIVER <u>N. Dyche</u> |
| BULK TRUCK # | DRIVER |

CONFIDENTIAL
JUL 16 2008

REMARKS:

Pipe on Bttm, Break Circ, Plug Rat. of Missouri hole w/ 25sx cement, Pump 50sx Scavenger Cement, Mix 100sx tail Cement, Stop Pump, Wash Pump & Lines, Release Plug, Start Disp. w/ 2 1/2 KCL Water, Recip. Pipe, See Steady increase in Lift PST, Stop Recip. Pipe, Slow Rate Bump Plug at 80% Bbls total Disp, Release PST, Floats Did Hold

SERVICE

| | | | | |
|-------------------|-------------------|---|-----------------------------|----------------|
| DEPTH OF JOB | <u>5089</u> | | | |
| PUMP TRUCK CHARGE | | | <u>2070.00</u> | |
| EXTRA FOOTAGE | | @ | | |
| MILEAGE | <u>35</u> | @ | <u>7.00</u> <u>245.00</u> | |
| MANIFOLD | <u>headrental</u> | @ | <u>113.00</u> <u>113.00</u> | |
| | | @ | | |
| | | @ | | |
| TOTAL | | | | <u>2428.00</u> |

CHARGE TO: Woolsey Oper. LLC

STREET _____

CITY _____ STATE RECEIVED ZIP _____

KANSAS CORPORATION COMMISSION

JUL 17 2008 4 1/2"

To Allied Cementing Corporation
WICHITA, KS

CONSERVATION DIVISION

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

| | | | | |
|---------------------------------|---|---------------|---------------|----------------|
| <u>1- AFV Float Shoe</u> | @ | <u>434.00</u> | <u>434.00</u> | |
| <u>1- Latch down Plug Assy.</u> | @ | <u>405.00</u> | <u>405.00</u> | |
| <u>9- top ball valves</u> | @ | <u>68.00</u> | <u>612.00</u> | |
| <u>12- Recip. Scrubbers</u> | @ | <u>68.00</u> | <u>816.00</u> | |
| | @ | | | |
| TOTAL | | | | <u>2267.00</u> |

PRINTED NAME Allen F. Dick

SIGNATURE [Signature]

SALES TAX (If Any) _____

TOTAL CHARGES [Crossed out]

DISCOUNT [Crossed out] IF PAID IN 30 DAYS

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING