### RECEIVED JUL 3 U 20 ORIGIN

## Kansas Corporation Commission Oil & Gas Conservation Division

KCC WICHITAprm Must Be Typed
Form must be Signed
All blanks must be Filled

### **WELL COMPLETION FORM**

WELL HISTORY - DESCRI	
OPERATOR: License # 3728	API No. 15
Name: Roger Kent dba R J Enterprises	Spot Description:
Address 1: _ 22082 NE Neosho Road	NE_SW_NE_NE_Sec. 10 Twp. 24 S. R. 21 ▼ East West
Address 2:	4,455 Feet from North / South Line of Section
City: Garnett State: KS Zip: 66032 + 1918	905 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 785 ) 448-6995 or 448-7725	□NE □NW ☑SE □SW
CONTRACTOR: License #_3728	County: Allen
Name: Roger Kent dba R J Enterprises	Lease Name: Norman Unit Well #: 4-S
	Field Name: Davis-Bronson
Wellsite Geologist: n/a	Producing Formation: Bartlesville
Purchaser:n/a	Elevation: Ground: 1031 ft. Kelly Bushing:n/a
Designate Type of Completion:	Total Depth: 726 ft. Plug Back Total Depth: 719.7 ft.
✓ New Well Re-Entry Workover	
✓ oil  wsw swd slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)  Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: surface
	feet depth to: 719.7 ft. w/ 85 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R
☐ GSW Permit #:	County: Permit #:
March 18, 2010 March 19, 2010 March 19, 2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or or of side two of this form will be held confidential for a period of 12 months if rec	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidence report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complied	regu- d with
and the statements herein are complete and correct to the best of my knowledge	
_	I I I I CONTIDENTIAL MOIOSES LISTO'

anna Thanda Signature: ( Date: July 29, 2010 Title: Agent

KCC Office Use ONLY					
<b>☑</b> Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
☐ UIC Distribution					
ALT   I   III   Approved by: 10   Date: 20   10   10					

Operator Name: Roger Kent dba R J Enterprises		Lease Name: Norman Unit Well #: 4-S					<del>,</del>			
Sec. 10 Twp.24	<u>,</u> s. R. <u>21</u>	✓ East	West	County	Allen	· · · · · · · · · · · · · · · · · · ·				
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.										
Drill Stem Tests Taken		Ye	s 🗸 No		<b>√</b> Lo	og Formatio	on (Top), Depth	and Datum		Sample
(Attach Additional Sheets)  Samples Sent to Geological Survey ☐ Yes ✓ No			Name See attached log			Top Datum		) Datum		
Cores Taken  Electric Log Run  Electric Log Submitted Electronically  (If no, Submit Copy)			See al	lacited log				\$		
List All E. Logs Run: Gamma Ray/N	leutron/CCL									1.00
		Pono		RECORD	✓ Ne		tion etc			
Purpose of String	Size Hole Drilled	Report all strings set-cond Size Casing Set (In O.D.)		Wei	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent additives
Surface		7"				20'	Oil Well		Kol Seal	
Production		2-7/8"	7/8"			719.7'	Oil Well	85	S-5 G	el/Bentonite
									Cotton	seed Hulls
			ADDITIONAL	CEMENTI	NG / SQI	JEEZE RECORI	)			"
Purpose: Depth Type of Cement		# Sacks Used		Type and Percent Additives						
Plug Off Zone										
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
21 perfs 628.0 - 638.0 ft.										
21 perfs	21 perfs 639.0 - 649.0 ft.									
21 perfs	662.0 - 672.0 ft.									A
TUBING RECORD:	Size:	Set At:		Packer A	At:	Liner Run:				
	<u> </u>		I				Yes	No		-
Date of First, Resumed Production, SWD or ENHR.  Producing Method:  Flowing Pumping Gas Lift Other (Explain)										
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wa	ter	Bbls.	Gas-Oil Ratio		Gravity
DISPOSITI	ION OF GAS:			METHOD O	F COMPL	ETION:		PRODUC	CTION INTER	RVAL:
□ Vented     □ Sold     □ Used on Lease     □ Open Hole     □ Perf.     □ Dually Comp.     □ Commingled       (Submit ACO-5)     (Submit ACO-4)										
(If vented, Submit ACO-18.) Other (Specify)										

#### RECEIVED



# REMIT TO Consolidated Oil Well Services, 以(CC

JUL 3 0 2010

Main Office P.O. Box 884

Chanute, KS 66720 WIG4417 9210 • 1-800/467-8676 FAX 620/431-0012

Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

R. J. ENTERPRISE % ROGER KENT 22082 NE NEOSHO RD GARNETT KS 66032 (785)448-6995 NORMAN 4-5 S 24066 03-19-10

Part Number Description Qty Unit Price Tota 1126 OIL WELL CEMENT 16.5000 1402.5 1110A KOL SEAL (50# BAG) 340.00 .4000 136.( 1118A S-5 GEL/ BENTONITE (50#) .1700 200.00 34.( 1105 COTTONSEED HULLS 25.00 .3800 9.! 4402 2 1/2" RUBBER PLUG 2.00 23.0000 46.( Description Hours Unit Price Tota

 463
 CEMENT PUMP
 1.00
 900.00
 900.0

 463
 EQUIPMENT MILEAGE (ONE WAY)
 60.00
 3.55
 213.0

 479
 TON MILEAGE DELIVERY
 280.20
 1.20
 336.2

Parts: 1628.00 Freight: .00 Tax: 102.57 AR 3179.8

Labor: .00 Misc: .00 Total: 3179.81
Sublt: .00 Supplies: .00 Change: .00

Signed\_\_\_\_\_\_Date\_\_\_\_

BARTLESVILLE, OK 918/338-0808 316/32

ELDORADO, KS EUREKA, KS 316/322-7022 620/583-7664

GILLETTE, WY 307/686-4914 McALESTER, OK 918/426-7667 Ottawa, Ks 785/242-4044 THAYER, Ks 620/839-5269

WORLAND, WY 307/347-4577

RECEIVED
JUL 3 0 2010

### R. J. Enterprises 22082 NE Neosho Rd Garnett, KS 66032

## KCC WICHITA

#### Norman Unit 4-S

				Start 3-18-10
				Finish 3-19-10
1	soil	1		
4	sandstone	5		
120	lime	125		
164	shale	289		
20	lime	309		
68	shale	377		
28	lime	405		
42	shale	447		set 20' 7"
16	lime	463		ran 719.7' 2 7/8
10	shale	473		consolidated cemented
6	lime	479		to surface
94	shale	573		
3	lime	576		
44	shale	620		
8	sandy shale	628		
11	bk sand	639	good show	
5	oil sand	644	good show	
1	shale	645	-	
6	oil sand	651	good show	
9	oil sand	660	water	
12	oil sand	672	good show	
16	dk sand	688	show	
38	shale	726	T.D.	