

RECEIVED  
JUL 30 2010 ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

KCC WICHITA

Form ACO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3728  
Name: Roger Kent dba R J Enterprises  
Address 1: 22082 NE Neosho Road  
Address 2: \_\_\_\_\_  
City: Garnett State: KS Zip: 66032 + 1918  
Contact Person: Roger Kent  
Phone: ( 785 ) 448-6995 or 448-7725  
CONTRACTOR: License # 3728  
Name: Roger Kent dba R J Enterprises  
Wellsite Geologist: n/a  
Purchaser: n/a

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_  
April 15, 2010    April 19, 2010    April 19, 2010  
Spud Date or    Date Reached TD    Completion Date or  
Recompletion Date       Recompletion Date

API No. 15 - 001-29992-00-00  
Spot Description: \_\_\_\_\_  
SEC. SE SE NE Sec. 10 Twp. 24 S. R. 21  East  West  
2,940 Feet from  North /  South Line of Section  
270 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW  
County: Allen  
Lease Name: Norman Unit Well #: 14-S  
Field Name: Davis-Bronson  
Producing Formation: Bartlesville  
Elevation: Ground: 1051 ft. Kelly Bushing: n/a  
Total Depth: 725 ft. Plug Back Total Depth: 719.5 ft.  
Amount of Surface Pipe Set and Cemented at: 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: surface  
feet depth to: 719.5 ft. w/ 85 sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: Drilled with fresh water - air dry  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

**AFFIDAVIT**  
I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.  
Signature: Donna Shanda  
Title: Agent Date: July 29, 2010

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: Dg Date: 8/6/10

Operator Name: Roger Kent dba R J Enterprises Lease Name: Norman Unit Well #: 14-S  
 Sec. 10 Twp. 24 S. R. 21  East  West County: Allen

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach Additional Sheets)  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (If no, Submit Copy)  List All E. Logs Run: <b>Gamma Ray/Neutron/CCL</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum See attached log
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		7"		20'	Oil Well		Kol Seal
Production		2-7/8"		719.5'	Oil Well	85	S-5 Gel/Bentonite
							Cottonseed hulls

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
21 perfs	649.0 - 659.0 ft.		
21 perfs	662.0 - 672.0 ft.		
21 perfs	675.0 - 685.0 ft.		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
---	---

Date of First, Resumed Production, SWD or ENHR. _____	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____
---	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole, <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. (Submit ACO-5) <input type="checkbox"/> Commingled (Submit ACO-4) <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	--



**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

MAIN OFFICE  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
FAX 620/431-0012

INVOICE

Invoice # 2338

Invoice Date: 04/20/2010 Terms: 0/30,n/30

Page

R. J. ENTERPRISE  
% ROGER KENT  
22082 NE NEOSHO RD  
GARNETT KS 66032  
(785) 448-6995

*117,644.61*

NORMAN UNIT 14-~~9~~5  
24365  
04-19-10

RECEIVED  
JUL 30 2010  
KCC WICHITA

Part Number	Description	Qty	Unit Price	Tot
1126	OIL WELL CEMENT	85.00	16.5000	1402.
1110A	KOL SEAL (50# BAG)	340.00	.4000	136.
1118A	S-5 GEL/ BENTONITE (50#)	200.00	.1700	34.
1105	COTTONSEED HULLS	25.00	.3800	9.
4402	2 1/2" RUBBER PLUG	2.00	23.0000	46.
1123	CITY WATER	3000.00	.0145	43.

  

Description	Hours	Unit Price	Tot
437 80 BBL VACUUM TRUCK (CEMENT)	4.00	96.00	384.
485 CEMENT PUMP (SURFACE)	1.00	700.00	700.
515 TON MILEAGE DELIVERY	280.20	1.20	336.

Parts:	1671.50	Freight:	.00	Tax:	105.31	AR	3197.
Labor:	.00	Misc:	.00	Total:	3197.05		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed \_\_\_\_\_ Date \_\_\_\_\_

RECEIVED  
JUL 30 2010  
KCC WICHITA

R. J. Enterprises  
22082 NE Neosho Rd  
Garnett, KS 66032

### Norman Unit 14-S

Start 4-15-10

Finish 4-19-10

2	soil	2	
5	sandstone	7	
126	lime	133	
161	shale	294	
23	lime	317	
72	shale	389	
29	lime	418	
43	shale	461	
19	lime	480	
7	shale	487	
7	lime	494	
96	shale	590	
3	lime	593	
37	shale	630	
7	sandy shale	637	
13	bk sand	650	good show
11	oil sand	661	good show
2	oil sand	663	water
20	oil sand	683	good show
8	dk sand	691	
26	shale	725	T.D.

set 20' 7"  
ran 719.5' 2 7/8  
consolidated cemented  
to surface