



Side TWO

OPERATOR Baker Oil Operations, Inc. LEASE NAME Chesney SEC 17 TWP9 sRGE 16 (W)  
WELL NO 1

FILL IN WELL INFORMATION AS REQUIRED;

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

Show Geological markers, logs run, or other Descriptive information.

Formation description, contents, etc.	Top	Bottom	Name	Depth
<p>X Check if no Drill Stem Tests Run.                      Check if samples sent Geological Survey.</p>				
<p>Washdown - No samples available</p>				
Anhydrite	+823			
Topeka	-921			
Heebner	-1156			
Toronto	-1178			
Lansing	-1198			
B/KC	-1446			
Marmaton	-1462			
Conglomerate	-1504			
LTD	-1549			

If additional space is needed use Page 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface		85/8"	24#	979'		400sx	
Production	7 7/8"	5 1/2"	14#	3399		200sx	none

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
Record Attached					

TUBING RECORD

Size	Setting depth	Packer set at
2 7/8"	3450'	

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Record Attached	

Date of first production	Producing method (flowing, pumping, gas lift, etc.)	Gravity
Estimated Production-I.P.	Oil bbls.	Gas MCF
Disposition of gas (vented, used on lease or sold)	Water %	Gas-oil ratio bbls. CFPP

Perforations

Phone 913-483-2627, Russell, Kansas

Phone Plainville 913-434-2812

Phone 316-793-5861, Great Bend, Kansas

Phone Ness City 913-798-3843

15-051-01008-0001

# ALLIED CEMENTING CO., INC.

No. 692

Home Office P. O. Box 31

Russell, Kansas 67685

Date	11-29-87	Sec	17	Twp	11	Range	16	Called Out	11:00 AM	On Location		Job Start		Finish	12:15 PM
Lease	Chesney	Well No.	50D	Location	Carroll + A+H 3E 2S	County	ELLIS	State	KAN						
Contractor															
Type Job	OIL Adh. Plug														
Hole Size	T.D.														
Csg.	Depth														
Tbg. Size	Depth														
Drill Pipe	Depth														
Tool	Depth														
Cement Left in Csg.	Shoe Joint														
Press Max.	500	Minimum 300													
Meas Line	Displace														
Perf.															

Owner  
To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed.

Charge To: V. F. FURBIS, Wichita

Street: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. \_\_\_\_\_

CEMENT

### EQUIPMENT

Pumptrk	No. 177	Cementer	Walt
		Helper	Walt
Pumptrk	No.	Cementer	
		Helper	
Bulktrk	150	Driver	Scott
Bulktrk		Driver	

Amount Ordered	175 SKS AT 1, 5 SKs Hill
Consisting of	
Common	
Por. Mix	
Chloride	
Quickset	
Handling	25 d per SK
Sub Total	
Total	

DEPTH of Job	
Reference	Pump tracks
	1.00 per minute
Sub Total	

Remarks: mixed 5 sacks with 400 psi cement  
@ 500 PSI, Shut in @ 300

DEC 1 1987  
Thank You  
CONSERVATION DIVISION  
Wichita, Kansas

Chesney #1 (OWWO) NW SW NE, 17-11s-16w, Ellis County, Kansas

PERFORATION RECORD

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

shots/ft size/type

amount & type material depth interval

one	SSB	1500 gal 28% HCL	3272-3282
one	SSB	1000 " " "	3202-3207
one	SSB	2000 gal 28% HCL	3166-3177 &
one	SSB		3147-3153
one	SSB	1000 gal 28% HCL	3078-3082
one	SSB	" " " "	2986-2982
one	SSB	1000 gal 28% HCL	2967-2972
one	SSB	" " " "	2920-2928
one	SSB	1000 gal 28% HCL	2739-2746

RECEIVED  
STATE CORPORATE COMMISSION

SEP 11 1991

CONSERVATION DIVISION  
Wichita, Kansas