

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

7/01/10

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 30606
Name: Murfin Drilling Company, Inc.
Address: 250 N. Water, Suite 300
City/State/Zip: Wichita, Kansas 67202
Purchaser: Eaglwing
Operator Contact Person: Leon Rodak
Phone: (316) 267-3241
Contractor: Name: Murfin Drilling Company, Inc.
License: 30606
Wellsite Geologist: Kevin Davis

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SLOW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows.

Operator: KCC
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>03/03/08</u>	<u>03/11/08</u>	<u>03/12/08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 153-20857-00-00
County: Rawlins
SE NW NE SW Sec. 02 Twp. 02 S. R. 35 East West
2250 FSL feet from S / N (circle one) Line of Section
1880 FWL feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Pamanna Well #: 1-2
Field Name: Wildcat
Producing Formation: None
Elevation: Ground: 3220 Kelly Bushing: 3225
Total Depth: 4882 Plug Back Total Depth: None
Amount of Surface Pipe Set and Cemented at 305 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan PAUY 7-19-10
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Leon Rodak
Title: Leon Rodak, VP Production Date: 07/01/08
Subscribed and sworn to before me this 1st day of July
2008
Notary Public: [Signature]
Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
JUL 03 2008

Operator Name: Murfin Drilling Company, Inc. Lease Name: Pamanna Well #: 1-2
 Sec. 02 Twp. 02 S. R. 35 East West County: Rawlins

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Dual Induction, Compensated Porosity, Microresistivity	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum SEE ATTACHED LIST
---	---

CONFIDENTIAL
 JUL 0 1 2008

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		8 5/8	24#	305	Common	200	3% cc, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

RECEIVED
 KANSAS CORPORATION COMMISSION
 JUL 0 3 2008
 CONSERVATION DIVISION
 WICHITA, KS

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)					
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION

Production Interval Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Pamanna #1-2 2250 FSL 1880 FWL Sec. 2-2S-35W 3225' KB							Pan American Petro #1 Prochazka C NW NE Sec. 2-2-35W 3225' KB	
Formation	Sample top	Datum	Ref	Log tops	Datum	Ref	Log tops	Datum
Anhydrite	3076	+149	-10	3076	+149	-10	3066	+159
B/Anhydrite	3114	+111	-11	3116	+109	-13	3103	+122
Foraker	3717	-492	-11	3721	-496	-15	3706	-481
Topeka	3934	-709	-15	3932	-707	-13	3919	-694
Oread	4057	-832	-12	4059	-834	-14	4045	-820
Lansing	4154	-929	-10	4155	-930	-11	4144	-919
BKC	4420	-1195	-14	4421	-1196	-15	4406	-1181
Mississippi	4800	-1575	-26	4808	-1583	-34	4776	-1549
RTD	4882						5104	
LTD				4883			4939	

CONFIDENTIAL

JUL 01 2008

KCC

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 03 2008

CONSERVATION DIVISION
WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

Line acct.

INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Invoice Number: 112877
Invoice Date: Mar 13, 2008
Page: 1

Voice: (785) 483-3887
Fax: (785) 483-5566

Bill To:
Murfin Drtg. Co., Inc. 250 N. Water STE #300 Wichita, KS 67202

Customer ID	Well Name/# or Customer P.O.	Payment Terms	
Murfin	Pamanna #1-2	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	Mar 13, 2008	4/12/08

Quantity	Item	Description	Unit Price	Amount
66.00	MAT	Class A Common	14.20	937.20
44.00	MAT	Pozmix	7.20	316.80
4.00	MAT	Gel	18.75	75.00
28.00	MAT	Flo Seal	2.25	63.00
115.00	SER	Handling	2.15	247.25
66.00	SER	Mileage 115 sx @.09 per sk per mi	10.35	683.10
1.00	SER	Plug to Abandon	1,075.00	1,075.00
66.00	SER	Mileage Pump Truck	7.00	462.00
1.00	EQP	Dry Hole Plug	40.00	40.00

Subtotal	3,899.35
Sales Tax	245.66
Total Invoice Amount	4,145.01
Payment/Credit Applied	
TOTAL	4,145.01

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 389.93

ONLY IF PAID ON OR BEFORE

Apr. 12, 2008

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 03 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

32125

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley Ks

DATE <u>3-12-08</u>	SEC. <u>2</u>	TWP. <u>23</u>	RANGE <u>35W</u>	CALLED OUT	ON LOCATION <u>7:15 AM</u>	JOB START <u>9:15 AM</u>	JOB FINISH <u>10:15 AM</u>
LEASE <u>Pamanna</u>	WELL # <u>1-2</u>	LOCATION <u>Atwood 5N-6W-1N</u>		COUNTY <u>Rawlins</u>	STATE <u>Kan</u>		
OLD OR <u>NEW</u> (Circle one)		<u>2 1/2 W 1/4 N</u>					

CONTRACTOR MurFin Drlys Co #3

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 4882'

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 x 4 DEPTH 2300'

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT CONFIDENTIAL

EQUIPMENT 1 2008

PUMP TRUCK CEMENTER WCF

431 HELPER Larene

BULK TRUCK DRIVER Darrin

_____ DRIVER _____

OWNER Same

CEMENT AMOUNT ORDERED 110 sks 60/40 per
4% Gel, 1/4# Flo-Seal

COMMON	<u>66 sks @</u>	<u>14.20</u>	<u>937.20</u>
POZMIX	<u>44 sks @</u>	<u>7.20</u>	<u>316.80</u>
GEL	<u>4 sks @</u>	<u>18.25</u>	<u>75.00</u>
CHLORIDE	_____ @	_____	_____
ASC	_____ @	_____	_____
	<u>Flo-Seal 28 # @</u>	<u>2.25</u>	<u>63.00</u>
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
HANDLING	<u>115- sks @</u>	<u>2.15</u>	<u>247.25</u>
MILEAGE	<u>9¢ per sk/mile</u>	_____	<u>683.10</u>
TOTAL			<u>2,322.35</u>

REMARKS:

35 sks @ 2300'
40 sks @ 360'
10 sks @ 40'
10 sks in m. h.
15 sks in bit

Thank You

CHARGE TO: MurFin Drlys Co Inc

STREET _____

CITY _____ STATE _____ ZIP _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 03 2008

TOTAL 1,537.00

CONSERVATION DIVISION
WICHITA, KS PLUG & FLOAT EQUIPMENT

8 5/8

1- DH Plug @ 40.00

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL 40.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Ray Van Pelt

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

Sign asset

INVOICE

Invoice Number: 112738
Invoice Date: Mar 6, 2008
Page: 1

Bill To:

Murfin Drig. Co., Inc.
250 N. Water
STE #300
Wichita, KS 67202

HPRUW WUT I

Customer ID	Well Name/# or Customer P.O.	Payment Terms	
Murfin	Pamanna #1-2	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	Mar 6, 2008	4/5/08

Quantity	Item	Description	Unit Price	Amount
200.00	MAT	Class A Common	14.20	2,840.00
4.00	MAT	Gel	18.75	75.00
7.00	MAT	Chloride	52.45	367.15
211.00	SER	Handling	2.15	453.65
66.00	SER	Mileage 211 sx @.09 per sk per mi	18.99	1,253.34
1.00	SER	Surface	917.00	917.00
66.00	SER	Mileage Pump Truck	7.00	462.00
1.00	SER	Head Rental	113.00	113.00
1.00	EQP	Surface Plug	68.00	68.00

CONFIDENTIAL

JUL 0 1 2008

KCC

Account	Unit Rig	W L	No.	Amount	Description
03600	003	40	3100	6760.20	Conserv S. (S)
				(654.91)	

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 654.91

ONLY IF PAID ON OR BEFORE

Apr 5, 2008

Subtotal	6,549.14
Sales Tax	211.06
Total Invoice Amount	6,760.20
Payment/Credit Applied	
TOTAL	6,760.20

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 03 2008

CONSERVATION DIVISION
WICHITA, KS

(654.91)

6105.29

ALLIED CEMENTING CO., INC.

32116

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakleyks

DATE <u>3-3-08</u>	SEC. <u>2</u>	TWP. <u>2S</u>	RANGE <u>35W</u>	CALLED OUT	ON LOCATION <u>8:00 PM</u>	JOB START <u>9:45 PM</u>	JOB FINISH <u>10:15 PM</u>
LEASE <u>Pamanna</u>	WELL # <u>1-2</u>	LOCATION <u>Atwood 5N-10W-1N-2W</u>	COUNTY <u>Rawlins</u>	STATE <u>Kans</u>			
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR MurFin Ddy Co #3
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 305'
 CASING SIZE 8 5/8 DEPTH 305'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 15'
 PERFS.
 DISPLACEMENT 18 1/2 BBL
 EQUIPMENT

OWNER Scime
 CEMENT AMOUNT ORDERED 200 SKS COM
3% ACC - 2% DEL

PUMP TRUCK CEMENTER Walt
 # 431 HELPER Kelly
 BULK TRUCK
 # 218 DRIVER Alvin
 BULK TRUCK
 # DRIVER

COMMON	<u>200 - SKS @ 14.20</u>	<u>2840.00</u>
POZMIX	@	
GEL	<u>4 - SKS @ 18.75</u>	<u>75.00</u>
CHLORIDE	<u>7 - SKS @ 52.45</u>	<u>367.15</u>
ASC	@	
	@	
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	<u>211 - SKS @ 2.15</u>	<u>453.65</u>
MILEAGE	<u>94.00 per SK/mile</u>	<u>1,253.24</u>
TOTAL		<u>4,989.14</u>

REMARKS:
CONFIDENTIAL

JUL 01 2008

Cement Done
KCC

Thank You

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>917.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>66 - miles</u>	@ <u>7.00</u>	<u>462.00</u>
MANIFOLD	@	
<u>Head rental</u>	@	<u>113.00</u>
	@	

TOTAL 1492.00

CHARGE TO: MurFin Ddy Co, Inc
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>		
<u>1 - Surface Plug</u>	@	<u>68.00</u>
	@	
	@	
	@	
	@	
TOTAL		<u>68.00</u>

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Keith Van Wert

PRINTED NAME

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 03 2008

CONSERVATION DIVISION
WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

Lin
and

INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

Invoice Number: 112877
Invoice Date: Mar 13, 2008
Page: 1

Bill To:

Murfin Drig. Co., Inc.
250 N. Water
STE #300
Wichita, KS 67202

APPROVED
MURFIN

Customer ID	Well Name/# or Customer P.O.	Payment Terms	
Murfin	Pamanna #1-2	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	Mar 13, 2008	4/12/08

Quantity	Item	Description	Unit Price	Amount
66.00	MAT	Class A Common	14.20	937.20
44.00	MAT	Pozmix	7.20	316.80
4.00	MAT	Gel	18.75	75.00
28.00	MAT	Flo Seal	2.25	63.00
115.00	SER	Handling	2.15	247.25
66.00	SER	Mileage 115 sx @.09 per sk per mi	10.35	683.10
1.00	SER	Plug to Abandon	1,075.00	1,075.00
66.00	SER	Mileage Pump Truck	7.00	462.00
1.00	EQP	Dry Hole Plug	40.00	40.00

CONFIDENTIAL
JUL 01 2008
KCC

Account	Unit	W	No.	Amount	Description
	Rig	L			
03000	003	40	3/00	4145.01 (389.93)	PTA

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 389.93

ONLY IF PAID ON OR BEFORE

Apr 12, 2008

Subtotal	3,899.35
Sales Tax	245.66
Total Invoice Amount	4,145.01
Payment/Credit Applied	<i>OK</i>
TOTAL	4,145.01

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 03 2008

CONSERVATION DIVISION
WICHITA, KS

(389.93)

3955.08

ALLIED CEMENTING CO., INC.

32125

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Dakley Ks

DATE <u>3-12-08</u>	SEC. <u>2</u>	TWP. <u>23</u>	RANGE <u>35W</u>	CALLED OUT	ON LOCATION <u>7:15 AM</u>	JOB START <u>9:15 AM</u>	JOB FINISH <u>10:15 AM</u>
LEASE <u>Pamanna</u>	WELL # <u>1-2</u>	LOCATION <u>Atwood 5N-6W-1N</u>			COUNTY <u>Hawkins</u>	STATE <u>Kan</u>	
OLD OR NEW (Circle one)		<u>2 1/2 W 1/4 N</u>					

CONTRACTOR Murfin Drlys Co #3

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 4882'

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 xH DEPTH 2300'

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER Same

CEMENT

AMOUNT ORDERED 110 sks 69/40 per

4% Gel, 1/4" # Flo-Seal

COMMON	<u>66 sks @</u>	<u>14 20</u>	<u>937 20</u>
POZMIX	<u>44 sks @</u>	<u>7 20</u>	<u>316 80</u>
GEL	<u>4 sks @</u>	<u>18 25</u>	<u>75 00</u>
CHLORIDE	@		
ASC	@		
<u>Flo-Seal 28 #</u>	<u>@</u>	<u>2 25</u>	<u>63 00</u>
	@		
	@		
	@		
	@		
	@		
	@		
HANDLING	<u>115 sks @</u>	<u>2 15</u>	<u>247 25</u>
MILEAGE	<u>74 per sk/mile</u>		<u>683 10</u>
TOTAL			<u>2,322 35</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt

431 HELPER Lorene

BULK TRUCK

218 DRIVER Darrin

BULK TRUCK

_____ DRIVER _____

REMARKS: CONFIDENTIAL

<u>35 sks @</u>	<u>2300'</u>	<u>MUL 0 1 2008</u>
<u>40 sks @</u>	<u>360'</u>	
<u>10 sks @</u>	<u>40'</u>	<u>KCC</u>
<u>10 sks in mth</u>		
<u>15 sks in Blh</u>		

Thank You

CHARGE TO: Murfin Drlys Co Inc

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	_____	
PUMP TRUCK CHARGE	_____	<u>1,075 00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>66 miles</u>	@ <u>7 00</u>	<u>462 00</u>
MANIFOLD	@	
	@	
	@	
TOTAL		<u>1,537 00</u>

PLUG & FLOAT EQUIPMENT

<u>1-DH Plug</u>	<u>8 7/8</u>	@	<u>40 00</u>
		@	
		@	
		@	
		@	
TOTAL			<u>40 00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Ray Van Pelt

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 03 2008

CONSERVATION DIVISION
WICHITA, KS