

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

7/29/10

Operator: License # 32825
 Name: Pioneer Exploration, LLC
 Address: 15603 Kuykendahl Suite 200
 City/State/Zip: Houston, Texas 77090
 Purchaser: NCRA
 Operator Contact Person: Erick A. Rodriguez
 Phone: (281) 893-9400 x210
 Contractor: Name: Warren Drilling LLC
 License: 33724
 Wellsite Geologist: Patrick J. Deenihan
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>04/21/08</u>	<u>04/29/08</u>	<u>05/23/08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 055-21963-00-00
 County: Finney
 _____ SW _____ NE _____ NW _____ Sec. 20 Twp. 22 S. R. 33 East West
990 feet from S / (N) (circle one) Line of Section
3630 feet from (E) W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Garden City Well #: 5-20
 Field Name: Damme
 Producing Formation: Mississippi
 Elevation: Ground: 2904 Kelly Bushing: 2917
 Total Depth: 4951 Plug Back Total Depth: 4920
 Amount of Surface Pipe Set and Cemented at 355 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 2712 Feet
 If Alternate II completion, cement circulated from 4951
 feet depth to surface w/ 1200 sx cmt.

RECEIVED
 KANSAS CORPORATION COMMISSION
 JUL 31 2008
 CONSERVATION DIVISION
 WICHITA, KS
 CONFIDENTIAL
 JUL 29 2008
 KCC

Drilling Fluid Management Plan Alt II NH 10-24-08
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Erick Rodriguez
 Title: Operations Coordinator Date: 07/29/08
 Subscribed and sworn to before me this 29th day of July,
20 08
 Notary Public: Clark Ordas
 Date Commission Expires: DEC. 13, 2010

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Clark Ordas
 Notary Public, State of Texas
 My Commission Expires:
December 13, 2010

Operator Name: Pioneer Exploration, LLC Lease Name: Garden City Well #: 5-20
 Sec. 20 Twp. 22 S. R. 33 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

See attached **RECEIVED**
KANSAS CORPORATION COMMISSION

JUL 31 2008

CONSERVATION DIVISION
WICHITA, KS

List All E. Logs Run:

CNL/CDL MEL, DIL, GBL
CONFIDENTIAL
 JUL 29 2008

KCC CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24	355	Common	225	3% cc w/ 2% gel
Production	7-7/8"	4-1/2"	10.5	4950	C/C-lite/ASC	1200	10% salt, 2% gel, 5# gilsonite; 1/4# flo-seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4720 - 4725	750 gal 7 1/2% NeFe w/ 35 balls	4720 - 4725
4	4771 - 4774	2500 gal 7 1/2% NeFe w/ 35 balls	4720 - 4725
4	4792 - 4796	1250 gal 15% NeFe w/ 38 balls	4771 - 4796
4	4860 - 4864	700 gal 15% NeFe w/ 22 balls	4860 - 4864

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	2-3/8"	4813		

Date of First, Resumerd Production, SWD or Enhr. 05/25/08	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	12	0	38	0	27.6

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
 (If vented, Submit ACO-18.) Other (Specify) _____

Garden City #5-20
Damme Field
Finney County
API No. 15-055-21963-00-00

Tops and base of formations penetrated

Name	Top	Datum
Herington	2519	+498
Krider	2546	+371
Winfield	2606	+311
Heebner Shale	3824	-907
Lansing	3867	-950
Kansas City "A"	4218	-1301
Kansas City "B"	4254	-1337
Base/Kansas City	4346	-1429
Cherokee Shale	4495	-1578
Morrow	4685	-1768
Mississippi/St. Louis	4798	-1881

CONFIDENTIAL

JUL 29 2008

KCC

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 31 2008

CONSERVATION DIVISION
WICHITA, KS

235595



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
APR 30

PRIORITY INVOICE

Invoice Number: 113643
Invoice Date: Apr 25, 2008
Page: 1

SCANNED
4-30-08

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Well Name/ # or Customer P.O.	Payment Terms	
CONFIDENTIAL PioExp	Garden City #5-20	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	Apr 25, 2008	5/25/08

Quantity	Item	Description	Unit Price	Amount
225.00	MAT	Class A Common	14.20	3,195.00
4.00	MAT	Gel	18.75	75.00
8.00	MAT	Chloride	52.45	419.60
237.00	SER	Handling	2.15	509.55
74.00	SER	Mileage 237 sx @.09 per sk per mi	21.33	1,578.42
1.00	SER	Surface	917.00	917.00
55.00	SER	Extra Footage	0.80	44.00
74.00	SER	Mileage Pump Truck	7.00	518.00
1.00	SER	Manifold Head Rental	113.00	113.00
1.00	EQP	Wooden Plug	68.00	68.00

RECEIVED
KANSAS CORPORATION COMMISSION
JUL 31 2008
CONSERVATION DIVISION
WICHITA, KS

DESCRIPTION Cementing Services
ACCOUNT # 11000-15
WELL NAME Garden City #5-20 KS 1570
DATE 4-30-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 743.76

ONLY IF PAID ON OR BEFORE

May 25, 2008

Subtotal	7,437.57
Sales Tax	232.97
Total Invoice Amount	7,670.54
Payment/Credit Applied	
TOTAL	7,670.54

ALLIED CEMENTING CO., INC.

32262

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Onkley, KS

DATE <i>4/22/08</i>	SEC. <i>20</i>	TWP. <i>22</i>	RANGE <i>33</i>	CALLED OUT <i>7:00 AM</i>	ON LOCATION <i>7:00 PM</i>	JOB START <i>6:30 AM</i>	JOB FINISH <i>7:00 AM</i>
LEASE <i>Garden City</i>	WELL # <i>5-20</i>		LOCATION <i>Friend, Ks 3 1/2 mi to Bigelow Rd, 95.</i>		COUNTY <i>Finney</i>	STATE <i>KS</i>	
OLD OR NEW (Circle one) <u>NEW</u>			to Barlow Rd 1/4 E, S into				

CONTRACTOR *Warren 18*

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *355'*

CASING SIZE *8 5/8* DEPTH

TUBING SIZE DEPTH

DRILL PIPE *CONFIDENTIAL* DEPTH

TOOL DEPTH

PRES. MAX *JUL 29 2008* MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG *15'*

PERFS.

DISPLACEMENT *2 1/2 BBL*

OWNER *Same*

CEMENT AMOUNT ORDERED *225 SKs Com 300 cc 290 gel*

COMMON <i>225 SKs</i>	@ <i>14^{xx}</i>	<i>3195⁰⁰</i>
POZMIX	@ <i>18²⁵</i>	<i>7⁵⁰</i>
GEL <i>4</i>	@ <i>52⁴⁵</i>	<i>419⁰⁰</i>
CHLORIDE <i>8</i>	@	
ASC	@	

EQUIPMENT

PUMP TRUCK # *422* CEMENTER *Alan* HELPER *Wayne*

BULK TRUCK # *347* DRIVER *Larene*

BULK TRUCK # DRIVER

RECEIVED @

KANSAS CORPORATION COMMISSION @

JUL 31 2008 @

CONSERVATION DIVISION @

WICHITA, KS @

REMARKS:

Cement Did Circulate

Thank You

HANDLING *237 SK* @ *2¹⁵*

MILEAGE *99 SK/mile* @ *1578⁰⁰*

TOTAL *5777.51*

SERVICE

DEPTH OF JOB *355'*

PUMP TRUCK CHARGE *917⁰⁰*

EXTRA FOOTAGE *55 FT* @ *.80* *44⁰⁰*

MILEAGE *24 miles* @ *7⁰⁰* *518⁰⁰*

MANIFOLD *Surface Head* @ *113⁰⁰*

CHARGE TO: *Pioneer Exploration*

STREET

CITY STATE ZIP

TOTAL *1592⁰⁰*

PLUG & FLOAT EQUIPMENT

1- 8 5/8 Wooden Plug @ *68⁰⁰*

@

@

@

@

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or

20



SCANNED
5-7-08

PRIORITY INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
MAY 07

Invoice Number: 113753
Invoice Date: Apr 30, 2008
Page: 1

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID PioExp	Well Name/ # or Customer P.O. Garden City #5-20	Payment Terms Net 30 Days	
Job Location KS	Camp Location Oakley	Service Date Apr 30, 2008	Due Date 5/30/08

Quantity	Item	Description	Unit Price	Amount
150.00	MAT	Class C Premium Plus	17.35	2,602.50
650.00	MAT	Lightweight Class A	12.65	8,222.50
3,250.00	MAT	Gilsonite	0.80	2,600.00
163.00	MAT	Flo Seal	2.25	366.75
915.00	SER	Handling	2.15	1,967.25
55.00	SER	Mileage 915 sx @.09 per sk per mi	82.35	4,529.25
1.00	SER	Production String - Top Stage	1,075.00	1,075.00

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 31 2008

CONSERVATION DIVISION
WICHITA, KS

DESCRIPTION Cementing
ACCOUNT # 1600-15
WELL NAME Garden City # 5-20 KS15705
AFE# 38020008
DATE 5-7-08 APPROVED

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 2136.32

ONLY IF PAID ON OR BEFORE

May 30, 2008

Subtotal	21,363.25
Sales Tax	855.09
Total Invoice Amount	22,218.34
Payment/Credit Applied	
TOTAL	22,218.34

ALLIED CEMENTING CO., LLC. 31960

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oilfield KS

DATE <u>4.30.08</u>	SEC. <u>19</u>	TWP. <u>22s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>12:30pm</u>	JOB START <u>14:00pm</u>	JOB FINISH <u>12:00pm</u>	
LEASE <u>Garden City</u>				WELL# <u>S-20</u>	LOCATION <u>Garden City N. Mn. Mile</u>		COUNTY <u>Finney</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)				Dial. <u>5 1/2 w - 5 in</u>				

CONTRACTOR <u>Warren Drilling #18</u>	OWNER <u>same</u>
TYPE OF JOB <u>2-stage Top stage</u>	
HOLE SIZE <u>7 7/8</u>	T.D. <u>4950'</u>
CASING SIZE <u>4 1/2</u>	DEPTH <u>2711'</u>
TUBING SIZE <u>CONFIDENTIAL</u>	DEPTH
DRILL PIPE <u>CONFIDENTIAL</u>	DEPTH
TOOL <u>JUL 29 2008</u>	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE <u>KCC</u>	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT <u>43.1 BBL</u>	

EQUIPMENT

PUMP TRUCK # <u>431</u>	CEMENTER <u>Fuzzy</u>	HELPER <u>Kelly</u>
BULK TRUCK # <u>354</u>	DRIVER <u>Ray</u>	
BULK TRUCK # <u>386</u>	DRIVER <u>Jerry</u>	

REMARKS:

Mix 15sks RH - 10sks mtl
Mix 625 sks hite 11/4" 26 seal
5* 5/16 SK tail with 150sks
class 'C' wash pump & lines
Displace plus to BU Tool, Tool
closed @ 1800* Cement did
circulate plus down @ 11:30pm
Thanks Fuzzy & crew

CEMENT	AMOUNT ORDERED	<u>150 sks class C</u>
		<u>650 hite 5* 5/16 SK 11/4" 26 seal</u>
COMMON	<u>Class C 150 @ 17.35</u>	<u>2602.50</u>
POZMIX	@	
GEL	@	
CHLORIDE	@	
ASC	@	
<u>hite 650</u>	@ <u>12.65</u>	<u>8222.50</u>
<u>Gilsonite 3250*</u>	@ <u>.80</u>	<u>2600.00</u>
<u>Sl Seal 163*</u>	@ <u>2.25</u>	<u>366.75</u>
HANDLING	<u>915 @ 2.15</u>	<u>1967.25</u>
MILEAGE	<u>.09 x 95 kmile</u>	<u>4524.25</u>
TOTAL		<u>20288.25</u>

SERVICE

DEPTH OF JOB	<u>2693'</u>
PUMP TRUCK CHARGE	<u>1075.00</u>
EXTRA FOOTAGE	@
MILEAGE	@ <u>NC</u>
MANIFOLD	@
	@
	@

TOTAL 1075.00

CHARGE TO: Pioneer Exploration LTD
 STREET _____
 CITY _____ STATE _____ ZIP _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 31 2008

CONSERVATION DIVISION
WICHITA, KS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment
 and furnish cementer and helper(s) to assist owner or

PLUG & FLOAT EQUIPMENT


@	
@	
@	
@	
@	



SCANNED
5-7-08

PRIORITY INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566



Invoice Number: 113752
Invoice Date: Apr 30, 2008
Page: 1

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID		Well Name # or Customer P.O.	Payment Terms	
PioExp JUL 29 2008		Garden City #5-20	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date	
KS KCC	Oakley	Apr 30, 2008	5/30/08	
Quantity	Item	Description	Unit Price	Amount
4.00	MAT	Gel	18.75	75.00
200.00	MAT	ASC Class A	16.75	3,350.00
200.00	MAT	Lightweight Class A	12.65	2,530.00
19.00	MAT	Salt	21.60	410.40
1,000.00	MAT	Gilsonite	0.80	800.00
50.00	MAT	Flo Seal	2.25	112.50
460.00	SER	Handling	2.15	989.00
55.00	SER	Mileage 460 sx @.09 per sk per mi	41.40	2,277.00
1.00	SER	Production String - Bottom Stage	1,812.00	1,812.00
55.00	SER	Mileage Pump Truck	7.00	385.00
1.00	SER	Manifold & Head Rental	113.00	113.00
1.00	EQP	AFU Float Shoe	434.00	434.00
1.00	EQP	Latch Down Assembly	405.00	405.00
1.00	EQP	Stage Collar	4,219.00	4,219.00
10.00	EQP	Centralizers	51.00	510.00
3.00	EQP	Baskets	169.00	507.00

RECEIVED
KANSAS CORPORATION COMMISSION
JUL 31 2008

CONSERVATION DIVISION
WICHITA, KS

DESCRIPTION: cementing
ACCOUNT # 1650-15
WELL NAME Garden City #5-20 KS 15705
DATE 5-7-08 APPROVED

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 1892.89
ONLY IF PAID ON OR BEFORE
May 30, 2008

Subtotal	18,928.90
Sales Tax	827.88
Total Invoice Amount	19,756.78
Payment/Credit Applied	
TOTAL	19,756.78

ALLIED CEMENTING CO., LLC. 31959

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley, KS

DATE 4.30.08	SEC. 19	TWP. 22	RANGE 33w	CALLED OUT	ON LOCATION 4:30pm	JOB START 8:00pm	JOB FINISH 8:30pm
LEASE Garden City		WELL # 5-20		LOCATION Garden City 9N-S12W		COUNTY Finney	STATE KS
OLD OR <u>NEW</u> (Circle one)				S			

CONTRACTOR <u>Warren Dale #18</u>	OWNER <u>same</u>
TYPE OF JOB <u>2-Stage (Bottom stage)</u>	
HOLE SIZE <u>7 7/8</u> T.D. <u>4950'</u>	CEMENT
CASING SIZE <u>4 1/2 10.5</u> DEPTH <u>4966'</u>	AMOUNT ORDERED <u>200skt ASC 10% salt, 5# 1/2" 2" seal</u>
TUBING SIZE DEPTH	<u>200 kite 1 1/4" flo-seal</u>
DRILL PIPE DEPTH <u>2711'</u>	
TOOL <u>DU Tool</u> DEPTH	
PRES. MAX MINIMUM	COMMON _____ @ _____
MEAS. <u>IDENTENTIAL</u> SHOE JOINT <u>29 3/4"</u>	POZMIX _____ @ _____
CEMENT LEFT IN CSG. <u>29 3/4"</u>	GEL _____ @ <u>18 75</u> <u>75 00</u>
PERFS. <u>JUL 29 2000</u>	CHLORIDE _____ @ _____
DISPLACEMENT <u>35.38 water, 43.1 mud</u>	ASC <u>200</u> @ <u>16 75</u> <u>3350 00</u>
EQUIPMENT <u>78.48 total</u>	Kite <u>200</u> @ <u>12 63</u> <u>2530 00</u>

PUMP TRUCK CEMENTER <u>Tuzzly</u>	
# <u>431</u> HELPER <u>Relly</u>	
BULK TRUCK	
# <u>373</u> DRIVER <u>LaRene</u>	
BULK TRUCK	
# DRIVER	

Salt <u>195skt</u>	@ <u>21 40</u>	
Gilsonite <u>1000#</u>	@ <u>.80</u>	<u>800 00</u>
Flo-seal <u>50#</u>	@ <u>2 25</u>	<u>112 50</u>
HANDLING <u>460</u>	@ <u>2 15</u>	<u>989 00</u>
MILEAGE <u>.09 x 5 km/ly</u>		<u>227 00</u>
TOTAL		<u>10543.00</u>

REMARKS:

Max 200skt kite 1 1/4" flo-seal
Trail in with 200skt ASC 10% salt
2" seal, 5# 1/2" washout pump
and press. Displace plus to batch down
kite press 800# hand press 1400#
float held. Drop DU back unit 15min
open DU Tool since 2 hrs. Plug
down @ 8:00pm Thanks Tuzzly
Crew

SERVICE

DEPTH OF JOB		<u>4966'</u>
PUMP TRUCK CHARGE		<u>1812 00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>55</u>	@ <u>7 00</u>	<u>385 00</u>
MANIFOLD thread	@	<u>113 00</u>
_____	@	_____
_____	@	_____

CHARGE TO: Pioneer Exploration LTD

TOTAL 2310 00

STREET _____
 CITY _____ STATE _____ ZIP _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 31 2008

CONSERVATION DIVISION
WICHITA, KS

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or

PLUG & FLOAT EQUIPMENT

1- AFU float shoe		<u>434 00</u>
1- batchdown Assy	@	<u>405 00</u>
1- Stage collar	@	<u>4219 00</u>
10- Centralizers	@ <u>51 00</u>	<u>510 00</u>
3- Baskets	@ <u>169 00</u>	<u>507 00</u>
	@	