15-047-10065-0000

FORM CP-1 Rev. 6/4/84

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING APPLICATION FORM (File One Copy)

(Fire one copy)
API NUMBER June 12, 1962 (of this well) (This must be listed; if no API# was issued, please note drilling completion date.)
LEASE OPERATOR Raymond Oil Company. Inc. OPERATORS LICENSE NO. 5046
ADDRESS One Main Place, #900, Wichita, Ks. 67202 PHONE # (316) 267-4214
LEASE (FARM) Cudney WELL NO. 1 WELL LOCATION C SW SW COUNTY Edwards
SEC. 27 TWP.25S RGE. 16 (K) OT (W) TOTAL DEPTH 4500' PLUG BACK TD 4472'
Check One:
OIL WELL X GAS WELL D&A SWD or INJ WELL DOCKET NO.
SURFACE CASING SIZE 8-5/8" SET AT 405 CEMENTED WITH 285 SACKS
CASING SIZE 5 ½ SET AT 4495! CEMENTED WITH 200 SACKS
PERFORATED AT 4379-85', 4406-15', 4037-43'
CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE
OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL
(If additional space is needed use back of form)
IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? yes IS ACO-1 FILED? 6-12-61 (If not, explain)
DATE AND HOUR PLUGGING IS DESIRED TO BEGIN as soon as possible
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seg AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION. RECEIVED
NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:
Bill Schoenhofer PHONE # (316) 257-3161 UN 2 8 1985
ADDRESS P.O. Box 167, Lyons, Kansas, 67554 CONSERVATION DIVISION Wighta, Kansas
PLUGGING CONTRACTOR Kelso Casing Pulling LICENSE NO. 6050
ADDRESS P.O. Box 347, Chase, Kansas, 67529 PHONE # (316) 938-2457
PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT SIGNED: Pat Ray Reference Over Agent Pat Ray Reference Over Agent
DATE: June 27 1985

IN CARLIN



<u>15-047-10065-10000</u>

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water) 200 Colorado Derby Building 202 West 1st Street WICHITA, KANSAS 67202-1286

HAEL LENNEN Chairman RGALEE WRIGHT Commissioner TH R. HENLEY Commissioner DITH A. McCONNELL Executive Secretary AN J. MOLINE General Counsel

THIS NOTICE

Governor

SEP 2 8 1985

EXPIRES

June 28, 1985

WELL PLUGGING NOTICE

Cudney #1 C SW SW Sec. 27-25S-16W Edwards County.

Raymond Oil Company, Inc. One Main Place, Ste. 900 Wichita, KS 67202

Gentlemen:

This is your notice to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This notice is void after ninety (90) days from the above date.

Sincerely,

William R. Bryson, Director

William R. B

Please submit your proposal for plugging the above captioned well to 302 West McArtor Dodge City, KS 67801 316-225-6760

five days prior to plugging the well (KAR-82-3-113).

orded By:	Location	16	me Since Circ.	1 1	Source R _{int} R _{inc}	R _m . @ Meas. Temp.	R _{int} @ Meas. Temp.	R _m (a) Meas. Temp.		pH Fluid Loss].s		ype Fluid in Hole	it Size	asing—Welex	asing—Driller	op Log Inter.	tm. Log Inter.	epth-Welex	epin-Uriller	On No. UNE			Drilling Measured From	ermanent Datum		FIE	INC	(U.	DNE	Y j	L_St	l ate_	KA					
-	6890 PRATT	a° °F		ම _° F		عا _ه (0)	اء 9° ج	9° °F		=						@	C	4488'	4498'	4500	GAMMA	5-21-62		KELLY	KELLY I		Sec27	Ç	Location		COUNTY	FIELD		WELL		COMPANY			T T	
		9° °F		ج- @ ع- @		ع. ه				ml ml						@	0	4498'	4498'	4500'	NEUTRON	5-21-62		SUSHING Ft. Above			Twp 25S	I OW I OW			EDWARDS	WIL POOL		CUDNEY #		LEBEN DRI				R.
		9° °F		377@11@F		(e)	(9)	ı l	T 0.1	6.2	_,	± 1	WATER BASE	7-7/8"		8-5/8/05	3600'	4493'	4498'	4500'		5-21-62		ove Perm. Datum	2077'		Rge 16W			H	STATE KANSAS	800		1	SIRIC	DRILLING, INC.				ADIATION-
	— (i	a ° (0)	(8)		(w)	0 8	9 1		-		SAIT Aly		23			a						1	G.L. 20/3	D.F. 2073	Elev.: K.B. 2077				Other Services:		SAS	Wichita, Kansas	ACERTA ENDER CHARGON	JUN 2 8 1985	SIMIC CLUSTER FURNINGER	RECEIVED				-GUARD
ıld		<u> </u>				· i								!			his	He	adi	ng	an	d to) og 1	Con	form	To	API	-RP	3T#	<u> </u> -					· 克					
EMA	RK	S_				_															_																			
han ate	ge So	in A	Aud ole I	Ty No.	ре	or T							les I i				-;				<u> </u>	T					_			sc	ALE									
pth	-0	Prill	er			+	5-21-62 4500' WATER BAS												_			EU	TR	Log RON			Depth 3600 '			Scale Up Hol 250-1250					Sco				30(
							STARCH MU														G	AM	MA	1												-				
Dei ph		Flu	Vid Jid		s	+		<u>. 9</u> . 2			<u>50</u> 9		ml							-	_					_										1				
		of				-		LC		Ţ	NE	0.0	٥¢				<u> </u>		°F			5									EQUIPMENT DATA					_l				
$\frac{R_{\rm m}}{R_{\rm mf}}$ @ Meas. Temp.							(0)					۰F	°F				<u>@</u> _ @		°F			Run No.			Tool Typ		pe and No.			Pad Type T			Too	Tool Position			Other			
R _m									(<u>a</u>		°F	:			(<u>a</u>	<u> </u>	٥	F	_																			
3,,,	@	BHT	Γ		•1111-	1	•	07	20		11	. 5F				(<u> </u> බ_		0					+		_			+			\dashv				-				
₹.,,,,									_(0	_		°F					<u>മ</u> മ		0					-					1								 -			
																				_																<u> </u>	 -			
					_											_				Ε	QU	IP/	۱E۱	11	DAT	Α								-						
2 N	lo.					T	0	NI		<u> </u>	١A	RAY						T					-	D.,	n No						NEUTRON									
ol Model No.							2000												 						g Ty					+	ONE NEUTRON-			N -	3 A M	МА		+		
tector Model No.							3-5/8" 1E-11																	Tool Model No.					2000								\downarrow			
ngth							GEIGER-M						UELLER												Diameter Detector Model No.				lo.	3-5/8" 1C-8							·	+		
ngil itar		to	N. :	Sou	rce	+			, 711			+												Type Length					GEIGER-MUE					JEL	LLER					
						1	_ <u>_</u> _					L											+	So	urce	M	odel	No		+	400							+		
ist						7			Gl	N	ERA	XL		·		_								Serial No.					60								1			
	atrument Truck No. ol Serial No.						6890 11488									-							+	Spacing Type					12" RADIUM-B					RYLLTIIM						
							<u> </u>	14	+ Ø (<u> </u>	<u>·</u>	-						ļ					7	Str	engt	th				+		1 >	<	ΙŌ	N	EUI	RON	\$7	SEC	<u>. </u>
المارية المارية		;																			-	2"		10	Ο΄	-												1		

GAMMA GUARD