

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Ellis County. Sec. 1 Twp. 13 Rge. 16 (E) W (W)
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. SE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$
Lease Owner Solar Oil Corporation
Lease Name Solar Oil Co's Weiland "D" Well No. 1
Office Address 1117 Union National Bank, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed..... 19.....
Application for plugging filed..... 19.....
Application for plugging approved..... 19.....
Plugging commenced January 9, 1950..... 19.....
Plugging completed January 13, 1950..... 19.....
Reason for abandonment of well or producing formation Dry hole

NORTH



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production..... 19.....
Was permission obtained from the Conservation Division or its agents before plugging was commenced?.....

Name of Conservation Agent who supervised plugging of this well Eldon Petty
Producing formation..... none..... Depth to top..... Bottom..... Total Depth of Well 3492 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8 5/8"	979	None
				5 1/2"	3492'	2841'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from 3492 feet to surface feet for each plug set.

Set wooden plug at 3050, filled hole with chat from 3050 to 3035, dumped five sacks of cement, forming cement plug from 3035 to 2995; mudded hole from 2995 to 260 feet; rock bridge from 260 to 250; pured fifteen sacks of cement forming cement bridge from 250 to 200 feet; Mud from 200 to 35 feet; rock bridge from 35 to 25; cement from 25 feet to surface.

Plugging completed.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Solar Oil Corporation
Address 1117 Union National Bank Bldg., Wichita, Kansas.

STATE OF Kansas, COUNTY OF Russell, ss.

J.R. Barnes, an employee of owner (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature)

J.R. Barnes

(Address)

Wichita, Kansas


SUBSCRIBED AND SWORN to before me this 21st day of January 19 50

My commission expires.....

Notary Public:

22-2625

2-48-15M



Wieland "D" No. 1
SE NE NW 1-13-16W., Ellis County, Kansas

Total Depth: 3490' Plugged Back with cement to 3459'

Commenced: 7/12/49
Plugged: 1/13/50

clay, shale and shells	65
shale and shells	580
sand	615
shale and shells	640
red bed	968
Anhydrite	978
Anhydrite	1010
shale and shells	1365
salt	1450
lime and shale	1940
lime	2135
lime and shale	2285
shale and shells	2445
lime and shale	3047
lime	3066
shale and lime	3082
lime	3167
lime and shale	3405
Arbuckle	3443
cherty lime	3474
chert and lime	3490
TOTAL DEPTH	3490
CEMENT FILLED TO	3459'
SET PLUGS AT 3418' and 3382' - drilled out and drove down to a depth of 3453'.	

5 1/2" casing set at 3490' cement plug to 3459'
Did not drill out cement.

DRY AND ABANDONED

1-25-1950
 25 1950
 SECTION
 KANSAS

PLUGGING
 FILE SEC 1 T 12 R 16W
 BOOK PAGE 134 LINE 9