## RECEIVED ORIGINAL

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 2 3 2010

June 2009 Form Must Be Typed

## Form must be Signed Form wast be Filled **WELL COMPLETION FORM**

UiC Distribution

WELL HISTORY - DESCRII	•
OPERATOR: License # 31280	API No. 15 - 031-22511-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	NE_SE_SW_SE_Sec. 15 Twp. 22 S. R. 16 ▼ East West
Address 2:	495 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	1,485 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311 - office	□ne □nw ☑se □sw
CONTRACTOR: License # 31280	County: Coffey
Name: Birk Petroleum	Lease Name: Klaus Well #: 60
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elévation: Ground: 1032 est Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1027 Plug Back Total Depth: 1027
	Amount of Surface Pipe Set and Cemented at: 42 Feet
☑ Oil	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
GSW Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1017
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	iset deput to.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Ptt)
Original Comp. Date: Original Total Depth:	•
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	
GSW Permit #:	County: Permit #:
05/13/2010 05/20/2010 05/21/2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentiful report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and r	regu-
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	Confidential Release Date:
Toursel Phone	☐ Wireline Log Received
Signature:	Geologist Report Received

## Side Two

Operator Name: Birk	Petroleum		Lease Na	ame: _	Klaus		_Well #:60	)		
Sec. 15 Twp.22			County: _	1		· · · · · · · · · · · · · · · · · · ·				
time tool open and clos	sed, flowing and shu s if gas to surface to	nd base of formations pen ut-in pressures, whether sl est, along with final chart(s I well site report.	hut-in pressu	re read	ched static level,	hydrostatic pres	sures, bottom	hole temp	erature, fluid	
Drill Stern Tests Taken Yes ✓ No				Log Formation (Top), De			pth and Datum		✓ Sample	
(Attach Additional Sheets)  Samples Sent to Geological Survey		Yes No	Nam Squirr		me rel Sand		Top 1018'		Datum	
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		☐ Yes		RECEIV						
List All E. Logs Run:								IG 23		
್ರಗಳಿಕ ವಿಷ್ಣ		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	-	4	~ • /		KCC	WIC	HITA	
			RECORD	☐ Ne						
Purpose of String	Size Hole Drilled	Report all strings set-o Size Casing Set (In O.D.)	Weight Lbs./F	t	Setting Depth	on, etc.  Type of  Cement	# Sacks Used		and Percent	
Surface	9 7/8"	7"	17#		42	Portland	16	Calciu	<u>m</u>	
Long String	6"	2 7/8"	6.5#		1017'	Portland	120			
		ADDITIONAL	CEMENTING	2 / 601	EEZE BECORD					
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks U	NTING / SQUEEZE RECORD  acks Used Type			e and Percent Additives			
				:						
Shots Per Foot		ION RECORD - Bridge Plug Footage of Each Interval Per		1	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth		
None Open hole completion 1017-1027'				Frac w/42 sx sand					1017-1027	
				4 .			***************************************			
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes No	)			
Date of First, Resumed I 05/26/2010	Production, SWD or El	NHR. Producing Meth	nod:  Pumping		Gas Lift C	Other (Explain)				
Estimated Production Per 24 Hours	OII 5	Bbls. Gas	Mcf	Wat		bls.	Gas-Oil Ratio		Gravity	
DISPOSITIO	#77 <b>78</b> 3			_	Comp. Cor	nmingled	PRODUCT	ION INTER	VAL:	
(If vented, Sub	mit ACO-18.)	Other (Specify)	(	Guurnit i						

		1	- 1/10	eler	''S'I	<b>c</b> ea(	ly IV	IIX, I	nc.	
<u> </u>		Pla (785) 23	Same of the special of the second	. Box 8477	'• 1105 N.W		er Lk. Rd. • T 3-9947. •	opeka, Kansas 60	(78	Office * 5) 233-242:
PLANT	TIME	DATE 5/2	1	COUNT	TRUCK	DRIVER Own			TICKE	:T
CUSTON	MER NAME				DELIV	ERY ADDRESS		•		
		•	E 141							
'	PUNC	,	integ w	0 166	<i>'</i> ,	Dick .	10 at	Plant		
PURCHA	ASE ORDER	<u> </u>	ORDER# T	AX						SLUMP
LOAD QT	Y PRODUCT	DESCRI	TION				ORDERED	DELIVERED	UNIT PRICE	AMOUNT
20,10 0,		•				567 E	ģ., ,	٠.		
								·	1285	
	120 Dag	Comer	<b>†</b>	*		<u> </u>		· (A)	13111	
LEAV	E PLANT ARRIVE JO	OB SITE	START DISCHARGE	FINIS	SH DISCHARGE	ARRIV	E PLANT	SUBTOTAL	440	<b>₹</b> •
			NOTE			IMPORTANT		TAX	,	200
	VER Note here if water has been ed and how much.		e are not responsible for	or concrete	We cannot	he held respons	ible for damage	TOTAL	1128	CO
<del></del>		freezing after placement.			caused by our trucks when delivering material beyond the curb-line. Not respon- sible for quality of concrete if water is added by purchaser.			PREVIOUS TOTAL GRAND TOTAL	59	. 78
			Caution:						118-	1.78
		FRES	SH CONCRE	TE						-
			contact with fresould be avoided				•			
	•	it contain	s alkali and is ca	austic.	Received B	у				

RECEIVED AUG 2 3 2010

KCC WICHITA